

SEPA Annual Report to The Water Industry Commission for Scotland

Table 1: Pollution incidents

Reporting period

| | | Year 2006 | | | |
|--------------------------------|--|--------------|--------------|--------------|---|
| | | Category 1 | Category 2 | Category 3 | Total |
| Sewage Related Premises | | Total Number | Total Number | Total Number | Total Number (Cat 1-3 incidents) (Automatically Calculated) |
| 1 | Sewage Treatment Works | | | | 0 |
| 2 | Storm Tank | | | | 0 |
| 3 | Combined Sewer Overflow | | | | 0 |
| 4 | Foul Sewer | | | | 0 |
| 5 | Pumping Station | | | | 0 |
| 6 | Rising Mains | | | | 0 |
| 7 | Other | | | | 0 |
| 8 | <i>Number of incidents where site compliant with discharge consent</i> | | | | 0 |

| | | Category 1 | Category 2 | Category 3 | Total |
|---|--|--------------|--------------|--------------|---|
| Water and Surface Water Related Premises | | Total Number | Total Number | Total Number | Total Number (Cat 1-3 incidents) (Automatically Calculated) |
| 9 | Water Treatment Works | | | | 0 |
| 10 | Water Distribution System | | | | 0 |
| 11 | Surface Water Outfall | | | | 0 |
| 12 | <i>Number of incidents where site compliant with discharge consent</i> | | | | 0 |

| | | | | |
|----|--|---|---|---|
| 13 | Total (Sewage and Water and Surface Water) related Premises (Automatically Calculated) | 0 | 0 | 0 |
| 14 | <i>Total (Sewage and Water and Surface Water) number of Incidents where site compliant with Discharge Consent (Automatically Calculated)</i> | 0 | 0 | 0 |

| | | |
|----|---|---|
| 15 | Total Number of all Category 1-3 incidents (Automatically Calculated) | 0 |
| 16 | Total Number where site compliant with Consent (Automatically Calculated) | 0 |
| 17 | Total Number of Water Company self reported incidents | |

SEPA Annual Report to The Water Industry Commission for Scotland

Table 2: Compliance

| | | | Calendar Year 2006 | Financial year 2006-07 |
|---|--|----|--------------------|------------------------|
| A) All Discharges | | | | |
| 1 | Total consented discharges at year end | nr | | |
| 2 | Total discharges sampled in year | nr | 661 | 657 |
| 3 | Number of discharges compliant | nr | | |
| B) Look-up Table Lower Tier Consents | | | | |
| 4 | Total consented discharges at year end | nr | | |
| 5 | Total discharges sampled in year | nr | 588 | 583 |
| 6 | Number of discharges compliant | nr | 555 | 538 |
| C) Upper Tier Consents | | | | |
| 7 | Total consented discharges at year end | nr | | |
| 8 | Total discharges sampled in year | nr | 588 | 583 |
| 9 | Number of discharges compliant | nr | 538 | 526 |
| D) Single Tier Consents | | | | |
| 10 | Total consented discharges at year end | nr | | |
| 11 | Total discharges sampled in year | nr | 73 | 74 |
| 12 | Number of discharges compliant | nr | 71 | 70 |
| E) Absolute non-Sanitary Consents | | | | |
| 13 | Total consented discharges at year end | nr | 0 | 0 |
| 14 | Total discharges sampled in year | nr | 0 | 0 |
| 15 | Number of discharges compliant | nr | 0 | 0 |
| F) Non-numeric Consent | | | | |
| 16 | Total consented discharges at year end | nr | | |
| 17 | Total discharges sampled in year | nr | | |
| 18 | Number of discharges compliant | nr | | |
| G) Discharges confirmed as failing | | | | |
| 19 | Number of discharges confirmed as failing | nr | | |
| 20 | Total population equivalent confirmed as failing | pe | | |
| 21 | Total population equivalent served by STWs (resident) (numeric consents) | pe | | |
| 22 | Percentage population equivalent confirmed as failing | % | | |

SEPA Annual Report to The Water Industry Commission for Scotland

Table 3 (new): Consent failures

| DECEMBER '06 | | | | | | |
|--------------|--------------------|--------------|---------------------------|-----------------------------------|----|---------|
| ASSET No. | CAR CONSENT NUMBER | CONSENT TYPE | ASSET NAME | CONFIRMED SW VIEW END DECEMBER 06 | | OPA |
| | | | | LT | UT | |
| STW001674 | CAR/L/1001164 | 2 Tier | ABERFELDY | C | C | 4,034 |
| STW001202 | CAR/L/1001588 | 2 Tier | ALNESS | F | F | 5,252 |
| STW001972 | CAR/L/1001579 | 2 Tier | ARMADALE | F | C | 11,601 |
| STW001717 | CAR/L/1001434 | 2 Tier | BALBEGGIE | C | F | C |
| STW002011 | CAR/L/1003386 | 2 Tier | BALMAHA WWTW | C | F | C |
| STW001724 | CAR/L/1001132 | 2 Tier | BLAIRGOWRIE | F | C | 9,092 |
| STW002260 | CAR/L/1001581 | 2 Tier | BONNYBRIDGE WWTW | C | F | C |
| STW000125 | CAR/L/1003435 | 2 Tier | CARBARNS WwTW | C | F | C |
| STW000136 | CAR/L/1000758 | 2 Tier | CARSTAIRS JUNCTION | C | F | C |
| STW001265 | CAR/L/1001670 | 2 Tier | CAWDOR WWTW | C | F | 116 |
| STW000150 | CAR/L/1000640 | 2 Tier | CHAPELTON WWTW | C | F | C |
| STW001731 | CAR/L/1001033 | 2 Tier | COUPAR ANGUS | F | F | 2,278 |
| STW001858 | CAR/L/1001703 | 2 Tier | COWIE - STONEHAVEN | C | C | 5,915 |
| STW000205 | CAR/L/1000907 | 2 Tier | CROSSHILL WWTW | C | F | C |
| STW001249 | CAR/L/1001671 | 2 Tier | CROY WWTW | C | F | 313 |
| STW001235 | CAR/L/1001663 | 2 Tier | CULLODEN (SUNNYSIDE) | C | F | 337 |
| STW002049 | CAR/L/1001021 | 2 Tier | DALMENY | C | F | C |
| STW001251 | CAR/L/1008717 | 2 Tier | DORNOCH WWTP | F | F | 2,592 |
| STW001696 | CAR/L/1001191 | 2 Tier | DUNKELD | F | C | 1,784 |
| STW000263 | CAR/L/1000567 | 2 Tier | DUNLOP WWTW | F | C | 813 |
| STW000265 | CAR/L/1003729 | 2 Tier | DUNNSWOOD WWTW | C | F | C |
| STW000267 | CAR/L/1003604 | 2 Tier | DUNRAGIT | C | F | C |
| STW002055 | CAR/L/1003744 | 2 Tier | DUNS | F | C | 7,139 |
| STW000492 | CAR/L/1004186 | 2 Tier | DYKE WWTW | F | F | 198 |
| STW001483 | CAR/L/1001731 | 2 Tier | FYVIE | F | F | 544 |
| STW001275 | CAR/L/1002187 | 1 Tier | GEDDES | F | F | 139 |
| STW000335 | CAR/L/1000755 | 2 Tier | GLESPIW WWTW | C | F | C |
| STW001309 | CAR/L/1001740 | 2 Tier | GRANTOWN ON SPEY | C | F | 4,391 |
| STW002081 | CAR/L/1001421 | 2 Tier | GREENLAW | F | C | 899 |
| STW000355 | WPC/W/72850 | 2 Tier | HAMILTON WWTW | F | F | 64,417 |
| STW000371 | CAR/L/1003531 | 2 Tier | HEATHHALL | F | C | 244 |
| STW001502 | CAR/L/1001639 | 2 Tier | HOLEMILL CARAVAN SITE | C | F | C |
| STW000384 | CAR/L/1008718 | 2 Tier | INVERARAY ST | F | F | 806 |
| STW001212 | CAR/L/1003853 | 2 Tier | INVERGORDON (ROSSKEEN) | C | F | C |
| STW002093 | CAR/L/1000412 | 2 Tier | INVERSNIAID WWTW | C | F | C |
| STW002285 | CAR/L/1004934 | 2 Tier | KINCARDINE | C | F | 3,800 |
| STW001234 | CAR/L/1001762 | 2 Tier | KINGUSSIE STW | C | F | 1,823 |
| STW002234 | CAR/L/1001277 | 2 Tier | KINLOCHARD WWTW | F | F | 198 |
| STW000437 | CAR/L/1015931 | 2 Tier | KIRKCUDBRIGHT | C | C | 7,730 |
| STW001759 | CAR/L/1003752 | 2 Tier | KIRRIEMUIR | C | F | C |
| STW000457 | CAR/L/1000535 | 2 Tier | LANARK WWTW | C | F | C |
| STW002108 | CAR/L/1000998 | 2 Tier | LARGOWARD | F | C | 306 |
| STW001108 | CAR/L/1002908 | 2 Tier | LOCHCARRON | F | F | 672 |
| STW000475 | CAR/L/1003561 | 1 Tier | LOCHFOOT | C | F | C |
| STW001239 | CAR/L/1001662 | 2 Tier | MILTON OF KILDARY | C | F | C |
| STW001557 | CAR/L/1001738 | 2 Tier | MINTLAW | F | F | 4,816 |
| STW002249 | CAR/L/1001343 | 2 Tier | MOREBATTLE | F | C | 274 |
| STW002132 | CAR/L/1004821 | 2 Tier | NEWTOWN ST BOSWELLS | F | F | 1,997 |
| STW001684 | CAR/L/1001003 | 2 Tier | PITLOCHRY | C | C | 4,980 |
| STW002145 | CAR/L/1001090 | 2 Tier | PLEAN WWTW | C | F | C |
| STW001387 | CAR/L/1001768 | 2 Tier | RHYNIE | C | F | C |
| STW002151 | CAR/L/1001173 | 2 Tier | ROSSELM ROSSIE ST | F | C | 2 |
| STW002152 | CAR/L/1001266 | 2 Tier | SALINE | C | F | C |
| STW000627 | CAR/L/1000716 | 2 Tier | SALSBURGH WWTW | F | C | 1,519 |
| STW001453 | CAR/L/1003858 | 2 Tier | SAUCHEN | F | C | 230 |
| STW000637 | CAR/L/1000731 | 2 Tier | SHANDON 5 | C | F | C |
| STW001988 | CAR/L/1008813 | 2 Tier | SOUTH QUEENSFERRY | C | F | 8,050 |
| STW003713 | CAR/L/1002984 | 2 Tier | ST MARGARETS HOPE | F | C | 355 |
| STW000671 | CAR/L/1003405 | 2 Tier | STEWARTON WWTW (AYRSHIRE) | F | F | 6,806 |
| STW003516 | WPC/N/7616 | 2 Tier | STONEHAVEN (CARRON) | C | C | 5,928 |
| STW000675 | CAR/L/1000694 | 2 Tier | STONEHOUSE WWTW | C | F | C |
| STW002289 | CAR/L/1002899 | 2 Tier | STRABATHIE | C | F | C |
| STW000680 | CAR/L/1003619 | 2 Tier | STRANRAER | C | C | 15,361 |
| STW000681 | CAR/L/1008937 | 2 Tier | STRATHAVEN WWTW | F | F | 7,946 |
| STW001549 | CAR/L/1008734 | 2 Tier | STUARTFIELD | F | C | 927 |
| STW001242 | CAR/L/1001672 | 2 Tier | TAIN WWTW | F | F | 4,118 |
| STW002255 | CAR/L/1001047 | 2 Tier | TILlicOLTRY WWTW | C | F | C |
| STW001642 | CAR/L/1001643 | 2 Tier | TORLUNDY (HAPPY VALLEY) | C | F | C |
| STW001431 | CAR/L/1001632 | 2 Tier | TORPHINS | F | F | 1,267 |
| STW001714 | CAR/L/1001353 | 2 Tier | TORPHINS | F | F | 1,267 |
| STW002176 | CAR/L/1008726 | 2 Tier | TORPHINS | F | F | 1,267 |
| STW000714 | CAR/L/1003570 | 2 Tier | TORTHORWALD | C | F | C |
| STW002176 | CAR/L/1008726 | 2 Tier | TYNDRUM WWTW | F | C | 398 |
| STW001714 | CAR/L/1001353 | 2 Tier | WOLFILL | F | F | 164 |
| STW001842 | CAR/L/1001641 | 2 Tier | WOODLANDS OF DURRIS | F | C | 34 |
| STW000225 | CAR/L/1003354 | 2 Tier | DALMUIR PFI | F | F | 541,499 |
| STW000506 | CAR/L/1003265 | 2 Tier | MEADOWHEAD PFI | C | C | 398,420 |
| STW000670 | CAR/L/1003264 | 2 Tier | STEVENSTON (PFI) | F | F | 11,797 |
| STW001971 | CAR/L/1003753 | 2 Tier | WHITBURN | F | F | 11,797 |

FAILING PE (OPA) 755,469
TOTAL NUMERICALLY CONSENTED PE (OPA) 7,037,002

| | |
|---------------------|--------|
| %PE FAILING (OPA) | 10.74% |
| LOWER TIER FAILING | 33 |
| UPPER TIER FAILING | 50 |
| SINGLE TIER FAILING | 2 |
| TOTAL FAILING | 66 |

| MARCH '07 | | | | | | |
|-----------|--------------------|--------------|------------------------------|--------------------------------|----|---------|
| ASSET No. | CAR CONSENT NUMBER | CONSENT TYPE | ASSET NAME | CONFIRMED SW VIEW END MARCH 07 | | OPA |
| | | | | LT | UT | |
| STW001791 | CAR/L/1008735 | 2 Tier | ABOYNE | C | C | 3,185 |
| STW001202 | CAR/L/1001588 | 2 Tier | ALNESS | F | F | 5,252 |
| STW001972 | CAR/L/1001579 | 2 Tier | ARMADALE | F | F | 11,601 |
| STW001717 | CAR/L/1001434 | 2 Tier | BALBEGGIE | C | F | C |
| STW002011 | CAR/L/1003386 | 2 Tier | BALMAHA WWTW | C | F | C |
| STW001724 | CAR/L/1001132 | 2 Tier | BLAIRGOWRIE | F | C | 9,092 |
| STW002260 | CAR/L/1001581 | 2 Tier | BONNYBRIDGE WWTW | C | F | C |
| STW000125 | CAR/L/1003435 | 2 Tier | CARBARNS WwTW | C | F | C |
| STW000136 | CAR/L/1000758 | 2 Tier | CARSTAIRS JUNCTION | C | F | C |
| STW001265 | CAR/L/1001670 | 2 Tier | CAWDOR WWTW | C | F | 116 |
| STW000150 | CAR/L/1000640 | 2 Tier | CHAPELTON WWTW | C | F | C |
| STW001731 | CAR/L/1001033 | 2 Tier | COUPAR ANGUS | F | F | 2,278 |
| STW001858 | CAR/L/1001703 | 2 Tier | COWIE - STONEHAVEN | C | C | 5,915 |
| STW000205 | CAR/L/1000907 | 2 Tier | CROSSHILL WWTW | C | F | C |
| STW001249 | CAR/L/1001671 | 2 Tier | CROY WWTW | C | F | 313 |
| STW001235 | CAR/L/1001663 | 2 Tier | CULLODEN (SUNNYSIDE) | C | F | 337 |
| STW002049 | CAR/L/1001021 | 2 Tier | DALMENY | C | F | C |
| STW001476 | CAR/L/1001719 | 2 Tier | DAVIOT WWTP | C | F | C |
| STW001251 | CAR/L/1008717 | 2 Tier | DORNOCH WWTP | F | F | 2,592 |
| STW000244 | CAR/L/1000757 | 2 Tier | DOUGLAS WWTW | F | C | 2,250 |
| STW001896 | CAR/L/1001191 | 2 Tier | DUNKELD | F | C | 1,784 |
| STW000263 | CAR/L/1000567 | 2 Tier | DUNLOP WWTW | F | C | 813 |
| STW000265 | CAR/L/1003729 | 2 Tier | DUNNSWOOD WWTW | C | F | C |
| STW000267 | CAR/L/1003604 | 2 Tier | DUNRAGIT | C | F | C |
| STW002055 | CAR/L/1003744 | 2 Tier | DUNS | C | C | 7,139 |
| STW000492 | CAR/L/1004186 | 2 Tier | DYKE WWTW | F | F | 198 |
| STW001545 | CAR/L/1003861 | 2 Tier | ELLON | F | F | 11,236 |
| STW001483 | CAR/L/1001731 | 2 Tier | FYVIE | F | F | 544 |
| STW000308 | CAR/L/1003623 | 2 Tier | GARLIESTON | F | C | 379 |
| STW001275 | CAR/L/1002187 | 1 Tier | GEDDES | F | F | C |
| STW000335 | CAR/L/1000755 | 2 Tier | GLESPIW WWTW | C | F | C |
| STW001309 | CAR/L/1001740 | 2 Tier | GRANTOWN ON SPEY | F | F | 4,391 |
| STW002081 | CAR/L/1001421 | 2 Tier | GREENLAW | F | C | 899 |
| STW000355 | WPC/W/72850 | 2 Tier | HAMILTON WWTW | F | F | 64,417 |
| STW001954 | CAR/L/1001615 | 2 Tier | HEAD OF WORK WWTW (KIRKWALL) | F | C | 13,067 |
| STW000371 | CAR/L/1003531 | 2 Tier | HEATHHALL | F | C | 244 |
| STW001502 | CAR/L/1001639 | 2 Tier | HOLEMILL CARAVAN SITE | C | F | C |
| STW000384 | CAR/L/1008718 | 2 Tier | INVERARAY ST | F | F | 806 |
| STW001141 | CAR/L/1001613 | 2 Tier | INVERGARRY | F | C | 70 |
| STW001212 | CAR/L/1003853 | 2 Tier | INVERGORDON (ROSSKEEN) | F | F | 6,772 |
| STW002093 | CAR/L/1000412 | 2 Tier | INVERSNIAID WWTW | C | F | C |
| STW000012 | CAR/L/1003555 | 1 Tier | JOHNSTONE PARK AMISFIELD | C | F | C |
| STW002265 | CAR/L/1004934 | 2 Tier | KINCARDINE | C | F | 3,800 |
| STW001234 | CAR/L/1001762 | 2 Tier | KINGUSSIE STW | C | F | 1,823 |
| STW002234 | CAR/L/1001277 | 2 Tier | KINLOCHARD WWTW | F | F | 198 |
| STW000437 | CAR/L/1015931 | 2 Tier | KIRKCUDBRIGHT | C | C | 7,730 |
| STW001759 | CAR/L/1003752 | 2 Tier | KIRRIEMUIR | C | F | C |
| STW000457 | CAR/L/1000535 | 2 Tier | LANARK WWTW | C | F | C |
| STW002108 | CAR/L/1000998 | 2 Tier | LARGOWARD | F | C | 306 |
| STW001108 | CAR/L/1002908 | 2 Tier | LOCHCARRON | F | F | 672 |
| STW000475 | CAR/L/1003561 | 1 Tier | LOCHFOOT | C | F | C |
| STW000488 | CAR/L/1003422 | 2 Tier | LUSS WWTW | C | F | C |
| STW001239 | CAR/L/1001662 | 2 Tier | MILTON OF KILDARY | C | F | C |
| STW001557 | CAR/L/1001738 | 2 Tier | MINTLAW | F | F | 4,816 |
| STW001833 | CAR/L/1003841 | 2 Tier | MONTRUSE | C | C | 18,410 |
| STW002249 | CAR/L/1001343 | 2 Tier | MOREBATTLE | F | C | C |
| STW000549 | CAR/L/1000668 | 1 Tier | NEW LANARK ST (No.1) | F | C | 105 |
| STW002132 | CAR/L/1004821 | 2 Tier | NEWTOWN ST BOSWELLS | F | F | 1,997 |
| STW002143 | CAR/L/1000922 | 2 Tier | PHILPSTOUN | F | C | 333 |
| STW002145 | CAR/L/1001090 | 2 Tier | PLEAN WWTW | C | F | C |
| STW001387 | CAR/L/1001768 | 2 Tier | RHYNIE | C | F | C |
| STW002151 | CAR/L/1001173 | 2 Tier | ROSSELM ROSSIE ST | F | C | 2 |
| STW000622 | CAR/L/1001539 | 2 Tier | ROWANBURN | F | C | 7 |
| STW002152 | CAR/L/1001266 | 2 Tier | SALINE | F | F | 1,358 |
| STW000627 | CAR/L/1000716 | 2 Tier | SALSBURGH WWTW | F | C | 1,519 |
| STW001453 | CAR/L/1003858 | 2 Tier | SAUCHEN | F | C | 230 |
| STW000637 | CAR/L/1000731 | 2 Tier | SHANDON 5 SEPTIC TANK | C | F | C |
| STW001988 | CAR/L/1008813 | 2 Tier | SOUTH QUEENSFERRY | C | F | 8,050 |
| STW003713 | CAR/L/1002984 | 2 Tier | ST MARGARETS HOPE | F | F | 355 |
| STW000671 | CAR/L/1003405 | 2 Tier | STEWARTON WWTW (AYRSHIRE) | F | F | 6,806 |
| STW003516 | WPC/N/7616 | 2 Tier | STONEHAVEN (CARRON) | C | C | 5,928 |
| STW000675 | CAR/L/1000694 | 2 Tier | STONEHOUSE WWTW | C | F | C |
| STW002164 | CAR/L/1000924 | 2 Tier | STOW | C | F | C |
| STW002289 | CAR/L/1002899 | 2 Tier | STRABATHIE | C | F | C |
| STW000680 | CAR/L/1003619 | 2 Tier | STRANRAER | C | C | 15,361 |
| STW000681 | CAR/L/1008937 | 2 Tier | STRATHAVEN WWTW | F | F | 7,946 |
| STW001549 | CAR/L/1008734 | 2 Tier | STUARTFIELD | F | C | 927 |
| STW001242 | CAR/L/1001672 | 2 Tier | TAIN WWTW | F | F | 4,118 |
| STW002255 | CAR/L/1001047 | 2 Tier | TILlicOLTRY WWTW | F | F | 6,659 |
| STW001642 | CAR/L/1001643 | 2 Tier | TORLUNDY (HAPPY VALLEY) | C | F | C |
| STW001431 | CAR/L/1001632 | 2 Tier | TORPHINS | F | F | 1,267 |
| STW000714 | CAR/L/1003570 | 2 Tier | TORTHORWALD | C | F | C |
| STW002176 | CAR/L/1008726 | 2 Tier | TYNDRUM WWTW | F | C | 398 |
| STW001714 | CAR/L/1001353 | 2 Tier | WOLFILL | F | F | 164 |
| STW001842 | CAR/L/1001641 | 2 Tier | WOODLANDS OF DURRIS | F | C | 34 |
| STW000225 | CAR/L/1003354 | 2 Tier | DALMUIR PFI | F | F | 541,499 |
| STW000506 | CAR/L/1003265 | 2 Tier | MEADOWHEAD PFI | C | C | 398,420 |
| STW000670 | CAR/L/1003264 | 2 Tier | STEVENSTON (PFI) | F | F | 11,797 |
| STW001971 | CAR/L/1003753 | 2 Tier | WHITBURN | F | F | 11,797 |

FAILING PE (OPA) 1,208,725
TOTAL NUMERICALLY CONSENTED PE (OPA) 7,037,002

| | |
|---------------------|--------|
| %PE FAILING (OPA) | 17.18% |
| LOWER TIER FAILING | 45 |
| UPPER TIER FAILING | 57 |
| SINGLE TIER FAILING | 4 |
| TOTAL FAILING | 80 |

This is has been replaced by the worksheet "Consent failures"

SEPA Annual Report to The Water Industry Commission for Scotland

Table 3: Discharges Confirmed as Failing

Reporting period

SEWAGE TREATMENT WORKS (including septic tanks and crude outfalls)

| Count | Reference | Name of Discharge | Receiving Water [1] | Population Equivalent | Criteria (please specify Y/N) | | | | Legislation [2] | Parameter [3] |
|-------|-----------|-------------------|---------------------|-----------------------|-------------------------------|---------------------|----------------------|----------------------------------|-----------------|---------------|
| | | | | | LUT Sanitary | Upper Tier Sanitary | Single Tier Sanitary | Upper Tier/absolute Non sanitary | | |
| 1 | | | | | | | | | | |
| 2 | | | | | | | | | | |
| 3 | | | | | | | | | | |
| 4 | | | | | | | | | | |
| 5 | | | | | | | | | | |
| 6 | | | | | | | | | | |
| 7 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 9 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 13 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 15 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | | | | | | | | | | |
| 26 | | | | | | | | | | |
| 27 | | | | | | | | | | |
| 28 | | | | | | | | | | |
| 29 | | | | | | | | | | |

[1] One from: I = Inland, E = Estuarial, C = Coastal, G = Groundwater, and one from: N = Normal, S = Sensitive Area (UWWTD), H = exHNDA (please specify)

[2] Please indicate the legislation in which the discharge has not been compliant (I.e. UWWT, CRA, other)

[3] BOD, COD, SS, NH3, pH, Scheme in breach of statutory deadlines, etc. For UWWTD failures specify: Reporting, Audit, Insufficient samples, BOD UT, BOD LUT, COD UT, COD LUT or Annual average (or a combination of these). For UV disinfection failures

Levels of Service analysis

1) The Levels of Service analysis only includes BOD LUT and P failures for UWWT reporting

2) In the Levels of Service analysis, where a STW failures both the LUT part of its CRA consent and the BOD LUT or P UWWT consent condition, the failure is reported against the WRA consent only