

SECTION G CHAPTER G1

SUMMARY - WATER SERVICE

Edition 6

Page 1 of 148 Date: Mar 2008
Revision 11.0



TABLE G1 LINE DEFINITIONS

BLOCK 1: BASE SERVICE PROVISION/CAPITAL MAINTENANCE

G1.1 Base operating expenditure

£m (3dp)

Definition: The level of operating expenditure on the water network

> required to maintain the quantity and quality of outputs and levels of service provided by the water service in the report year. Operating expenditure excludes current cost depreciation. Base opex includes the opex incurred in

the provision of services to third parties.

Processing rules: Input field

Previous references: G1.1 (Ofwat ref JR07 T35L1)

G1.2 Infrastructure Renewals Expenditure (net)

£m (3dp)

Definition: required The capital expenditure to maintain

serviceability to customers of infrastructure assets, as

defined in RAR2.

Processing rules: Input field

Previous references: K1.2 (Ofwat ref JR07 T35L2)

G1.3 Maintenance Non-infrastructure (gross of grants and contributions)

£m (3dp)

Definition: The total expenditure (gross of grants and contributions)

required for the water service for maintenance of noninfrastructure assets as defined in RAR2. Expenditure is preservation, and where necessary the replacement, of water service non-infrastructure assets

to maintain serviceability to customers.

Processing rules: Input Field

Previous references: JR07 T35L3

Page 2 of 148 Date: Mar 2008



G1.4 Maintenance Non-infrastructure - grants and £m (3dp) contributions

Definition: Grants and contributions received by Scottish Water

> relating to water maintenance non-infrastructure

expenditure.

Processing rules: Input field

Previous references: JR07 T35L4

G1.5 Maintenance Non-infrastructure (net of grants and £m (3dp) contributions)

Definition: The preservation and (where necessary) the replacement

> of water service assets defined as infrastructure, to maintain base operating capability. For this line expenditure is reported net of grants and capital

contributions and is consistent with G1.4.

Processing rules: Input field

Previous references: K1.3 (Ofwat ref JR07 T35L5)

G1.6 Total capital maintenance

Definition: The total capital expenditure net of grants and

> contributions required for the preservation and (where necessary) the replacement of all water service assets

to maintain serviceability to customers.

Calculated field: the sum of lines G1.2 and G1.5 Processing rules:

Previous references: K1.4

BLOCK 2: QUALITY ENHANCEMENTS

G1.7 Quality total capital expendi	ture	£m
		(3dp)

Definition: The total capital expenditure required for the provision of

> new or enhancement of existing water service assets to meet Ministerial output objectives. The primary need for the work should have been confirmed by the quality regulators and allowed for in the Quality and Standards

programme.

Processing rules: Brought forward from G3a.17

Page 3 of 148 Date: Mar 2008

Revision 11.0

£m (3dp)



Previous references: G1.11 (Ofwat ref JR07 T35L7)

G1.8 Quality additional operating expenditure

£m (3dp)

Definition: The additional operating expenditure in relation to the

> Base Year for all new, and, enhancements of existing water service assets to comply with Ministers' output objectives. The primary need for the work should have be confirmed by quality regulator and allowed for at the

last price setting.

Processing rules: Input field

Previous references: G1.12 (Ofwat ref JR07 T35L8)

BLOCK 3: ENHANCED SERVICE LEVELS

G1.9 Enhanced service levels total capital expenditure £m (3dp)

Definition: The total capital expenditure required for the provision of

enhancing service levels.

Processing rules: Brought forward from G3a.24

Previous references: Ofwat ref JR07 T35L9

G1.10 Enhanced service additional operating expenditure £m (3dp)

Definition: The additional operating expenditure in relation to the

> Base Year for all new, and, enhancements of existing water service assets to comply with Ministers' output objectives. The primary need for the work should have be confirmed by quality regulator and allowed for at the

last price setting.

Processing rules: Input field

Previous references: K1.41 (Ofwat ref JR07 T35L10)

Page 4 of 148 Date: Mar 2008



BLOCK 4: GROWTH (SUPPLY/DEMAND EXPENDITURE)

G1.11 Growth total capital expenditure

£m (3dp)

Definition: The total gross cost of meeting growth in demand from

new and existing customers.

Brought forward from G3a.24 Processing rules:

Previous references: G1.16 (Ofwat ref JR07 T35L11)

G1.12 Growth additional operating expenditure

£m (3dp)

Definition: The additional operating expenditure in relation to the

Base Year which results from growth capital investment,

including new development.

Processing rules: Input field

Previous references: G1.17 (Ofwat ref JR07 T35L15)

BLOCK 5: **NEW OUTPUTS/OBLIGATIONS** SINCE THE **FINAL DETERMINATION**

G1.13 New outputs/obligations total capital expenditure £m (3dp)

Definition: The capital expenditure to deal with new outputs

required from companies for the water service, but not included in either the final determination in November 2005 or a subsequent interim determination. The specific outputs and the reasons for the change since the last price setting should be explained in the

commentary.

Processing rules: Brought forward from G4a.45

Previous references: K1.47 (Ofwat ref JR07 T35L18)

G1.14 New outputs/obligations total operating expenditure £m (3dp)

Definition: The net additional operating expenditure compared with

the base year for enhancement opex of 2004-05 to deal with new outputs required from companies for the water service, but not included in either the final determination 2005 November or а subsequent determination. The specific outputs and the reasons for

Page 5 of 148 Date: Mar 2008



the change since the last price setting should be

explained in the commentary.

Brought forward from G4a.46 Processing rules:

Previous references: K1.48 (Ofwat ref JR07 T35L19)

BLOCK 6: GRANTS AND CAPITAL CONTRIBUTIONS

G1.15 Grants for infrastructure assets

£m (3dp)

Definition: The total Grants received from third parties in the Report

> Year towards water services infrastructure assets. This Grant is applied to the gross infrastructure in the year to derive net expenditure e.g. European Regional

Development Fund.

Processing rules: Input field

Previous references: G1.18

G1.16 Grants for non-infrastructure assets

£m (3dp)

Definition: The total Grants received from third parties in the Report

Year towards non-infrastructure assets e.g. European

Regional Development Fund.

Processing rules: Input field

Previous references: G1.19

G1.17 Contributions to infrastructure assets

£m (3dp)

Definition: The total contributions received in the Report Year

> towards infrastructure assets. This contribution is applied to the gross infrastructure in the year to derive net expenditure; for example, contributions towards the

diversion of water mains for roadworks.

Processing rules: Input field

Previous references: G1.20

G1.18 Contributions to non-infrastructure assets

£m (3dp)

Definition: The total Grants received in the Report Year towards

non-infrastructure assets.

Page 6 of 148 Date: Mar 2008



Section G

Processing rules: Input field

Previous references: G1.21

SW is asked to provide in the accompanying commentary the total grants/contributions received to date for lines G1.15 to G1.18 separately, accompanied by appropriate Confidence Grades and comments. SW must separately identify customer contributions (including contributions from developers) for lines G1.17 and G1.18 for growth from any other purpose.

G1.19 Total Grants and Contributions received

£m (3dp)

Definition: The total grants and contributions received in the Report

year towards all infrastructure and non-infrastructure

assets

Calculated field: the sums of lines G1.15 to G1.18 Processing rules:

(inclusive)

Previous references: New Line

BLOCK 7: ADOPTED ASSETS, NIL COST ASSETS

G1.20 Adopted assets and assets acquired at nil cost £m (3dp)

Definition: Adopted assets and assets acquired at nil cost in the

> year for the water service which are included at their MEA value in Table D3 where no expenditure has been

incurred.

Processing rules: Input Field

Previous references: G1.22 (Ofwat ref JR07 T35L22)

BLOCK 8: EXPENDITURE TOTALS

G1.21	Total Capital Expenditure	£m
		(3dp)

Definition: Total net capital expenditure on the water service.

Processing rules: Calculated field: the sum of lines G1.6 + G1.7 + G1.9 +

G1.11 + G1.13 minus G1.19

Previous references: K1.60 (Ofwat Ref JR07 T35L28)

Page 7 of 148 Date: Mar 2008



G1.22 Total operating expenditure £m (3dp)

Definition: Total operating expenditure on the water service.

Calculated field: the sum of lines G1.1 + G1.8 + G1.10 + Processing rules:

G1.12 + G1.14

Previous references: G1.27 (Ofwat Ref JR07 T35L24)

Page 8 of 148 Date: Mar 2008



SECTION G

CHAPTER G2

SUMMARY - WASTEWATER SERVICE

Edition 6

Page 9 of 148 Date: Mar 2008
Revision 11.0



BLOCK 1: BASE SERVICE PROVISION/CAPITAL EXPENDITURE

G2.1 Base operating expenditure

£m (3dp)

Definition:

The level of operating expenditure on the wastewater network required to maintain the quantity and quality of outputs and levels of service provided by the wastewater service in the report year. Operating expenditure excludes current cost depreciation. Base opex includes the opex incurred in the provision of services to third

parties.

Input field Processing rules:

Previous references: G2.1 (Ofwat ref JR07 T36L1)

G2.2 Infrastructure Renewals Expenditure (net)

£m (3dp)

Definition: The capital expenditure required to maintain

serviceability to customers of the infrastructure assets

as defined by RAR2.

Processing rules: Input field

Previous references: K2.2 (Ofwat ref JR07 T36L2)

G2.3 Maintenance non-infrastructure assets (gross of grants and contributions)

Definition: The total expenditure (gross of grants and contributions)

required for the sewerage service for maintenance of non-infrastructure assets defined RAR2. as in Expenditure is for the preservation and where necessary the replacement of sewerage service non-infrastructure

assets to maintain serviceability.

Processing rules: Input field

Previous references: Ofwat ref JR07 T36L3

G2.4 Maintenance non-infrastructure assets - grants and £m (3dp) contributions

Definition: Grants and capital contributions received by Scottish

> Water relating to sewerage maintenance non-

infrastructure expenditure.

Page 10 of 148 Date: Mar 2008

Section G



Processing rules: Input field

Previous references: Ofwat ref JR07 T36L4

G2.5 Maintenance non-infrastructure assets (net of grants and £m (3dp) contributions)

Definition: sewerage capital maintenance

infrastructure expenditure (i.e. after deducting grants

and capital contributions).

Processing rules: Input field

Previous references: Ofwat ref JR07 T36L5

G2.6 Total capital maintenance

£m (3dp)

Definition: The total capital expenditure (net of grants and

> contributions) required for the preservation and (where necessary) the replacement of all wastewater service

assets to maintain serviceability to customers.

Processing rules: Calculated field: the sums of lines G2.2 and G2.5

Previous references: K2.4

BLOCK 2: QUALITY ENHANCEMENTS

G2.7	Quality total capital expenditure	£m
		(3dp)

Definition: The total capital expenditure required for the provision of

> new or enhancement of existing wastewater service assets to comply with Ministers' output objectives. The primary need for the work should have been confirmed by the quality regulators and allowed for in the Quality

and Standards programme.

Processing rules: Brought forward from G3b.29

Previous references: G2.11 (Ofwat ref JR07 T36L7)

G2.8 Quality additional operating expenditure £m (3dp)

Definition: The additional operating expenditure in relation to the

Base Year for all new, and enhancements of existing wastewater service assets to comply with Ministers'

Page 11 of 148 Date: Mar 2008



output objectives. The primary need for the work should have be confirmed by quality regulator and allowed for

at the last price setting.

Processing rules: Input field

Previous references: G2.12 (Ofwat ref JR07 T36L8)

BLOCK 3: ENHANCED SERVICE LEVELS

G2.9 Enhanced service levels total capital expenditure £m (3dp)

Definition: The total capital expenditure required for the provision of

enhanced service levels.

Processing rules: Brought forward from G3b.32

Previous references: JR07 T36L9

G2.10 Enhanced service additional operating expenditure £m (3dp)

Definition: The additional operating expenditure in relation to the

Base Year which results from enhanced service levels.

Processing rules: Input field

Previous references: K2.45 (JR07 T36L10)

BLOCK 4: GROWTH (SUPPLY/DEMAND EXPENDITURE)

G2.11 Growth total capital expenditure £m (3dp)

Definition: The total gross cost of meeting growth in demand from

new and existing customers.

Processing rules: Brought forward from G3b.36

Previous references: G2.16 (Ofwat ref JR07 T36L11)

G2.12 Growth additional operating expenditure £m (3dp)

Definition: The additional operating expenditure in relation to the

Base Year which results from growth capital investment,

including new development.

Processing rules: Input field

Page 12 of 148 Date: Mar 2008
Revision 11.0



Previous references: G2.17 (Ofwat ref JR07 T36L15)

BLOCK 5: NEW OUTPUTS/OBLIGATIONS SINCE THE FINAL DETERMINATION

G2.13 New outputs/obligations total capital expenditure £m (3dp)

Definition: The capital expenditure to deal with new outputs

> required from Scottish Water for the sewerage service, but not included in either the final determination in November 2005 or a subsequent interim determination. The specific outputs and the reasons for the change since the last price setting should be explained in the

commentary.

Processing rules: Brought forward from G3b.31

Previous references: K2.51 (JR07 T36L16)

G2.14 New outputs/obligations total operating expenditure £m (3dp)

Definition: The net additional operating expenditure compared with

> the base year for enhancement opex of 2004-05 to deal with new outputs required from Scottish Water for the sewerage service, but not included in either the final determination in November 2005 or a subsequent interim determination. The specific outputs and the reasons for the change since the last price setting

should be explained in the commentary.

Processing rules: Brought forward from G3b.32

Previous references: K2.52 (JR07 T36L17)

BLOCK 6: GRANTS AND CAPITAL CONTRIBUTIONS

G2.15 Grants for infrastructure assets £m (3dp)

Definition: The total Grants received from third parties in the Report

> Year towards wastewater services infrastructure assets. This Grant is applied to the gross infrastructure in the year to derive net expenditure e.g. European Regional

Development Fund.

Input field Processing rules:

Page 13 of 148 Date: Mar 2008

Section G



Previous references: G2.18

G2.16 Grants for non-infrastructure assets

£m (3dp)

Definition: The total Grants received from third parties in the Report

Year towards non-infrastructure assets. e.g. European

Regional Development Fund.

Processing rules: Input field

Previous references: G2.19

G2.17 Contributions to infrastructure assets

£m (3dp)

Definition: The total contributions received in the Report Year

> towards infrastructure assets. This contribution is applied to the gross infrastructure in the year to derive net expenditure; for example, contributions towards the

diversion of sewers for roadworks.

Processing rules: Input field

Previous references: G2.20

G2.18 Contributions to non-infrastructure assets

£m (3dp)

Definition: The total Grants received in the Report Year towards

non-infrastructure assets.

Processing rules: Input field

Previous references: G2.21

G2.19 Total Grants and Contributions received

£m (3dp)

Definition: The total Grants received in the Report Year towards

infrastructure and non-infrastructure assets.

Calculated field: the sums of lines G2.15 to G2.18 Processing rules:

(inclusive)

Previous references: New Line

SW is asked to provide in the accompanying commentary the total grants/contributions received to date for lines G2.15 to G2.18 respectively, accompanied by appropriate Confidence Grades and comments.

Page 14 of 148 Date: Mar 2008



SW must separately identify customer contributions (including contributions from developers) for lines G1.17 and G1.18 for growth from any other purpose.

BLOCK 7: ADOPTED ASSETS, NIL COST ASSETS

G2.20 Adopted assets and assets acquired at nil cost £m (3dp)

Definition: Adopted assets and assets acquired at nil cost in the

> year for the wastewater service which are included at their MEA value in Table D3 where no expenditure has

been incurred.

Processing rules: Input Field

Previous references: G2.22 (Ofwat ref JR07 T36L20)

BLOCK 8: EXPENDITURE TOTALS

G2.21	Total capital expenditure	£m (3dp)

Definition: Total capital Expenditure on the wastewater service, net

of any grants or contributions.

Processing rules: Calculated field: the sum of lines G2.6 + G2.7 + G2.9 +

G2.11 + G2.13 minus G2.19

Previous references: K2.64 (Ofwat ref JR07 T36L25)

G2.22 Total operating expenditure £m (3dp)

Definition: Total operating expenditure on the wastewater service.

Calculated field: the sum of lines G2.1 + G2.8 + G2.10 + Processing rules:

G2.12 + G2.14

Previous references: G2.27 (Ofwat ref JR07 T36L21)

Page 15 of 148 Date: Mar 2008



SECTION G CHAPTER G3a

Q&S 2 Delivery – Water Service

Edition 6

Page 16 of 148 Date: Mar 2008
Revision 11.0



LINE DEFINITIONS:

BLOCK 1: BASE SERVICE PROVISION/CAPITAL MAINTENANCE

G3a.1 Water Quality (Wa1)

£m (3dp)

Definition: The total capital expenditure required for the provision of

maintaining the required levels of Water Quality in

supplies.

Processing rules: Input field

Previous references: New line

G3a.2 Water Availability (Wa2)

£m (3dp)

Definition: The total capital expenditure required for the provision of

maintaining Water Availability.

Processing rules: Input field

Previous references: New line

G3a.3 Pressure (Wa3)

£m (3dp)

Definition: The total capital expenditure required for the provision of

maintaining the required levels of pressure.

Processing rules: Input field

Previous references: New line

G3a.4 Interruptions to supply (Wa4)

£m (3dp)

Definition: The total capital expenditure required for the provision of

reducing the number of interruptions to supplies.

Processing rules: Input field

Previous references: New line

G3a.5 Water Service Infrastructure Assets (Wa5)

£m (3dp)

Definition: The total capital expenditure required for the provision of

maintaining Water Service Infrastructure Assets.

Processing rules: Input field

Page 17 of 148 Date: Mar 2008

Section G, Chapter G4



Previous references: New line

G3a.6 Water Service non-Infrastructure Assets (Wa6) £m (3dp)

Definition: The total capital expenditure required for the provision of

maintaining Water Service non-Infrastructure Assets.

Processing rules: Input field

Previous references: New line

G3a.7 Base Service water support service assets (WM3) £m (3dp)

Definition: The total capital expenditure required for the provision of

maintaining Base Service water support service assets.

Processing rules: Input field

Previous references: New line

G3a.8 Total Base Service Provision/Capital Maintenance £m (3dp) expenditure

Definition: The total capital expenditure required for Base Service

Provision/Capital Maintenance Expenditure.

Processing rules: Calculated field: the sums of lines G3.1 to G3.7

(inclusive)

Previous references: New line

BLOCK 2: QUALITY ENHANCEMENTS DRINKING WATER DIRECTIVE (98/83 EC)

G3a.9 Lead Capex [DW1] £m (3dp)

Definition: The total capital expenditure required for the provision of

> new or enhancement of existing water service assets to comply with Ministers' output objectives relating to the Lead quality parameter. The primary need for the work should have been confirmed by the quality regulators and allowed for in the Quality and Standards

programme.

Input field Processing rules:

Previous references: G3.1

Page 18 of 148 Date: Mar 2008



G3a.10 Trihalomethanes capex [DW2]

£m (3dp)

Definition: The total capital expenditure required for the provision of

new or enhancement of existing water service assets to comply with Ministers' output objectives relating to the trihalomethanes quality parameter. The primary need for the work should have been confirmed by the quality regulators and allowed for in the Quality and Standards

programme.

Processing rules: Input Field

Previous references: G3.3

G3a.11 Other parameters (specify) capex [DW3]

£m (3dp)

Definition: The total capital expenditure required for the provision of

> new or enhancement of existing water service assets to comply with legal obligations, or Scottish Executive guidance relating to the other water quality parameters. The primary need for the work should have been confirmed by the quality regulators and allowed for in the

Quality and Standards programme.

Processing rules: Input field

Previous references: G3.5

G3a.12 Total Drinking Water Directive capital expenditure

£m (3dp)

Definition: The total capital expenditure required for the provision of

> new or enhancement of existing water service assets to comply with Ministers' output objectives relating to the Total Drinking Water Directive. The primary need for the work should have been confirmed by the quality regulators and allowed for in the Quality and Standards

programme.

Processing rules: Calculated field: The sum of lines (G3.9+G3.10+G3.11)

Previous references: G3.7

Page 19 of 148 Date: Mar 2008



BLOCK 3: THE CRYPTOSPORIDIUM DIRECTIONS 2000 & 2003

G3a.13 Cryptosporidium capital expenditure [DW4]

£m (3dp)

Definition: The additional operating expenditure in relation to the

> Base Year for all new, and enhancements of existing water service assets to comply with Ministers' output objectives relating to the other water quality parameters. The primary need for the work should have be confirmed by quality regulator and allowed for at the last price

setting.

Processing rules: Input field

Previous references: G3.9

BLOCK 4: WATER MAINS REHABILITATION

G3a.14 Mains rehabilitation capital expenditure [DW5]

£m (3dp)

Definition: The total capital expenditure required for the provision of

mains rehabilitation and comply with Ministers' output objectives relating to mains rehabilitation. The primary need for the work should have been confirmed by the quality regulator and allowed for in the Quality and

Standards programme.

Processing rules: Input field

Previous references: G3.11

BLOCK 5: THE ABSTRACTION DIRECTIVE

G3a.15 Total capital expenditure [DW6]

£m (3dp)

Definition: The total capital expenditure required to comply with

Minister outputs objectives on the Abstraction directive.

Processing rules: Input field

Previous references: G3.13

Page 20 of 148 Date: Mar 2008



BLOCK 6: THE BIRDS DIRECTIVE, THE HABITATS DIRECTIVE

G3a.16 Total capital expenditure [DW7]

£m (3dp)

The total capital expenditure required to comply with Definition:

Minister outputs objectives for either The Birds directive

or The Habitats Directive.

Processing rules: Input field

Previous references: G3.15

BLOCK 7: TOTAL QUALITY ENHANCEMENTS CAPITAL EXPENDITURE

G3a.17 Total Quality Enhancements capital expenditure £m (3dp)

Definition: The total capital expenditure required to deliver the

required quality enhancements.

Calculated field: the sum of Lines G3a.12 to G3a.16 Processing rules:

(inclusive).

Previous references: Ofwat ref JR07 T35L7

BLOCK 8: ENHANCED SERVICE LEVELS

G3a.18 Enquiries [Cs1] £m (3dp)

Definition: The total capital expenditure required for the provision of

enhancing the ability of Scottish Water to effectively deal

with enquiries.

Processing rules: Input field

Previous references: New line

G3a.19 Complaints [Cs2] £m (3dp)

Definition: The total capital expenditure required for the provision of

enhancing the ability of Scottish Water to effectively

reduce the number of complaints.

Input field Processing rules:

Previous references: New line

Page 21 of 148 Date: Mar 2008



G3a.20 Total Enhanced Service Levels capital expenditure £m (3dp)

Definition: The total capital expenditure required for the provision of

enhancing service levels.

Calculated field: the sum of lines G3a.18 and G3a.19 Processing rules:

Previous references: New line

BLOCK 9: GROWTH (SUPPLY/DEMAND EXPENDITURE)

G3a.21 Growth [Wa11]

£m (3dp)

Definition: Capital expenditure associated with meeting or offsetting

changes in demand from new and existing customers,

whilst maintaining existing levels of service.

Note: this capital expenditure should exclude expenditure relating to the provision of local distribution assets to provide a water service to new customers. This expenditure should be reported under line G3a.22 New development. In this line, "local distribution" refers to Part II and Part III assets, where the Part III assets upgrade is not 'strategic' but due to development

demand.

Processing rules: Input field

Previous references: G1.13

G3a.22 New Development [Wa12]

£m (3dp)

Definition: The gross capital costs associated with the provision of local distribution assets for water service to provide for new customers with no net deterioration of existing levels of service. In this line, "local distribution" refers to Part II and Part III assets, where the Part III assets upgrade is not 'strategic' but due to development demand.

Processing rules: Input field

Previous references: G1.14

Page 22 of 148 Date: Mar 2008



G3a.23 First time Water [Wa13]

£m (3dp)

Definition: The gross capital cost associated with the provision of

new water supply facilities to existing properties.

Input field Processing rules:

Previous references: G1.15

G3a.24 Total Growth (Supply/Demand Expenditure) capital £m (3dp) expenditure

Definition: The total gross cost of meeting growth in demand from

new and existing customers.

Calculated field: the sums of lines G3a.21 to G3a.23 Processing rules:

(inclusive)

Previous references: G1.16

BLOCK 10: TOTAL EXPENDITURE

G3a.25 Total capital expenditure £m (3dp)

The total gross capital expenditure required. Definition:

Calculated value: the sum of lines G3a.8 + G3a.17 + Processing rules:

G3a.20 + G3a.24

Previous references: G3.17

Page 23 of 148 Date: Mar 2008



SECTION G CHAPTER G3b

Q&S 2 Delivery – Wastewater Service

Edition 6

Page 24 of 148 Date: Mar 2008
Revision 11.0



LINE DEFINITIONS:

BLOCK 1: Base Service Provision/Capital Maintenance

G3b.1 |Sewage Flooding capital expenditure (Ww1) £m (3dp)

Definition: The total capital expenditure required for the provision of

reducing the level of sewage flooding.

Processing rules: Input field

Previous references: New line

G3b.2 Wastewater Service Infrastructure Assets capital £m (3dp) expenditure (Ww2)

Definition: The total capital expenditure required for the provision of

maintaining Wastewater Service Infrastructure Assets.

Processing rules: Input field

Previous references: New line

G3b.3 Wastewater Service Non-Infrastructure Assets capital £m (3dp) expenditure (Ww3)

The total capital expenditure required for the provision of Definition:

maintaining Wastewater Service Non-Infrastructure

Assets.

Processing rules: Input field

Previous references: New line

G3b.4 Base Service wastewater support service assets capital £m (3dp) expenditure (SM3)

Definition: The total capital expenditure required for the provision of


maintaining Base Service wastewater support service

assets.

Processing rules: Input field

Previous references: New line

Page 25 of 148 Date: Mar 2008





G3b.5 Total Base Service Provision/Capital Maintenance £m expenditure (3dp)

Definition: The total capital expenditure required for the provision of

Base Service Provision/Capital Maintenance.

Calculated field: the sum of lines G3b.1 to G3b.4 Processing rules:

Previous references: New line

BLOCK 2: Quality Enhancement

DRIVER WQ1: Control of Pollution Act 1974 S.34 **Sewage Treatment Works upgrading**

G3b.6 Sewage treatment works upgrading capex [WQ1/1] £m (3dp)

Definition: The total capital expenditure required for the provision of

> new or enhancement of existing sewage treatment works assets to comply with Ministers' output objectives.

Processing rules: Input field

Previous references: G4.1

G3b.7 Sewerage system upgrading capex [WQ1/2] £m (3dp)

Definition: The total capital expenditure required for the provision of

new or enhancement of existing sewerage system assets

to comply with Ministers' output objectives.

Processing rules: Input field

Previous references: G4.3

BLOCK 3: DRIVER WQ2: Improvements to poor or seriously polluted waters

Sewage Treatment Works Discharge improvements

G3b.8	Sewage treatment works discharge improvements	£m
	capex [WQ2/1]	(3dp)

Definition: The total capital expenditure required for the provision of

new or enhancement of sewage treatment works assets

to comply with Ministers' output objectives.

Input field Processing rules:

Page 26 of 148 Date: Mar 2008



Previous references: G4.5

G3b.9 CSO discharge improvements capex [WQ2/2] £m (3dp)

Definition: The total capital expenditure required for the provision of

CSO discharge improvement to comply with Ministers'

output objectives.

Processing rules: Input field

Previous references: G4.7

Surface water discharge/ industrial estates capex £m [WQ2/3] (3dp)

Definition: The total capital expenditure required for the provision of

> enhancement new or of surface water discharge/industrial estates assets to comply with

Ministers' output objectives.

Input field Processing rules:

Previous references: G4.9

BLOCK 4: DRIVER WQ3: Protection of Risk Recreation and non - identified Coastal waters

G3b.11	Recreation and non-identified coastal waters capex	£m
	[WQ3/1]	(3dp)

Definition: The total capital expenditure required for the provision of

new or enhancement of Recreation and non-identified coastal assets to comply with Ministers'

objectives.

Processing rules: Input Field

Previous references: G4.11

G3b.12 Phosphorus control capex [WQ3/2] £m (3dp)

Definition: The total capital expenditure required for the provision of

> new or enhancement of sewage treatment works assets for Phosphorus control to comply with Ministers' output

objectives.

Page 27 of 148 Date: Mar 2008





Processing rules: Input Field

Previous references: G4.13

G3b.13 Protection of Risk General [WQ3/3] £m (3dp)

Definition: The total capital expenditure required Ministers' output

> objectives. for the protection of good quality waters ("UK3 Waters") where this is not driven by WQ3/1 or

WQ3/2.

Processing rules: Input Field

Previous references: G4.14a

BLOCK 5: DRIVER EC1: UWWTD Directive Inland Waters

G3b.14	Inland waters CSOs (intermittent discharges) capex	£m
	[EC1/1]	(3dp)

Definition: The total capital expenditure required for the provision of

CSO discharge improvement to comply with Ministers'

output objectives.

Processing rules: Input Field

Previous references: G4.15

G3b.15	Inland waters sewage treatment (continuous	£m
	discharges) capex [EC1/2]	(3dp)

Definition: The total capital expenditure required for the provision of

new or enhancement of sewage treatment works assets

to comply with Ministers' output objectives.

Processing rules: Input Field

Previous references: G4.17

Page 28 of 148 Date: Mar 2008



BLOCK 6: DRIVER EC1: UWWTD Directive Coastal Waters

G3b.16 Coastal waters CSOs (intermittent discharges) capex £m [EC1/3] (3dp)

Definition: The total capital expenditure required for the provision of

CSO discharge improvement to comply with Ministers'

output objectives.

Processing rules: Input Field

Previous references: G4.19

£m G3b.17 Coastal waters sewage treatment (continuous discharges capex [EC1/4] (3dp)

Definition: The total capital expenditure required for the provision of

new or enhancement of sewage treatment works assets

to comply with Ministers' output objectives.

Processing rules: Input Field

Previous references: G4.21

BLOCK 7: DRIVER EC1: UWWTD Directive Estuarial Waters

G3b.18	Estuarial waters CSOs (intermittent discharges) cape	£m
	[EC1/5]	(3dp)

Definition: The total capital expenditure required for the provision of

CSO discharge improvement to comply with Ministers'

output objectives.

Processing rules: Input Field

Previous references: G4.23

G3b.19	Estuarial waters sewage treatment (continuous	£m
	discharges) capex [EC1/6]	(3dp)

Definition: The total capital expenditure required for the provision of

new or enhancement of sewage treatment works assets

to comply with Ministers' output objectives.

Processing rules: Input Field

Page 29 of 148 Date: Mar 2008



Previous references: G4.25

BLOCK 8: DRIVER EC2: Bathing Waters Directive

G3b.20 CSOs (intermittent discharges) capex [EC2/1] £m (3dp)

The total capital expenditure required for the provision of Definition:

CSO discharge improvement to comply with Ministers'

output objectives.

Processing rules: Input Field

Previous references: G4.27

G3b.21 Sewage Treatment (continuous discharges) capex £m [EC2/2] (3dp)

Definition: The total capital expenditure required for the provision of

new or enhancement of sewage treatment works assets

to comply with Ministers' output objectives.

Processing rules: Input Field

Previous references: G4.29

BLOCK 9: DRIVER EC3: Shellfish waters

G3b.22 CSOs (intermittent discharges) capex [EC3/1] £m (3dp)

Definition: The total capital expenditure required for the provision of

CSO discharge improvement to comply with Ministers'

output objectives.

Processing rules: Input Field

Previous references: G4.31

G3b.23	Sewage Treatment (continuous discharges) capex	£m
	[EC3/2]	(3dp)

Definition: The total capital expenditure required for the provision of

new or enhancement of sewage treatment works assets

to comply with Ministers' output objectives.

Processing rules: Input Field

Page 30 of 148 Date: Mar 2008



Previous references: G4.33

BLOCK 10: DRIVER EC4: Freshwater Fish Directive

G3b.24 CSOs (intermittent discharges) capex [EC4/1] £m (3dp)

The total capital expenditure required for the provision of Definition:

CSO discharge improvements to comply with Ministers'

output objectives.

Processing rules: Input Field

Previous references: G4.35

Sewage Treatment (continuous discharges) capex £m [EC4/2] (3dp)

Definition: The total capital expenditure required for the provision of

new or enhancement of sewage treatment works assets

to comply with Ministers' output objectives.

Processing rules: Input Field

Previous references: G4.37

BLOCK 11: DRIVER EC6: Sludge (use in Agriculture) directive

G3b.26 | Sludge treatment capex [EC6] £m (3dp)

Definition: The total capital expenditure required for the provision of

new or enhancement of sludge treatment assets to

comply with Ministers' output objectives.

Processing rules: Input Field

Previous references: G4.39

BLOCK 12: DRIVER EC8: Habitats Directive

G3b.27 Total capex [EC8] £m (3dp)

Definition: The total capital expenditure required for the provision of

the Habitats Directive to comply with Ministers' output

objectives.

Page 31 of 148 Date: Mar 2008

Section G, Chapter G4



Processing rules: Input Field

Previous references: G4.40a

BLOCK 13: DRIVER EC9: Dangerous Substances Directive

G3b.28 Total capex [EC9]

£m (3dp)

Definition: The total capital expenditure required for the provision of

the Dangerous Substances Directive to comply with

Ministers' output objectives.

Processing rules: Input Field

Previous references: G4.41

BLOCK 14: TOTAL QUALITY ENHANCEMENT

G3b.29 Total Quality Enhancements capital expenditure £m (3dp)

Definition: The total capital expenditure required to deliver the

required quality enhancements.

Calculated field: the sum of line G3b.6 to G3b.28 Processing rules:

(inclusive)

Previous references: New Line

BLOCK 15: ENHANCED SERVICE LEVELS

G3b.30 Enquiries capital expenditure (Cs1) £m (3dp)

Definition: The total capital expenditure required for the provision of

enhancing the ability of Scottish Water to effectively deal

with enquiries.

Processing rules: Input Field

Previous references: New Line

G3b.31 | Complaints capital expenditure (Cs2) £m (3dp)

Definition: The total capital expenditure required for the provision of

enhancing the ability of Scottish Water to effectively

reduce the number of complaints.

Page 32 of 148 Date: Mar 2008

Section G, Chapter G4



Processing rules: Input Field

Previous references: New Line

G3b.32 Total Enhanced Service Levels capital expenditure £m (3dp)

Definition: The total capital expenditure required for the provision of

enhancing service levels.

Processing rules: Calculated field: the sum of lines G3b.30 and G3.31

Previous references: New Line

BLOCK 16: GROWTH (SUPPLY/DEMAND EXPENDITURE)

G3b.33 Growth capital expenditure (Ww11) £m (3dp)

Definition: Capital expenditure associated with meeting or offsetting

changes in demand from new and existing customers,

whilst maintaining existing levels of service.

this capital expenditure should expenditure relating to the provision of local distribution assets to provide a wastewater service to new customers. This expenditure should be reported under line G3b.34, New development capital expenditure. In this line, local distribution refers to Part II and Part III assets, where Part III assets is not 'strategic' but related

to customer demand.

Processing rules: Input Field

Previous references: G2.13

G3b.34 New development capital expenditure (Ww12) £m (3dp)

Definition: The gross capital costs associated with the provision of local distribution assets for wastewater service to provide for new customers with no net deterioration of existing levels of service. In this line, local distribution refers to Part II and Part III assets, where Part III assets is not 'strategic' but related to

customer demand.

Processing rules: Input Field

Page 33 of 148 Date: Mar 2008





Previous references: G2.14

G3b.35 First time Sewerage capital expenditure (Ww13) £m (3dp)

Definition: The gross capital cost associated with the provision of

new sewerage facilities to existing properties.

Processing rules: Input Field

Previous references: G2.15

G3b.36 Total Growth (Supply/Demand Expenditure) capital £m (3dp) expenditure

Definition: The total gross cost of meeting growth in demand from

new and existing customers.

Calculated field: the sum of lines G3b.33 to G3b.35 Processing rules:

Previous references: G2.16

BLOCK 17: TOTAL EXPENDITURE

G3b.37 Total capital expenditure £m (3dp)

The total gross capital expenditure required. Definition:

Processing rules: Calculated field: the sum of lines G3b.5 + G3b.29 +

G3b.32 + G3b.36

Previous references: G4.43

Page 34 of 148 Date: Mar 2008



SECTION G CHAPTER G4a Q&S 3 Drivers – Water Service

Edition 6

Page 35 of 148 Date: Mar 2008



TABLE G4a LINE DEFINITIONS

BLOCK 1: CAPITAL MAINTENANCE

G4a.1	Base operating expenditure	£m (3dp)

Definition: The level of operating expenditure on the water network

> required to maintain the quantity and quality of outputs and levels of service provided by the water service in the report year. Operating expenditure excludes current cost depreciation. Base opex includes the opex incurred in

the provision of services to third parties.

Processing rules: Input field

Previous references: K1.1 (Ofwat ref JR07 T35L1)

G4a.2 Water Service Infrastructure [WSI] £m (3dp)

Definition: The capital expenditure required to maintain

serviceability to customers of infrastructure assets as

defined by RAR2.

Processing rules: Input field

Previous references: K1.2

G4a.3	Water Service Non-Infrastructure [WSNI]	£m (3dp)

Definition The capital expenditure required to maintain serviceability

to customers of the non-infrastructure assets as defined

by RAR2.

Processing rules: Input field

Previous references: K1.3

G4a.4	Total Capital Maintenance	£m (3dp)

Definition: The total gross capital expenditure required for the

> preservation and (where necessary) the replacement of all water service assets to maintain serviceability to

customers.

Page 36 of 148 Date: Mar 2008

Section G



Processing rules: Calculated field: the sum of lines G4a.2 and G4a.3

Previous references: K1.4

BLOCK 2: QUALITY ENHANCEMENTS

G4a.5 Lead [DW1]	£m (3dp)

Definition: The capital expenditure required by Ministers' output

> objectives to ensure compliance with lead standard of 10Mg/l set in EC Directive 98/83 on the quality of water

intended for human consumption.

Processing rules: Input field

Previous references: K1.5

G4a.6	Trihalomethane [DW2]	£m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to ensure compliance with trihalomethane

standard of 100mg/l.

Processing rules: Input field

Previous references: K1.6

G4a.7	Other parameters (no allocation) [DW3]	£m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to ensure compliance with all other standards contained in the Drinking Water Directive, including those below that may have been tightened under

Directive 98/83/E:

Arsenic: tighter standard introduced which may result in

local breaches.

Copper: tighter standard introduced which may result in

local breaches.

Nitrate/Nitrite: the introduction of chloranimation to meet the THM standard is likely to result in exceedences

of the standard for nitrate/nitrite.

Page 37 of 148 Date: Mar 2008

Section G



SW should specify in its Commentary the DW3 subdriver (if any) that has been allocated to this code, and a description of its purpose(s) & output(s).

Processing rules: Input field

Previous references: K1.7

G4a.7a	Other parameters (Colour) [DW3A]	£m (3dp)

Definition: The capital expenditure required by Ministers' output

> objectives to ensure compliance with all other standards contained in the Drinking Water Directive, including this standard that may have been tightened under Directive 98/83/E. This tighter standard will have been introduced

and may result in local breaches.

SW should clarify in its Commentary the DW3 sub-driver that has been allocated to this code, and provide a

description of its purpose(s) & output(s).

Input field Processing rules:

Previous references: K1.7a

G4a.7b	Other parameters (Coliforms) [DW3B]	£m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to ensure compliance with all other standards contained in the Drinking Water Directive, including this standard that may have been tightened under Directive 98/83/E. This tighter standard will have been introduced

and may result in local breaches.

SW should clarify in its Commentary the DW3 sub-driver that has been allocated to this code, and provide a

description of its purpose(s) & output(s).

Processing rules: Input field

Previous references: K1.7b

G4a.7c	Other parameters (Manganese) [DW3C]	£m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to ensure compliance with all other standards

Page 38 of 148 Date: Mar 2008 Revision 11.0



contained in the Drinking Water Directive, including this standard that may have been tightened under Directive 98/83/E. This tighter standard will have been introduced and may result in local breaches.

SW should clarify in its Commentary the DW3 sub-driver that has been allocated to this code, and provide a description of its purpose(s) & output(s).

Processing rules: Input field

Previous references: K1.7c

G4a.7d	Other parameters (Bromate) [DW3D]	£m (3dp)

Definition:

The capital expenditure required by Ministers' output objectives to ensure compliance with all other standards contained in the Drinking Water Directive, including this standard that may have been tightened under Directive 98/83/E. This tighter standard will have been introduced and may result in local breaches.

SW should clarify in its Commentary the DW3 sub-driver that has been allocated to this code, and provide a description of its purpose(s) & output(s).

SW should specify in its Commentary the DW3 subdriver that has been allocated to this code, and a description of its purpose & output.

Processing rules: Input field

Previous references: K1.7d

G4a.7e	Other parameters (no allocation) [DW3E]	£m (3dp)

Definition:

The capital expenditure required by Ministers' output objectives to ensure compliance with all other standards contained in the Drinking Water Directive, including those below that may have been tightened under Directive 98/83/E:

Arsenic: tighter standard introduced which may result in local breaches.

Copper: tighter standard introduced which may result in local breaches.

Page 39 of 148 Date: Mar 2008



Nitrate/Nitrite: the introduction of chloranimation to meet the THM standard is likely to result in exceedences

of the standard for nitrate/nitrite.

SW should specify in its Commentary the DW3 subdriver (if any) that has been allocated to this code, and a description of its purpose(s) & output(s).

Processing rules: Input field

Previous references: K1.7e

G4a.7f Other parameters (Iron) [DW3F] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to ensure compliance with all other standards contained in the Drinking Water Directive, including this standard that may have been tightened under Directive 98/83/E. This tighter standard will have been introduced

and may result in local breaches.

SW should clarify in its Commentary the DW3 sub-driver that has been allocated to this code, and provide a

description of its purpose(s) & output(s).

Input field Processing rules:

Previous references: K1.7f

G4a.7g Other parameters (Aluminium) [DW3G] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to ensure compliance with all other standards contained in the Drinking Water Directive, including this standard that may have been tightened under Directive 98/83/E. This tighter standard will have been introduced

and may result in local breaches.

SW should clarify in its Commentary the DW3 sub-driver that has been allocated to this code, and provide a

description of its purpose(s) & output(s).

Processing rules: Input field

Previous references: K1.7g

Page 40 of 148 Date: Mar 2008



G4a.7h Other parameters (Pesticides and/or Taste + Odour) £m (3dp) DW3H1

Definition:

The capital expenditure required by Ministers' output objectives to ensure compliance with all other standards contained in the Drinking Water Directive, including this standard that may have been tightened under Directive 98/83/E. This tighter standard will have been introduced and may result in local breaches.

SW should clarify in its Commentary the DW3 sub-driver that has been allocated to this code, and provide a description of its purpose(s) & output(s).

Processing rules: Input field

Previous references: K1.7h

Other parameters (no allocation) [DW3I] G4a.7i £m (3dp)

Definition:

The capital expenditure required by Ministers' output objectives to ensure compliance with all other standards contained in the Drinking Water Directive, including those below that may have been tightened under Directive 98/83/E:

Arsenic: tighter standard introduced which may result in local breaches.

Copper: tighter standard introduced which may result in local breaches.

Nitrate/Nitrite: the introduction of chloranimation to meet the THM standard is likely to result in exceedences of the standard for nitrate/nitrite.

SW should specify in its Commentary the DW3 subdriver (if any) that has been allocated to this code, and a description of its purpose(s) & output(s).

Processing rules: Input field

Previous references: K1.7i

Page 41 of 148 Date: Mar 2008



Other parameters (Turbidity) [DW3J] £m (3dp)

Definition:

The capital expenditure required by Ministers' output objectives to ensure compliance with all other standards contained in the Drinking Water Directive, including this standard that may have been tightened under Directive 98/83/E. This tighter standard will have been introduced and may result in local breaches.

SW should clarify in its Commentary the DW3 sub-driver that has been allocated to this code, and provide a description of its purpose(s) & output(s).

Processing rules: Input field

Previous references: K1.7i

G4a.7k Other parameters (Final pH) [DW3K] £m (3dp)

Definition:

The capital expenditure required by Ministers' output objectives to ensure compliance with all other standards contained in the Drinking Water Directive, including this standard that may have been tightened under Directive 98/83/E. This tighter standard will have been introduced and may result in local breaches.

SW should clarify in its Commentary the DW3 sub-driver that has been allocated to this code, and provide a description of its purpose(s) & output(s).

Processing rules: Input field

Previous references: K1.7k

G4a.8	Cryptosporidium [DW4]	£m (3dp)

Definition:

The capital expenditure required by Ministers' output objectives to ensure compliance with the Cryptosporidium (Scottish Water) Directions 2003 and any subsequent revisions including:

- annual risk assessments for all water supplies for i) the presence of Cryptosporidium
- installation of turbidity meters on all filters ii)

Page 42 of 148 Date: Mar 2008



iii) continuous monitoring of specific water supplies for Cryptosporidium

Processing rules: Input field

Previous references: K1.8

G4a.8a Cryptosporidium Washwater Recovery [DW4A] £m (3dp)

Definition:

The capital expenditure required by Ministers' output objectives to ensure compliance with the Cryptosporidium (Scottish Water) Directions 2003 and any subsequent revisions including:

The processes carried out at Water Treatment plants involving the use of water to cleanse the plant and then the reintroduction of this water, after treatment, back into the infrastructure system.

Processing rules: Input field

Previous references: K1.8a

G4a.9	Mains Rehabilitation [DW5]	£m (3dp)

Definition:

The capital expenditure required by Ministers' output objectives to ensure the quality of water put into supply is not downgraded by the condition of the water mains through which it is supplied. In particular, the condition of a water main must not result in exceedences of the iron an manganese standards set in Directive 98/83/EC:

Unplanned operational activity and maintenance work disrupt the flow in water mains and put water quality at risk.

SE policy is that there should be no deterioration in the infrastructure asset stock.

Processing rules: Input field

Previous references: K1.9

Page 43 of 148 Date: Mar 2008



G4a.10 Abstraction [DW6]

£m (3dp)

The total capital expenditure required by Ministers' Definition:

output objectives for the provision of the Abstraction directive and comply with legal obligations, or Scottish Executive guidance. The primary need for the work should have been confirmed by the quality regulator and allowed for in the Quality and Standards programme.

Processing rules: Input field

Previous references: K1.10

G4a.11 Birds, Habitats [DW7]

£m (3dp)

The total capital expenditure required by Ministers' Definition:

> output objectives for the provision of the Birds directive, The Habitats Directive and comply with legal obligations. or Scottish Executive guidance. The primary need for the work should have been confirmed by the quality regulator and allowed for in the Quality and Standards

programme.

Processing rules: Input field

Previous references: K1.11

G4a.12 Security of supply [DW8]

£m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to ensure the security of Supply.

Processing rules: Input field

Previous references: K1.12

G4a.13 Additional Physical security [DW9]

£m (3dp)

Definition: The capital expenditure required by Ministers' output

> objectives to ensure that additional physical security arrangements are in place to protect drinking water quality in accordance with guidance issued by Security

Services.

Page 44 of 148 Date: Mar 2008

Annual Return Reporting Requirements



£m (3dp)

Section G

Processing rules: Input field

Previous references: K1.13

G4a.14 Public water supplies [DW10]

The capital expenditure required by Ministers' output Definition:

> objectives to ensure that all public water supplies meet standards set in Directive. Supplies to properties from raw water aqueducts and raw water mains are public

supplies and must meet Directive standards.

Processing rules: Input field

Previous references: K1.14

G4a.15 Water fitting bylaws [DW11] £m (3dp)

Definition: Investment necessary on SW assets to ensure SW

> compliance with by Ministers' output objectives and Water Fittings Byelaws. (Note that this driver does not include the cost of ensuring third party Byelaw

compliance).

Processing rules: Input field

Previous references: K1.15

G4a.16 Review of annexes to Directive [DW12] £m (3dp)

Definition: Article 11 of the EC Directive 98/83 provides for a review

> of the annexes to the Directive every 5 years. The first such review commenced during 2003. The capital expenditure required to allow this review to be carried

out.

Processing rules: Input field

Previous references: K1.16

Page 45 of 148 Date: Mar 2008



G4a.17 Improvement in aesthetic quality of drinking water £m (3dp) [DW13]

Definition: The capital expenditure required by Ministers' output

objectives to ensure improvements in aesthetic quality of

drinking water.

Input field Processing rules:

Previous references: K1.17

G4a.18 Extended provision of telemetry [DW14] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to extend the provision of telemetry at water

treatment works and service reservoirs.

Processing rules: Input field

Previous references: K1.18

G4a.19 Recommendation Compliance [DW15] £m (3dp)

The capital expenditure required by Ministers' output Definition:

> objectives to ensure compliance with recommendations made as a result of investigations into drinking water

quality incidents in Scotland.

Processing rules: Input field

Previous references: K1.19

G4a.20 Water safety plans [DW16] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to carry out Water safety plans.

Standards in the EC Directives are derived from World Health Organisation Guideline Values. The WHO is now promoting Water Safety Plans as a means of ensuring drinking water quality. Such plans are already in use in many countries. It is likely that Water Safety Plans will

feature in any revision of the Directive.

Processing rules: Input field

Page 46 of 148 Date: Mar 2008



Previous references: K1.20

G4a.21 Cross-connection removal [DW17] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to carry out cross-connection removal.

The report into the Torry incident 1991 recommended that removal of all cross-connections between water mains and sewers. However, this recommendation was not fully implemented across Scotland and many unsatisfactory arrangements remain. The risk posed by cross-connections is significant and any arrangements remaining must be removed.

Processing rules: Input field

Previous references: K1.21

G4a.22	Extension of public water distribution network	£m (3dp)
	[DW18]	

Definition: The capital expenditure required by Ministers' output

> objectives to extend the public water distribution network at "unreasonable cost" to provide a water supply to these areas because the level of return is not considered economic in relation to the capital

investment required.

Processing rules: Input field

Previous references: K1.22

G4a.23 Provision	of wholesome supply of water [DW19]	£m (3dp)

Definition: The capital expenditure required by Ministers' output

> objectives because The Water (Scotland) Act 1980 requires that SW shall provide a wholesome supply of water sufficient for the domestic purposes of all owners and occupiers of premises within their limit of supply.

Processing rules: Input field

Previous references: K1.23

Page 47 of 148 Date: Mar 2008



G4a.24 Rainfall depth calculation [DW20]

£m (3dp)

Definition: The capital expenditure required by Ministers' output

> objectives to assist with the calculation of rainfall depth. The Flood Estimation Handbook published by the Institute of Hydrology introduced a new method of

calculating rainfall depth.

Processing rules: Input field

Previous references: K1.24

G4a.25 Duplication of critical mains to provide security of £m (3dp) supply [DW21]

Definition: The capital expenditure required by Ministers' output

objectives to ensure duplication of critical mains to

provide security of supply.

Input field Processing rules:

Previous references: K1.25

G4a.26 Address algae problems in raw water sources £m (3dp) [DW22]

Definition: The capital expenditure required by Ministers' output

objectives to provide treatment to address algae

problems in raw water sources.

Input field Processing rules:

Previous references: K1.26

G4a.27 UKTAG guideline abstraction thresholds [WR1] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to assist with calculating UKTAG guideline abstraction thresholds (All SW surface and groundwater

abstractions).

Processing rules: Input field

Previous references: K1.27

Page 48 of 148 Date: Mar 2008



G4a.28 Reservoirs operate with agreed best practice [WR2] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to carry out a site-specific review of operational practice at all SW reservoirs to compare with

agreed best practice. (All SW impoundments).

Processing rules: Input field

Previous references: K1.28

G4a.29 Protection of water quality in drinking water protected areas [WR3]

Definition: The capital expenditure required by Ministers' output

objectives to protect water quality in Drinking Water Protected Areas so as to avoid the need to increase the level of treatment needed to meet standards set in EC Directive 98/83. All SW drinking water sources supplying

more than 10m³/day or 50 people).

Processing rules: Input field

Previous references: K1.29

G4a.30 Compliance with hydro-morphological standards in order to meet WFD ecological objective [WR4]

Definition: The capital expenditure required by Ministers' output

objectives to ensure compliance with hydromorphological standards in order to meet WFD ecological objective. (All obsolete engineering works associated with abandoned water supply operations).

Processing rules: Input field

Previous references: K1.30

G4a.31 Demonstrate compliance with water licenses [WR5] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to demonstrate compliance with water quality

licences. (All SW abstractions and impoundments).

Page 49 of 148 Date: Mar 2008
Revision 11.0

Annual Return Reporting Requirements

water industry

Section G

Processing rules: Input field

Previous references: K1.31

G4a.32 Total Quality Enhancements £m (3dp)

Definition: The total gross expenditure on Quality Enhancements in

the report year for the water service.

sum of lines G4a.5 to G4a.31 Processing rules:

Previous references: K1.33

BLOCK 3: ENHANCED SERVICE LEVELS

G4a.33 Pressure [CS1] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to assist in the removal of properties from the

register of properties at risk from poor pressure.

Processing rules: Input field

Previous references: K1.34

G4a.34 | Business Metering [CS4] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to meter all business premises.

Processing rules: Input field

Previous references: K1.35

G4a.35 | Household Metering [CS5] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to ensure compliance with household

metering standards.

Processing rules: Input field

Previous references: K1.36

Page 50 of 148 Date: Mar 2008



G4a.36 **Emergency Planning [CS6]** £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to assist with the provision of improved

emergency planning standards.

Processing rules: Input field

Previous references: K1.37

G4a.37 Business Billing [CS7] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to assist with the provision of improved

business billing facilities.

Input field Processing rules:

Previous reference: K1.38

G4a.38 Household Billing [CS8] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to assist with the provision of improved

household billing services.

Processing rules: Input field

Previous references: K1.39

G4a.39 Customer Experience [CS9] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to assist with the provision of improved

customer service facilities.

Processing rules: Input field

Previous references: K1.40

Page 51 of 148 Date: Mar 2008



G4a.39a Unplanned Interruptions [CS12] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to assist in reducing the number of properties

at risk of experiencing unplanned interruptions.

Processing rules: Input field

Previous references: K1.40a

G4a.39b Introduction to Competition [CS13] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to assist with Scottish Water's approach to

dealing with a competitive market.

Processing rules: Input field

Previous references: K1.40b

G4a.40 **Total Enhanced Service Levels** £m (3dp)

The total capital expenditure required by Ministers' Definition:

output objectives to meet the expected standards of

Service levels.

Processing rules: Calculated field: the calculation of lines G4a.33 to

G4a.39b (inclusive).

Previous references: New line

BLOCK 4: GROWTH (SUPPLY/DEMAND EXPENDITURE)

G4a.41 **Growth capex [WG1]** £m (3dp)

Definition: Capital expenditure associated with meeting or offsetting

changes in demand from new and existing customers,

whilst maintaining existing levels of service.

Note: this capital expenditure should exclude expenditure relating to the provision of local distribution assets to provide a water service to new customers. This expenditure should be reported under line G4a.42 New

Page 52 of 148 Date: Mar 2008

Section G



development capex. In this line, local distribution refers to Part II and Part III assets, where the investment is demand led rather than 'strategic'.

Processing rules: Input field

Previous references: K1.42

G4a.42 New development capex [WG2] £m (3dp)

Definition: The gross capital costs associated with the provision of

> local distribution assets for water service to provide for new customers with no net deterioration of existing levels of service. In this line, local distribution refers to Part II and Part III assets, where the investment is

demand led rather than 'strategic'.

Processing rules: Input Field

Previous references: K1.43

G4a.43 First time water supply capex [WG3] £m (3dp)

Definition: The gross capital cost associated with the provision of

new water supply facilities to existing properties.

Processing rules: Input field

Previous references: K1.44

G4a.44 | Growth total capex £m (3dp)

Definition: The total gross cost of meeting growth in demand from

new and existing customers.

Processing rules: Calculated field: the sum of lines G4a.41 to G4a.43

Previous references: K1.45

Page 53 of 148 Date: Mar 2008



BLOCK 5: NEW OUTPUTS/OBLIGATIONS SINCE THE FINAL DETERMINATION

G4a.45 New outputs/obligations - capex £m (3dp)

Definition: The capital expenditure to deal with new outputs

> required from companies for the water service, but not included in either the final determination in November 2005 or a subsequent interim determination. The specific outputs and the reasons for the change since the last price setting should be explained in the

commentary.

Processing rules: Input field

Previous references: K1.47 (Ofwat ref JR07 T35L18)

G4a.46 New outputs/obligations - opex £m (3dp)

Definition: The net additional operating expenditure compared with

the base year for enhancement opex of 2004-05 to deal with new outputs required from companies for the water service, but not included in either the final determination 2005 а subsequent November or determination. The specific outputs and the reasons for the change since the last price setting should be

explained in the commentary.

Processing rules: Input field

Previous references: K1.48 (Ofwat ref JR07 T35L19)

G4a.47 Total Investment Expenditure £m (3dp)

Definition: Total investment expenditure.

Calculated field: the sum of lines G4a.4 + G4a.32 + Processing rules:

G4a.40 + G4a.44 + G4a.45

Previous references: K1.60

Page 54 of 148 Date: Mar 2008



SECTION G CHAPTER G4b Q&S 3 Drivers – Wastewater Service

Edition 6

Page 55 of 148 Date: Mar 2008



TABLE G4b LINE DEFINITIONS

BLOCK 1: CAPITAL MAINTENANCE

G4b.1 **Base operating expenditure** £m (3dp)

Definition: The level of operating expenditure on the water network

> required to maintain the quantity and quality of outputs and levels of service provided by the water service in the report year. Operating expenditure excludes current cost depreciation. Base opex includes the opex incurred in

the provision of services to third parties.

Input field Processing rules:

Previous references: K2.1 (Ofwat ref JR07 T36L1)

G4b.2 Wastewater Service Infrastructure [WWI] £m (3dp)

Definition: The capital expenditure required maintain

serviceability to customers of infrastructure assets as

defined by RAR2.

Processing rules: Input field

Previous references: K2.2

G4b.3 | Wastewater Service Non-Infrastructure [WWNI] £m (3dp)

Definition The capital expenditure required maintain to

serviceability to customers of non-infrastructure assets

as defined by RAR2.

Processing rules: Input field

Previous references: K2.3

Total Capital Maintenance G4b.4 £m (3dp)

Definition: The gross capital expenditure required to maintain

serviceability to customers of the asset.

Processing rules: Calculated field: the sum of lines G4b.2 and G4b.3

Previous references: K2.4

Page 56 of 148 Date: Mar 2008



BLOCK 2: QUALITY ENHANCEMENTS

G4b.5 Water Environment and Water Services Act 2003 £m (3dp) [WQ01]

Definition: The capital expenditure required by Ministers' output

> objectives to comply with The Water Environment and Water Services Act 2003 (Secondary legislation to

replace Control of Pollution Act 1974, Section 34).

Processing rules: Input field

Previous references: K2.5

G4b.6 Environment Act 1995, Section 34 [WQ02] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Environment Act 1995.

Section 34.

Processing rules: Input field

Previous references: K2.6

Town and Country Planning (Scotland) Act 1997 G4b.7 [ON01] £m (3dp)

The capital expenditure required by Ministers' output Definition:

objectives to comply with The Town and Country

Planning (Scotland) Act 1997.

Processing rules: Input field

Previous references: K2.7

Environment Protection Act 1990, Part III [ON01] G4b.8 £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Environment Protection

Act 1990, Part III.

Processing rules: Input field

Previous references: K2.8

Page 57 of 148 Date: Mar 2008



Environmental Protection Act 1990, Part IIA G4b.9 (Contaminated Land) [LA01] £m (3dp)

The capital expenditure required by Ministers' output Definition:

objectives to comply with The Environmental Protection

Act 1990, Part IIA (Contaminated Land).

Processing rules: Input field

Previous references: K2.9

G4b.10 Water Industry (Scotland) Act 2002, Section 54 £m (3dp) [NH01]

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Water Industry (Scotland)

Act 2002, Section 54.

Processing rules: Input field

Previous references: K2.10

G4b.11 Water Industry (Scotland) Act 2002, Section 51 £m (3dp) [SD01]

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Water Industry (Scotland)

Act 2002, Section 51.

Processing rules: Input field

Previous references: K2.11

G4b.12 Definition of Waste (Hazardous Waste Directive) £m (3dp) [WA01]

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Definition of Waste

(Hazardous Waste Directive).

Processing rules: Input field

Previous references: K2.12

Page 58 of 148 Date: Mar 2008



G4b.13 Urban Waste Water Treatment Directive (91/271/EEC) £m (3dp) [EC01]

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Urban Waste Water

Treatment Directive (91/271/EEC).

Processing rules: Input field

Previous references: K2.13

G4b.14 Bathing Water Directive (76/160/EEC) [EC02] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Bathing Water Directive

(76/160/EEC).

Processing rules: Input field

Previous references: K2.14

G4b.15 Shellfish Waters Directive (70/923/EEC) [EC03] £m (3dp)

The capital expenditure required by Ministers' output Definition:

objectives to comply with The Shellfish Waters Directive

(70/923/EEC).

Processing rules: Input field

Previous references: K2.15

G4b.16 Freshwater for Fish Directive (78/659/EEC) [EC04] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Freshwater for Fish

Directive (78/659/EEC).

Processing rules: Input field

Previous references: K2.16

Page 59 of 148 Date: Mar 2008



G4b.17 Surface Water for Drinking Directive (75/440/EEC) [EC05]

£m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Surface Water for

Drinking Directive (75/440/EEC).

Processing rules: Input field

Previous references: K2.17

G4b.18 Sludge Use in Agriculture Directive (86/278/EEC) [EC06]

£m (3dp)

The capital expenditure required by Ministers' output Definition:

objectives to comply with The Sludge Use in Agriculture

Directive (86/278/EEC).

Processing rules: Input field

Previous references: K2.18

G4b.19 Birds Directive (79/409/EEC) [EC07]

£m (3dp)

Definition: The capital expenditure required by Ministers' output

> objectives to comply with The Birds Directive

(79/409/EEC).

Processing rules: Input field

Previous references: K2.19

G4b.20 Habitats Directive (92/43/EEC) [EC08]

£m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Habitats Directive

(92/43/EEC).

Processing rules: Input field

Previous references: K2.20

Page 60 of 148 Date: Mar 2008



G4b.21 Dangerous Substances Directive (76/464/EEC) £m (3dp) [EC09]

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Dangerous Substances

Directive (76/464/EEC).

Processing rules: Input field

Previous references: K2.21

G4b.22 Water Framework Directive (2000/60/EC) [EC10] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Water Framework

Directive (2000/60/EC).

Processing rules: Input field

Previous references: K2.22

G4b.23 Landfill Directive (99/31/EC) [EC11] £m (3dp)

The capital expenditure required by Ministers' output Definition:

objectives to comply with The Landfill Directive

(99/31/EC).

Processing rules: Input field

Previous references: K2.23

G4b.24 Integrated Pollution Prevention & Control Directive £m (3dp) (96/61/EC) [EC12]

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Integrated Pollution

Prevention & Control Directive (96/61/EC).

Processing rules: Input field

Previous references: K2.24

Page 61 of 148 Date: Mar 2008



G4b.25 Waste Incineration Directive (2000/76/EC) [EC13]

£m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Waste Incineration

Directive (2000/76/EC).

Processing rules: Input field

Previous references: K2.25

G4b.26 National Emissions Ceiling Directive (2001/81/EC) £m (3dp) [EC14]

Definition: The capital expenditure required by Ministers' output

objectives to comply with The National Emissions

Ceiling Directive (2001/81/EC).

Processing rules: Input field

Previous references: K2.26

G4b.27 Strategic Environmental Assessment Directive £m (3dp) (2001/42/EC) [EC15]

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Strategic Environmental

Assessment Directive (2001/42/EC).

Processing rules: Input field

Previous references: K2.27

G4b.28 Revised Bathing Water Directive (proposed) [pEC16] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Revised Bathing Water

Directive (proposed).

Processing rules: Input field

Previous references: K2.28

Page 62 of 148 Date: Mar 2008



G4b.29 EU Marine Strategy (proposed COM/2002/539) [pEC17]

£m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to comply with The EU Marine Strategy

(proposed COM/2002/539).

Processing rules: Input field

Previous references: K2.29

G4b.30 Sludge Directive (proposed) & EC Soils Strategy [pEC18]

£m (3dp)

The capital expenditure required by Ministers' output Definition:

objectives to comply with The Sludge Directive

(proposed) & EC Soils Strategy.

Processing rules: Input field

Previous references: K2.30

G4b.31 Environmental Liability Directive (proposed) [pEC20] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to comply with The Environmental Liability

Directive (proposed).

Input field Processing rules:

Previous references: K2.31

G4b.32 OSPAR Convention 1992 [IN01]

£m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to comply with The OSPAR Convention 1992.

Processing rules: Input field

Previous references: K2.32

Page 63 of 148 Date: Mar 2008



G4b.33 Climate Change (Cross-functional) [XF01] £m (3dp)

The capital expenditure required by Ministers' output Definition:

objectives to assist with dealing with Climate Change

(Cross-functional).

Processing rules: Input field

Previous references: K2.33

G4b.34 Flooding (Cross-functional) [XF02] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to assist dealing with Flooding (Cross-

functional).

Input field Processing rules:

Previous references: K2.34

G4b.35 Total Quality Enhancements £m (3dp)

The total expenditure by Ministers' output objectives on Definition:

Quality Enhancements in the report year for the

wastewater service.

Processing rules: Calculated field: the sum of lines G4b.5 to G4b.34

(inclusive)

Previous references: K2.36

BLOCK 3: ENHANCED SERVICE LEVELS

Odour Management [CS2] G4b.36 £m (3dp)

The capital expenditure required by Ministers' output Definition:

objectives to comply with odour management standards.

Processing rules: Input field

Previous references: K2.37

Page 64 of 148 Date: Mar 2008



G4b.37 **Business Metering [CS4]** £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to comply with business metering standards.

Processing rules: Input field

Previous references: K2.38

G4b.38 | Household Metering [CS5] £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to assist with household metering standards.

Input field Processing rules:

Previous references: K2.39

G4b.39 **Emergency Planning [CS6]** £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to assist with the Provision of improved

emergency planning standards.

Processing rules: Input field

Previous references: K2.40

G4b.40 **Business Billing [CS7]** £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to assist with the Provision of improved

business billing facilities.

Processing rules: Input field

Previous reference: K2.41

G4b.41 **Household Billing [CS8]** £m (3dp)

Definition: The capital expenditure required by Ministers' output

objectives to assist with the Provision of improved

household billing services.

Page 65 of 148 Date: Mar 2008

Annual Return Reporting Requirements

Section G



Processing rules: Input field

Previous references: K2.42

G4b.42 Customer Experience [CS9] £m (3dp)

The capital expenditure required by Ministers' output Definition:

objectives to assist with the Provision of improved

customer service facilities.

Processing rules: Input field

Previous references: K2.43

G4b.43 | Sewer Flooding [CS11] £m (3dp)

The capital expenditure required by Ministers' output Definition:

objectives to assist with Removal of properties from at

risk register.

Processing rules: Input field

Previous references: K2.44

G4b.43a Introduction to Competition [CS13] £m (3dp)

Definition: The capital expenditure required to assist with Scottish

Water's approach to dealing with a competitive market.

Processing rules: Input field

Previous references: K2.44a

G4b.44 Total Enhanced Service Levels £m (3dp)

Definition: The total Capital expenditure required by Ministers'

output objectives to meet the expected standards of

service levels.

Calculated field: the sum of lines G4b.36 to G4b.43a Processing rules:

(inclusive)

Previous references: New line

Page 66 of 148 Date: Mar 2008



BLOCK 4: GROWTH (SUPPLY/DEMAND EXPENDITURE)

G4b.45 **Growth capex [SG1]** £m (3dp)

Definition: Capital expenditure associated with meeting or offsetting

changes in demand from new and existing customers,

whilst maintaining existing levels of service.

Note: this capital expenditure should exclude expenditure relating to the provision of local distribution assets to provide a wastewater service to new customers. This expenditure should be reported under line G4b.46, New development capex. In this line, local distribution refers to Part II and Part III assets, where Part III assets are customer-demand led and not

'strategic'.

Processing rules: Input field

Previous references: K2.46

G4b.46	New development capex	[SG2]	£m (3dp)	

Definition: The gross capital costs associated with the provision of local distribution assets for wastewater service to provide for new customers with no net deterioration of existing levels of service. In this line, local distribution refers to Part II and Part III assets, where Part III assets are customer-demand led and not

'strategic'.

Processing rules: Input field

Previous references: K2.47

G4b 47	First time wastewater capex [SG3]	£m (3dp)
OTD.TI	That time wastewater capex [000]	Lili (Jup)

Definition: The gross capital cost associated with the provision of

new sewerage facilities to existing properties.

Processing rules: Input field

Previous references: K2.48

Page 67 of 148 Date: Mar 2008



G4b.48 Growth total capex £m (3dp)

Definition: The total gross cost of meeting growth in demand from

new and existing customers.

Calculated field: the sum of lines G4b.45 to G4b.47 Processing rules:

Previous references: K2.49

BLOCK 5: NEW OUTPUTS/OBLIGATIONS SINCE THE FINAL DETERMINATION

G4b.49	New outputs/obligations - capex	£m (3dp)

Definition: The capital expenditure to deal with new outputs

required from companies for the sewerage service, but not included in either the final determination in November 2005 or a subsequent interim determination. The specific outputs and the reasons for the change since the last price setting should be explained in the

commentary.

Processing rules: Input field

Previous references: K2.51 (Ofwat ref JR07 T36L16)

G4b.50	New outputs/obligations - opex	£m (3dp)

Definition: The net additional operating expenditure compared with

> the base year for enhancement opex of 2004-05 to deal with new outputs required from companies for the sewerage service, but not included in either the final determination in November 2005 or a subsequent interim determination. The specific outputs and the reasons for the change since the last price setting

should be explained in the commentary.

Processing rules: Input field

Previous references: K2.52 (Ofwat ref JR07 T36L17)

Page 68 of 148 Date: Mar 2008



G4b.51 Total Investment Expenditure £m (3dp)

Definition: Total gross Investment Expenditure on the wastewater

service.

Processing rules: Calculated field: the sum of lines G4b.4 + G4b.35 +

G4b.44 + G4b.48 + G4b.49

Previous references: K2.64

Page 69 of 148 Date: Mar 2008



SECTION G Project Analysis Q&S 2 - Actuals & Forecast - Water & Wastewater

Edition 6



TABLE G5 DEFINITIONS

COLUMN DEFINITIONS

Column No: 1	Column Title: Project Number
Units: n/a	Processing Rules: Input field

Definition:

Project number, as assigned by SW. This should be consistent with the project references in the WIC18 and the Capital Investment Returns. Any discrepancies should be highlighted and explained in the accompanying commentary. This is the project code allocated to the project within the Scottish Water investment programme database. All codes should be mutually exclusive and relate to discreet projects. All projects that have been disaggregated from other projects or schemes should have an audit trail that may, from time to time, be scrutinised by the Reporter.

Previous Reference: New column

Column No: 2	Column Title: Project Name	
Units: n/a	Processing Rules: Input field	
D : (' : '(' : :		

Definition:

Project name, as referenced by SW. This should be consistent with the project references in the WIC18 list and the Capital Investment Return. Any discrepancies should be highlighted and explained in the accompanying commentary.

Previous Reference: New column

Page 71 of 148 Date: Mar 2008





Column No: 3	Column Title: Water/Wastewater
Units: n/a	Processing Rules: Input field

Definition:

One of the primary purposes: 'water' or 'wastewater', should be entered to indicate whether the project falls under the water or wastewater function. Any cross-functional work will need to be split into: water and wastewater projects.

Previous Reference: K56 Col 3

Column No: 4	Column Title: Quality
Units: n/a	Processing Rules: Input field

Definitions:

For those projects that form part of the Quality programme, an entry of 'Quality' should be given. In all other cases, this column should be left blank.

Previous Reference: New column

B 0 1.1	
Units: n/a	Processing Rules: Input field
Column No: 5	Column Title: Regulatory Output Signoff Required

Definitions:

Confirmation is required as to whether or not the project requires Regulatory sign-off before it can be formally completed. Input "TRUE" if this is the case or otherwise "FALSE".

Previous Reference: New column

Page 72 of 148 Date: Mar 2008



Column No: 6	Column Title: Accountability
Units: n/a	Processing Rules: Input field

Definitions:

For each project, the body accountable for project management should be quoted. The entry 'SW' should be given where SW has full accountability for the project. Where Scottish Water Solutions (SWS) is accountable, 'SWS - managed' or 'SWS - allocated' should be used, where the project is underway or in development respectively (or whatever alternative note is deemed appropriate and is explained in the accompanying commentary).

Previous Reference: New column

Column No: 7	Column Title: Programme Grouping
Units: n/a	Processing Rules: Input field
Deficiency Conflict Well do by the control of the control of the first of the control of the con	

Definitions: Scottish Water's business activity group from the programme that will benefit from the investment made for each individual project.

Previous Reference: New column

Column No: 8	Column Title: Funding Category
Units: n/a	Processing Rules: Input field
Definitions: For each project. Scottish Water should identify the investment pool from which each project is funded	

Definitions: For each project, Scottish Water should identify the investment pool from which each project is funded

Previous Reference: New column

Page 73 of 148 Date: Mar 2008





Column No: 9	Column Title: Q&SI Project
Units: n/a	Processing Rules: Input field
Definitions: For each project, Scottish Water should identify if it is an original Q&S I project by inputting "TRUE". If this is not these case then "FALSE" should be inputted.	
Previous Reference: New colu	mn

Column No: 10	Column Title: Pre 02-03 Actual Expenditure (£m)	
Units: £m to 3 dp	Processing Rules: Input field	
Definitions:		
Actual project expenditure prior to the commencement of the Quality and Standards II period.		

Previous Reference: New column

Column No: 11	Column Title: 02-03 Actual Expenditure (£m)
Units: £m to 3 dp	Processing Rules: Input field
Definitions:	

Actual project expenditure incurred for the financial year 2002-03.

Previous Reference: New column

Column No: 12	Column Title: 03-04 Actual Expenditure (£m)
Units: £m to 3 dp	Processing Rules: Input field
Definitions:	
Actual project expenditure for the financial year 2003-04.	

Previous Reference: New column

Page 74 of 148 Date: Mar 2008
Revision 11.0





Column No: 13	Column Title: 04-05 Actual Expenditure (£m)	
Units: £m to 3 dp	Processing Rules: Input field	
Definitions: Actual project expenditure f		
Previous Reference: New column		

Column No: 14	Column Title: 05-06 Actual Expenditure (£m)
Units: £m to 3 dp	Processing Rules: Input field
Definitions:	
Actual project expenditure for the financial year 2005-06.	

Previous Reference: New column

Column No: 15	Column Title: Q&SII Period (2002-06) Expenditure Total
Units: £m to 3 dp	Processing Rules: Input field

Definitions:

The sum of actual project expenditure to the end of the quarter covered by the return, since commencement of the Quality and Standards II period (April 2002) and the project expenditure for the remainder of the period (until the end of March 2006). Thus, for each project line, this column entry is the sum of entries in columns 11, 12, 13 and 14.

Previous Reference: New column

Page 75 of 148 Date: Mar 2008





Column No: 16	Column Title: 06-07 Actual Expenditure (£m)
Units: £m to 3 dp	Processing Rules: Input field
Definition:	
Actual project expenditure for the financial year 2006-07.	
Previous Reference: K56 Co	ol 17

Column No: 17	Column Title: 07-08 Actual Expenditure (£m)	
Units: £m to 3 dp	Processing Rules: Input field	
Definition:		
Actual project expenditure for the financial year 2007-08.		
Previous Reference: K56 Col 18		

Column No: 18	Column Title: 08-09 Forecast Expenditure (£m)
Units: £m to 3 dp	Processing Rules: Input field
Definition:	
Forecast project expenditure for the financial year 2008-09.	
Previous Reference: K56 Col 19	

Column No: 19	Column Title: 09-10 Forecast Expenditure (£m)
Units: £m to 3 dp	Processing Rules: Input field
Definition:	
Forecast project expenditure for the financial year 2009-10.	
Previous Reference: K56 Col 20	

Page 76 of 148 Date: Mar 2008





Column No: 20	Column Title: Post 05-06 Expenditure Total (£m)	
Units: £m to 3 dp	Processing Rules: Input field	
Definition:		
This is the total cost of the project, within the period of Q&S3a. The sum of columns 16 to 19.		
Previous Reference: K56 Co	l 21	

Column No: 20a	Column Title: Post 09-10 Expenditure Total (£m)	
Units: £m to 3 dp	Processing Rules: Input field	
Definition:		
Forecast project expenditure beyond the financial year 2009-10.		
Previous Reference: New column (2008)		

Column No: 21	Column Title: Q&S II Project Total (£m)
Units: £m to 3 dp	Processing Rules: Input field

Definitions:

The sum of actual project expenditure to the end of the quarter covered by the return, since commencement of the Quality and Standards II period (April 2002) and the forecast project expenditure. Thus, for each project line, this column entry is the sum of entries in columns 10, 15, 20 and 20a.

Previous Reference: New column

Page 77 of 148 Date: Mar 2008



Column No: 22	Column Title: In WIC 18 vers 3.6 (note this is a text field)
Units: n/a	Processing Rules: Input field

Definitions:

For each project, 'TRUE' or 'FALSE' should be entered in this column, corresponding to whether the project is in, or not in, the agreed WIC18 investment programme respectively. This should be consistent with the project references in the WIC18 list and the Capital investment Return.

Previous Reference: New column

Column No: 23	Column Title: WIC 18 Pre Efficiency (£m)
Units: £m to 3 dp	Processing Rules: Input field
- a	

Definitions:

Total project budget, prior to the application of efficiency targets, as inputted in the WIC18 list. For projects listed as 'FALSE' in column M, this entry should be set to zero.

Previous Reference: New column

nits: £m to 3 dp	Processing Rules: Input field
lumn No: 24	Column Title: Q&SIII Determination Values - WIC 18 from Table K (£m)

Definitions:

A Q&S II project's Q&SIII determination value after movement from Table K to WIC 18 updates.

Previous Reference: New column

Page 78 of 148 Date: Mar 2008



Column No: 25	Column Title: Grants and Contributions - Infrastructure (£m)
Units: £m to 3 dp	Processing Rules: Input field

Definition:

The total Grants, contributions and Infrastructure charge elements received from third parties in the Report Year towards water services infrastructure assets. This Grant is applied to the gross infrastructure in the year to derive net expenditure e.g. European Regional Development Fund.

Previous Reference: K56 Col 22

Units: £m to 3 dp Processing Rules: Input field	

Definition:

The total Grants and contributions received from third parties in the Report Year towards non-infrastructure assets e.g. European Regional Development Fund.

Previous Reference: K56 Col 23

Column No: 27	Column Title: Total Changes in operating costs (£m)
Units: £m to 3 dp	Processing Rules: Input field

Definitions:

Total change in annual operating cost resulting from the project. This figure shall include both estimated additional costs arising from new assets as well as savings from, for example, reduction in maintenance costs from operation of new assets.

Previous Reference: K56 Col 25 / G5orG6 Col 17

Page 79 of 148 Date: Mar 2008



Column No: 28	Column Title: CIMS Status Code
Units: n/a	Processing Rules: Input field

Definition:

Enter one of the following WICS codes S0 to S12 - to indicate the current project progress status. The equivalent Scottish Water Capex approval stages are included for clarity.

WICS Code	Definition	Scottish Water Capex Status
S0	Investment need recognised, but no specific project yet identified	
S1	Inception: project has been identified but no detailed appraisal has been completed	Capex 1 approval
S2	Appraisal: initial detailed appraisal has been completed	Capex 2 approval
S3	Project approved and under development before construction	Capex 3 approval
S4	Project abandoned (stopped and closed at pre-construction stage)	
S6	Tender Award (Agreed target cost and progression to construction)	
S8	Works under construction	
S10	Project completed to Beneficial use achieved	
S11	Works and expenditure complete – project financially closed	Capex 5 approval
S12	Project approved by Quality Regulator	
Previous Reference:	K56 Col 10/ G5orG6 Col 5	

Column No: 29	Column Title: Forecast/ Actual Capex 2 Date (feasibility complete)
Units: £m to 3 dp	Processing Rules: Input field
- 4	

Definitions:

For projects yet to reach 'Capex 2' approval, a forecast date for such approval should be provided. Where a project has received 'Capex 2' approval, the actual date should be entered.

Previous Reference: New column

Page 80 of 148 Date: Mar 2008



Column No: 30	Column Title: Forecast/ Actual Capex 3 Date (financial approval)
Units: £m to 3 dp	Processing Rules: Input field

Definitions:

For projects yet to reach 'Capex 3' approval, a forecast date for such approval should be provided. Where a project has received 'Capex 3' approval, the actual date should be entered.

Previous Reference: New column

Column No: 31	Column Title: Forecast/ Actual Planning Approval (where required)
Units: £m to 3 dp	Processing Rules: Input field
Definitions:	

Date of receipt of planning approval. For projects yet to obtain planning approval, this column should be left blank.

Previous Reference: New column

Column No: 32	Column Title: Forecast/ Actual Capex 5 Date (Project completion inc. sign-off)
Units: £m to 3 dp	Processing Rules: Input field

Definitions:

For projects yet to reach 'Capex 5' approval, a forecast date for such approval should be provided. Where a project has received 'Capex 5' approval, the actual date should be entered.

Previous Reference: New column

Column No: 33	Column Title: Primary Driver	
Units: n/a	Processing Rules: Input field	
Definition:		

Enter most relevant single driver code from those listed in Appendix A.

Page 81 of 148 Date: Mar 2008 Revision 11.0



Section G

Previous Reference: K56 Col 28

Column No: 34	Column Title: Primary Driver % allocation
Units: Percentage	Processing Rules: Input field

Definition:

Enter the percentage of project total value that is attributable to the primary driver in column 33

Previous Reference: K56 Col 29

Column No: 35	Column Title: Driver 2
Units: n/a	Processing Rules: Input field

Definition:

Enter the most relevant single driver code from those listed in Appendix A.

Previous Reference: K56 Col 30

Column No: 36	Column Title: Driver 2 % allocation
Units: Percentage	Processing Rules: Input field
Definition:	

Enter the percentage of project total value that is attributable to driver 2, in column 35.

Previous Reference: K56 Col 31

Column No: 37	Column Title: Driver 3
Units: n/a	Processing Rules: Input field
Definition:	

Enter the most relevant single driver code from those listed in Appendix A.

Previous Reference: K56 Col 32

Page 82 of 148 Date: Mar 2008



Section G

Column No: 38	Column Title: Driver 3 % Allocation	
Units: Percentage	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to the driver 3, in column 37.		
D D. (

Previous Reference: K56 Col 33

Column No: 39	Column Title: Driver 4	
Units: n/a	Processing Rules: Input field	
Definition:		

Definition:

Enter the most relevant single driver code from those listed in Appendix A.

Previous Reference: K56 Col 34

Column No: 40	Column Title: Driver 4 % Allocation
Units: Percentage	Processing Rules: Input field
Definition:	

Enter the percentage of project total value that is attributable to driver4, in column 39.

Previous Reference: K56 Col 35

Column No: 41	Column Title: Driver 5	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the most relevant single driver code from those listed in Appendix A.		
Previous Reference: K56	Previous Reference: K56 Col 36	

Page 83 of 148 Date: Mar 2008 Revision 11.0



Section G

Column No: 42	Column Title: Driver 5 % Allocation	
Units: Percentage	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to driver 5 in column 41.		

Previous Reference: K56 Col 37

Column No: 43	Column Title: Driver 6
Units: n/a	Processing Rules: Input field
Definition:	
Enter most relevant single driver code from those listed in Appendix A.	

Previous Reference: K56 Col 37a

Column No: 44	Column Title: Driver 6 % Allocation
Units: Percentage	Processing Rules: Input field
Definition:	
Enter the percentage of project total value that is attributable to driver 6 in column 43.	

Previous Reference: K56 Col 37b

Column No: 45	Column Title: Driver 7	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the most relevant single driver code from those listed in Appendix A.		

Previous Reference: K56 Col 37c

Page 84 of 148 Date: Mar 2008
Revision 11.0





Column No: 46	Column Title: Driver 7 % Allocation	
Units: Percentage	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to driver 7, in column 45.		
Previous Reference: K56 Col 37d		

Column No: 47	Column Title: Driver 8
Units: n/a	Processing Rules: Input field
Definition:	
Enter the most relevant single driver code from those listed in Appendix A.	
Previous Reference: K56 Col 37e	

Column No: 48	Column Title: Driver 8 % Allocation
Units: Percentage	Processing Rules: Input field
Definition:	
Enter the percentage of project total value that is attributable to the driver 8, in column 47.	
Previous Reference: K56 Col 37f	

Column No: 49	Column Title: Driver 9	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the most relevant single driver code from those listed in Appendix A.		
Previous Reference: K56 Col 37g		

Page 85 of 148 Date: Mar 2008



Column No: 50 Column Title: Driver 9 % Allocation Processing Rules: Input field Units: Percentage Definition: Enter the percentage of project total value that is attributable to driver 9, in column 49. Previous Reference: K56 Col 37h

Column No: 51 Column Title: Driver 10 Units: n/a Processing Rules: Input field

Definition:

Enter the most relevant single driver code from those listed in Appendix A.

Previous Reference: K56 Col 37i

Column No: 52 Column Title: Driver 10 %Allocation Units: Percentage Processing Rules: Input field

Definition:

Enter the percentage of project total value that is attributable to driver 10 in column 51.

Previous Reference: K56 Col 37i

Column No: 53 Column Title: Primary Output Units: n/a Processing Rules: Input field Definition:

Enter a relevant output code reference from Appendix A.

Previous Reference: K56 Col 38

Page 86 of 148 Date: Mar 2008





	Column No: 54	Column Title: Primary Output % allocation
	Units: n/a	Processing Rules: Input field
	Definition:	
	Enter the percentage of project total value that is attributable to the primary output in column 53.	
Ī	Draviaus Deference, New colum	n

| Previous Reference: New column

Column No: 55	Column Title: Output 2
Units: n/a	Processing Rules: Input field
Definition:	

Enter a relevant output code reference from Appendix A.

Previous Reference: K56 Col 41

Column No: 56	Column Title: Output 2 % allocation
Units: n/a	Processing Rules: Input field
Definition:	

Enter the percentage of project total value that is attributable to the primary output in column 55.

Previous Reference: New column

Column No: 57	Column Title: Output 3	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter a relevent cutnut	and a variance from Annandiy A	

Enter a relevant output code reference from Appendix A.

Previous Reference: K56 Col 44

Page 87 of 148 Date: Mar 2008



Section G

Column No: 58	Column Title: Output 3 % allocation	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to the primary output in column 57.		

Previous Reference: New column

Column No: 59	Column Title: Output 4	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter a relevant output code reference from Appendix A.		
·		

Previous Reference: K56 Col 47

Column No: 60	Column Title: Output 4% allocation	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to the primary output in column 59.		

Previous Reference: New column

Column No: 61	Column Title: Output 5	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter a relevant output code reference from Appendix A.		
Previous Reference: K56 Col 50		

Page 88 of 148 Date: Mar 2008





Column No: 62	Column Title: Output 5 % allocation	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to the primary output in column 61.		
Previous Reference: New colu	ımn	

Column No: 63	Column Title: Output 6	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter a relevant output code reference from Appendix A.		
·		
Previous Reference: K56	Col 53	

Column No: 64	Column Title: Output 6 % allocation
Units: n/a	Processing Rules: Input field
Definition:	
Enter the percentage of project total value that is attributable to the primary output in column 63.	
Previous Reference: Ne	w column

Column No: 65	Column Title: Output 7	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter a relevant output code reference from Appendix A.		
·		
Previous Reference: K56 Col 56		

Page 89 of 148 Date: Mar 2008



Column No: 66	Column Title: Output 7 % allocation	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to the primary output in column 65.		
Provious Potoropeo: Now colu	mn	

| Previous Reference: New column

Column No: 67	Column Title: Output 8	
Units: n/a	Processing Rules: Input field	
Definition:		

Delinition:

Enter a relevant output code reference from Appendix A.

Previous Reference: K56 Col 59

Column No: 68	Column Title: Output 8 % allocation
Units: n/a	Processing Rules: Input field
Definition:	

Enter the percentage of project total value that is attributable to the primary output in column 67.

Previous Reference: New column

Column No: 69	Column Title: Output 9	
Units: n/a	Processing Rules: Input field	
Definition:		

Enter a relevant output code reference from Appendix A.

Previous Reference: K56 Col 62

Page 90 of 148 Date: Mar 2008



Column No: 70	Column Title: Output 9 % allocation
Units: n/a	Processing Rules: Input field
Definition:	
Enter the percentage of proje	ct total value that is attributable to the primary output in column 69
Previous Reference: New col	ımn

Column No: 71	Column Title: Output 10	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter a relevant output	code reference from Appendix A.	
Previous Reference: K5	66 Col 65	

Column No: 72	Column Title: Output 10 % allocation
Units: n/a	Processing Rules: Input field
Definition:	
Enter the percentage of	project total value that is attributable to the primary output in column 71.
Previous Reference: Ne	w column

Page 91 of 148 Date: Mar 2008 Revision 11.0



SECTION G Project Analysis Q&S 3 - Actuals & Forecast - Water & Wastewater

Edition 6

Page 92 of 148 Date: Mar 2008



TABLE G6 DEFINITIONS (Q&S3)

COLUMN DEFINITIONS

Column No: 1	Column Title: Project Autocode
Units: n/a	Processing Rules: Input field

Definition:

This is the project code allocated to the project within the Scottish Water investment programme database. All codes should be mutually exclusive and relate to discreet projects. All projects that have been disaggregated from other projects or schemes should have an audit trail that may, from time to time, be scrutinised by the Reporter.

Any projects contained in the Quality & Standards II project list and also (for whatever reason) in the list of projects for Quality & Standards III must have the same project autocode in both submissions. Quality and Standards II projects must contain the same autocode as used in the WIC18 and Capital Investment Return submissions.

Previous Reference: K56 Col 1

Column No: 2	Column Title: Project Title	
Units: n/a	Processing Rules: Input field	
	<u> </u>	

Definition:

This is the project title used in the Scottish Water investment programme database. Any projects contained in the Quality & Standards II project list and also (for whatever reason) in the list of projects for Quality & Standards III must have the same project title in both submissions. Quality and Standards II projects must contain the same Title as used in the WIC 18 and Capital Investment Returns. The project title, wherever possible, should give some indication of the type of works to be undertaken as part of the project.

Previous Reference: K56 Col 2

Page 93 of 148



Column No: 3	Column Title: Water or Wastewater project (primary purpose)
Units: n/a	Processing Rules: Input field

Definition:

One of the primary purposes: 'water' or 'wastewater', should be entered to indicate whether the project falls under the water or wastewater function. Any cross-functional work will need to be split into: water and wastewater projects.

Previous Reference: K56 Col 3

Column No: 4	Column Title: Technical Expression – Sign-off Owner
Units: n/a	Processing Rules: Input field

Definition:

The counterparty to the sign-off process as agreed in the OMG group.

Previous Reference: New column

Column No: 5	Column Title: Accountability
Units: n/a	Processing Rules: Input field

Definition:

For each project, the body accountable for project management should be quoted. The entry 'SW' should be given where SW has full accountability for the project. Where Scottish Water Solutions (SWS) is accountable, 'SWS - managed' or 'SWS - allocated' should be used, where the project is underway or in development respectively (or whatever alternative note is deemed appropriate).

Previous Reference: New column

Page 94 of 148 Date: Mar 2008



Section G

Column No: 6	Column Title: Programming Grouping
Units: n/a	Processing Rules: Input field
Definition: Scottish Water's busine	ess activity group from the programme that will benefit from the investment made for each individual project.
Previous Reference: N	ew column

Column No: 7	Column Title: Project Classification 1
Units: n/a	Processing Rules: Input field

Definition:

Enter only *one* of the following secondary purposes:

- Capital Maintenance
- Quality
- Supply/Demand
- Enhanced Service

For any combined projects, the dominant purpose should be entered.

Previous Reference: K56 Col 4

Page 95 of 148 Date: Mar 2008
Revision 11.0



Column No: 8	Column Title: Project Classification 2
Units: n/a	Processing Rules: Input field

Definition:

Enter one of the following secondary classifications, only if the project is estimated to total £100k total or less.

- Infra IRE
- Infra Non IRE
- Non Infra

For projects totalling over £100k this cell should be left blank and the total project cost proportionately allocated by value across columns 9 (Infra – IRE), 10 (Infra – Non IRE) and 11 (Non-Infra).

Note: Infra, Non-Infra, IRE and Non IRE are defined in WICS Regulatory Accounting Rules 1.

Previous Reference: K56 Col 5

Column No: 9	Column Title: Infra - IRE Proportion of Projects over £100k	
Units: £m to 3 dp	Processing Rules: Input field	
D.C.C.		

Definition:

For projects estimated to total more than £100k, enter the proportion of the total cost attributable to Infra-IRE.

Note: Infra-IRE is defined in WICS Regulatory Accounting Rules 1.

Previous Reference: K56 Col 6

Column No: 10	Column Title: Infra-Non IRE Proportion of Projects over £100k
Units: £m to 3 dp	Processing Rules: Input field
5 (1.1)	

Definition:

For projects estimated to total more than £100k, enter the proportion of the total cost attributable to Infra-Non IRE.

Note: Infra-Non IRE is defined in WICS Regulatory Accounting Rules 1.

Previous Reference: K56 Col 7

Page 96 of 148 Date: Mar 2008



Column No: 11 Column Title: Non - Infra Proportion of Projects over £100k Units: £m to 3 dp Processing Rules: Input field

Definition:

For projects estimated to total more than £100k, enter the proportion of the total cost attributable to Non-Infra

Note: Non-Infra is defined in WICS Regulatory Accounting Rules 1.

Previous Reference: K56 Col 8

Column No: 12	Column Title: Current Project Status Code
Units: n/a	Processing Rules: Input field

Definition:

Enter one of the following WICS codes S0 to S12 - to indicate the current project progress status. The equivalent Scottish Water Capex approval stages are included for clarity.

WICS Code	Definition	Scottish Water Capex
		Status
S0	Investment need recognised, but no specific project yet identified	
S1	Inception: project has been identified but no detailed appraisal has been completed	Capex 1 approval
S2	Appraisal: initial detailed appraisal has been completed	Capex 2 approval
S3	Project approved and under development before construction	Capex 3 approval
S4	Project abandoned (stopped and closed at pre-construction stage)	
S6	Tender Award (Agreed target cost and progression to construction)	
S8	Works under construction	
S10	Project completed to Beneficial use – This stage INCLUDES regulatory sign off.	
S11	Works and expenditure complete – project financially closed	Capex 5 approval
Previous	New	
Reference:		

Page 97 of 148 Date: Mar 2008



Column No: 13	Column Title: Forecast / Actual Project CAPEX 2 Date (Feasibility complete)
Units: mmm-yyyy	Processing Rules: Input field

Definition:

Enter the month and year at which the project is either forecast to achieve, or actually did achieve, WICS' project status code S2. This is the equivalent of Scottish Water's CAPEX 2 approval. For those programmes of work being reported as aggregated lines, leave cell blank.

Previous Reference: New column

Column No: 14	Column Title: Forecast / Actual Project CAPEX 3 Date (Financial approval)
Units: mmm-yyyy	Processing Rules: Input field

Definition:

Enter the month and year at which the project is either forecast to achieve, or actually did achieve, WICS' project status code S3. This is the equivalent of Scottish Water's CAPEX 3 approval. For those programmes of work being reported as aggregated lines, leave cell blank.

Previous Reference: K56 Col 11

Column No: 15	Column Title: Forecast / Actual Planning Approval (where required)
Units: mmm-yyyy	Processing Rules: Input field
Definition	

Definition:

Enter the month and year at which it is forecast that physical construction will commence or did commence on the project site. For those programmes of work being reported as aggregated lines, leave cell blank.

Previous Reference: K56 Col 12

Page 98 of 148 Date: Mar 2008



Column No: 16	Column Title: Forecast / Actual – Capex 5 Date (Project completion inc. sign-off)
Units: mmm-yyyy	Processing Rules: Input field

Definition:

Enter the month and year (e.g. mar-2008) the project is either forecast to, or actually has achieved, beneficial use, (i.e project status S10).

'Beneficial use', means that the specified outputs of the project are available, and customers (or the environment) are able to enjoy the full benefit of the investment. In many cases 'beneficial use' will occur some time before works and expenditure are complete and the project is closed (i.e. project status S11). Note - this milestone includes Regulatory sign-off in Q&S III.

Previous Reference: New line

Column No: 17	Column Title: Project Location – Local Authority	
Units: n/a	Processing Rules: Input field	
Definition		

Definition:

Enter the name of a single Local Authority within which, the majority of the works are located. This information relates to the physical location of the works, **not** the location of the population served.

Previous Reference: K56 Col 14

Column No: 18	Column Title: Expenditure Pre 2006-07
Units: £m to 3 dp	Processing Rules: Input field

Definition:

Enter any expenditure incurred on an individual project prior to the start of the Quality and Standards III period (1 April 2006). This should include expenditure on Q&S II Completion Projects to the extent that they have been funded by Q&S III. When this is the case, Scottish Water should list and detail these Completion Projects separately in its Commentary.

Previous Reference: K56 Col16

Page 99 of 148 Date: Mar 2008



Column No: 19	Column Title: Actual Expenditure 2006-07
Units: £m to 3 dp	Processing Rules: Input field

Definition:

Actual project expenditure during 2006/07. This should include expenditure on Q&S II Completion Projects to the extent that they have been funded by Q&S III. When this is the case, Scottish Water should list and detail these Completion Projects separately in its Commentary.

Previous Reference: K56 Col 17

Column No: 20	Column Title: Actual Expenditure 2007-08
Units: £m to 3 dp	Processing Rules: Input field
D (1.14)	

Definition:

Actual project expenditure during 2007/08. This should include expenditure on Q&S II Completion Projects to the extent that they have been funded by Q&S III. When this is the case, Scottish Water should list and detail these Completion Projects separately in its Commentary.

Previous Reference: K56 Col 18

Column No: 21	Column Title: Forecast Expenditure 2008-09	
Units: £m to 3 dp	Processing Rules: Input field	

Definition:

Forecast project expenditure during 2008/09. This should include expenditure on Q&S II Completion Projects to the extent that they have been funded by Q&S III. When this is the case, Scottish Water should list and detail these Completion Projects separately in its Commentary.

Previous Reference: K56 Col 19

Page 100 of 148 Date: Mar 2008
Revision 11.0



Column No: 22	Column Title: Forecast Expenditure 2009-10
Units: £m to 3 dp	Processing Rules: Input field

Definition:

Forecast project expenditure during 2009/10. This should include expenditure on Q&S II Completion Projects to the extent that they have been funded by Q&S III. When this is the case, Scottish Water should list and detail these Completion Projects separately in its Commentary.

Previous Reference: K56 Col 20

Column No: 23	Column Title: Total Q&S IIIa period expenditure to 2009-10
Units: £m to 3 dp	Processing Rules: Input field
Definition:	
This is the total cost of the project, irrespective of when the expenditure is incurred. The sum of columns 18 to 22.	

Previous Reference: K56 Col 21

	·
Units: £m to 3 dp Pro	ocessing Rules: Input field

Definition:

The forecasted spend on each project that will be incurred beyond the financial year 2009-10.

Previous Reference: New column

Page 101 of 148 Date: Mar 2008



Column No: 25	Column Title: Project Grand Total expenditure	
Units: £m to 3 dp	Processing Rules: Input field	
Definition: This is the full cost of the project	Definition: This is the full cost of the project, irrespective of the period when the expenditure is incurred. The sum of Columns 23 and 24.	

Previous Reference: New column

Column No: 26	Column Title: Table K Budget allocation	
Units: £m to 3 dp	Processing Rules: Input field	
Datin itiana		

Definition:

This is the budget allocated to the project in Table K56 of the 2005-06 Annual Return.

Previous Reference: New column

Column No: 27	Column Title: Grants for infrastructure assets
Units: £m to 3 dp	Processing Rules: Input field

Definition:

The total Grants and Infrastructure charge elements received from third parties in the Report Year towards water services infrastructure assets. This Grant is applied to the gross infrastructure in the year to derive net expenditure e.g. European Regional Development Fund.

Previous Reference: K56 Col 22

Page 102 of 148 Date: Mar 2008



Column No: 28	Column Title: Grants for non-infrastructure assets
Units: £m to 3 dp	Processing Rules: Input field
_	

Definition:

The total Grants received from third parties in the Report Year towards non-infrastructure assets e.g. European Regional Development Fund.

Previous Reference: K56 Col 23

Column No: 29	Column Title: Contributions to infrastructure assets
Units: £m to 3 dp	Processing Rules: Input field

Definition:

The total contributions and Infrastructure charge elements received from third parties in the Report Year towards water services infrastructure assets. This Grant is applied to the gross infrastructure in the year to derive net expenditure e.g. European Regional Development Fund.

Previous Reference: K56 Col 22

Column No: 30	Column Title: Contributions to non-infrastructure assets
Units: £m to 3 dp	Processing Rules: Input Field
Definition	

Definition:

The total contributions received from third parties in the Report Year towards non-infrastructure assets e.g. European Regional Development Fund.

Previous Reference: K56 Col 23

Page 103 of 148 Date: Mar 2008



Column No: 31	Column Title: Impact of Project on Scottish Water's Gross MEAV (Gross Modern Equivalent Asset
	Valuation)
Units: £m to 3dp	Processing Rules: Input field
B (1 14)	

Definition:

This is the forecast project impact on Scottish Water's total asset base valuation. This should be measured by the impact that the individual project will have on the Gross Modern Equivalent Asset Valuation (Gross MEAV) of the total asset base.

This information will enable WICS to monitor changes made within the asset inventory and reconcile these to the developments in the investment programme as the period moves forward.

Previous Reference: K56 Col 24

Column No: 32	Column Title: Impact of project on OPEX - additional operating expenditure
Units: £ per annum	Processing Rules: Input field

Definition:

This is the estimated impact that the project will have on average annual operating expenditure. This figure should be the net change in costs arising from new and improved assets, taking account of any savings. Opex cost savings may result from the operation of new/improved assets.

Previous Reference: K56 Col 25

Column No: 33	Column Title: Proportion of Capital Maintenance Element of Project - £m
Units: £m to 3dp	Processing Rules: Input field
Definitions	

Definition:

This is the proportion of the individual project cost that is ascribed to a capital maintenance driver. The proportion should be expressed financially as £m.

Previous Reference: K56 Col 26

Page 104 of 148 Date: Mar 2008



Column No: 34	Column Title: Proportion of Capital Maintenance Element of Project - %
Units: Percentage	Processing Rules: Input field
Definition	

Definition:

This is the proportion of the individual project cost that is ascribed to a capital maintenance driver. The proportion should be expressed as a percentage of the total project budget in column 25.

Previous Reference: K56 Col 27

Column No: 35	Column Title: Capital Maintenance Element of Project – Driver
Units: n/a	Processing Rules: Input field
Definition:	
Enter most relevant Can	hital Maintenance driver code from those listed in Appendix B

Enter most relevant Capital Maintenance driver code from those listed in Appendix B.

Previous Reference: K56 Col 27a

Column No: 36	Column Title: Capital Maintenance Element of Project - Output
Units: n/a	Processing Rules: Input field
Definition:	

Enter most relevant Capital Maintenance output code reference from Appendix B.

Previous Reference: K56 Col 27b

Page 105 of 148 Date: Mar 2008



Column No: 37	Column Title: Population/population equivalent released from development constraints
Units: nr	Processing Rules: Input field

Definition:

This is the population or population equivalent released from development previously constrained by capacity limitations of Scottish Water's assets. This may be attributable to investment driven specifically by the release of development constraints or to incremental benefits of investment driven by other drivers (e.g. quality, capital maintenance, etc).

Previous Reference: K56 Col 15

Column No: 38	Column Title: Regulatory sign off required
Units: n/a	Processing Rules:

Definition:

Confirmation is required as to whether or not the project requires Regulatory sign-off before it can be formally completed. Input "TRUE" if this is the case or otherwise "FALSE".

Previous Reference: New column

This section (columns 39 to 58 inclusive) requires drivers (after capital maintenance) to be proportionally allocated to individual projects. Where possible, drivers specified by stakeholders as part of the Quality & Standards III process have been used. Appendix A, to these definitions contains lists of drivers and the codes that are to be used. These are the drivers upon which Quality & Standards III investment proposals were based (apart from capital maintenance), and only drivers contained in the lists should be used.

Column No: 39	Column Title: Primary Driver After Capital Maintenance	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter most relevant single driver code from those listed in Appendix B.		
Previous Reference: K56 Col 28		

Page 106 of 148 Date: Mar 2008



Section G

Column No: 40	Column Title: Primary Driver % Allocation	
Units: Percentage	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to the primary driver in column 39.		
, , , ,		

Previous Reference: K56 Col 29

Column No: 41	Column Title: Driver 2
Units: n/a	Processing Rules: Input field
Definition:	
Enter the most relevant single driver code from those listed in Appendix B.	

Previous Reference: K56 Col 30

Column No: 42	Column Title: Driver 2 - % Allocation
Units: Percentage	Processing Rules: Input field
Definition:	
Enter the percentage of project total value that is attributable to driver 2, in column 41.	

Previous Reference: K56 Col 31

Column No: 43	Column Title: Driver 3	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the most relevant single driver code from those listed in Appendix B.		
Previous Reference: K56 Col 32		

. 1011040 110101011001 1100 001 02

Page 107 of 148 Date: Mar 2008
Revision 11.0



Section G

Column No: 44	Column Title: Driver 3 - % Allocation	
Units: Percentage	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to the driver 3, in column 43.		

Previous Reference: K56 Col 33

Column No: 45	Column Title: Driver 4	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the most relevant single driver code from those listed in Appendix B.		
Danish Dafanana I/FO/	2-104	

Previous Reference: K56 Col 34

Column No: 46	Column Title: Driver 4 - % Allocation		
Units: Percentage	Processing Rules: Input field		
Definition:			
Enter the percentage of project total value that is attributable to driver4, in column 45.			

Previous Reference: K56 Col 35

Column No: 47	Column Title: Driver 5	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the most relevant single driver code from those listed in Appendix B.		

Previous Reference: K56 Col 36

Page 108 of 148 Date: Mar 2008
Revision 11.0



Section G

Column No: 48	Column Title: Driver 5 - % Allocation	
Units: Percentage	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to driver 5 in column 47.		

Previous Reference: K56 Col 37

Column No: 49	Column Title: Driver 6	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter most relevant single driver code from those listed in Appendix B.		
	••	

Previous Reference: K56 Col 37a

Column No: 50	Column Title: Driver 6 - % Allocation	
Units: Percentage	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to driver 6 in column 49		

Previous Reference: K56 Col 37b

Column No: 51	Column Title: Driver 7	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the most relevant single driver code from those listed in Appendix B.		
Previous Reference: K56 Col 37c		

Page 109 of 148 Date: Mar 2008 Revision 11.0



Section G

Column No: 52	Column Title: Driver 7 - % Allocation	
Units: Percentage	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to driver 7, in column 51.		

Previous Reference: K56 Col 37d

Column No: 53	Column Title: Driver 8	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the most relevant single driver code from those listed in Appendix B.		
	•	

Previous Reference: K56 Col 37e

Column No: 54	Column Title: Driver 8 % Allocation
Units: Percentage	Processing Rules: Input field
Definition:	
Enter the percentage of project total value that is attributable to the driver 8 in column 53	

Previous Reference: K56 Col 37f

Column No: 55	Column Title: Driver 9	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the most relevant single driver code from those listed in Appendix B.		

Previous Reference: K56 Col 37g

Page 110 of 148 Date: Mar 2008



Section G

Column No: 56	Column Title: Driver 9 - % Allocation	
Units: Percentage	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to driver 9, in column 55.		
Previous Reference: K56 Col 37h		

Column No: 57	Column Title: Driver 10	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the most relevant single driver code from those listed in Appendix B.		
Previous Reference: K5	6 Col 37i	

Column No: 58	Column Title: Driver 10 - % Allocation	
Units: Percentage	Processing Rules: Input field	
Definition:		
Enter the percentage of project total value that is attributable to driver 10 in column 57.		
Previous Reference: K56 Col 37j		

This section (cols 59 to 88 inclusive) requires output information for individual projects. For simplicity, outputs have been assigned to the set of driver codes employed above (as detailed in Appendix A). For each project line in the programme, the primary output should be identified and apportioned where appropriate over a maximum of 4 other outputs. Lists of output classifications are contained in Appendix B to this guidance. Only outputs contained in Appendix B should used.

Page 111 of 148 Date: Mar 2008
Revision 11.0



Section G

Column No: 59	Column Title: Primary Output	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter a relevant output code reference from Appendix B.		

Previous Reference: K56 Col 38

Column No: 60	Column Title: Primary Output Unit	
Units: as applicable	Processing Rules: Input field	
Definition:		
Enter the output units (from Appendix B) that correspond with the reference code in column 38.		
Previous Reference: K56 Col 39		

Column No: 61 Column Title: Primary Output Value Processing Rules: Input field Units: n/a

Definition:

Enter the amount of the units specified in column 39, the project aims to achieve.

Previous Reference: K56 Col 40

Column No: 62	Column Title: Output 2	
Units: n/a	Processing Rules: Input field	
Definition:		

Enter a relevant output code reference from Appendix B.

Previous Reference: K56 Col 41

Page 112 of 148 Date: Mar 2008



Section G

Column No: 63	Column Title: Output 2 Unit	
Units: as applicable	Processing Rules: Input field	
Definition:		
Enter the output units (from Appendix B) that correspond with the reference code in column 41.		

Previous Reference: K56 Col 42

Column No: 64	Column Title: Output 2 Value
Units: n/a	Processing Rules: Input field
Definition:	
Enter the amount of the units specified in column 42, the project aims to achieve.	

Previous Reference: K56 Col 43

Column No: 65	Column Title: Output 3
Units: n/a	Processing Rules: Input field
Definition:	

Enter a relevant output code reference from Appendix B.

Previous Reference: K56 Col 44

Column No: 66	Column Title: Output 3 Unit
Units: as applicable	Processing Rules: Input field
Definition:	

Enter the output units (from Appendix B) that correspond with the reference code in column 44.

Previous Reference: K56 Col 45

Page 113 of 148 Date: Mar 2008



Section G

Column No: 67	Column Title: Output 3 Value	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the amount of the units specified in column 45, the project aims to achieve.		

Previous Reference: K56 Col 46

Column No: 68	Column Title: Output 4	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter a relevant output code reference from Appendix B.		

Previous Reference: K56 Col 47

Column No: 69	Column Title: Output 4 Unit
Units: as applicable	Processing Rules: Input field
Definition:	

Enter the output units (from Appendix B) that correspond with the reference code in column 47.

Previous Reference: K56 Col 48

Column No: 70	Column Title: Output 4 Value	
Units: n/a	Processing Rules: Input field	
Definition:		

Enter the amount of the units specified in column 48, the project aims to achieve.

Previous Reference: K56 Col 49

Page 114 of 148 Date: Mar 2008



Section G

Column No: 71	Column Title: Output 5	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter a relevant output code reference from Appendix B.		
D ' D (1/=0 0 1 =		

Previous Reference: K56 Col 50

Column No: 72	Column Title: Output 5 Unit
Units: as applicable	Processing Rules: Input field
Definition:	
Enter the output units (from Appendix B) that correspond with the reference code in column 50.	

Previous Reference: K56 Col 51

Column No: 73	Column Title: Output 5 Value
Units: n/a	Processing Rules: Input field
Definition:	
Enter the amount of the units specified in column 51, the project aims to achieve	

Enter the amount of the units specified in column 51, the project aims to achieve.

Previous Reference: K56 Col 52

Column No: 74	Column Title: Output 6	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter a relevant output code reference from Appendix B.		

Previous Reference: K56 Col 53

Page 115 of 148 Date: Mar 2008
Revision 11.0



Section G

Column No: 75	Column Title: Output 6 Unit	
Units: as applicable	Processing Rules: Input field	
Definition:		
Enter the output units (from Appendix B) that correspond with the reference code in column 53.		

Previous Reference: K56 Col 54

Column No: 76	Column Title: Output 6 Value	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the amount of the units specified in column 54, the project aims to achieve.		

Previous Reference: K56 Col 55

Column No: 77	Column Title: Output 7
Units: n/a	Processing Rules: Input field
Definition:	
Enter a relevant output code reference from Appendix B.	

Previous Reference: K56 Col 56

Column No: 78	Column Title: Output 7 Unit
Units: as applicable	Processing Rules: Input field
Definition:	
Enter the output units (from Appendix B) that correspond with the reference code in column 56	

Previous Reference: K56 Col 57

Page 116 of 148 Date: Mar 2008



Section G

Column No: 79	Column Title: Output 7 Value	
Units: n/a	Processing Rules: Input field	
Definition:		
Enter the amount of the units specified in column 57, the project aims to achieve.		

Previous Reference: K56 Col 58

Column No: 80	Column Title: Output 8	
Units: n/a	Processing Rules: Input field	
Definition:		
Foton a valouant autout and a vaforance from Annandiu D		

Enter a relevant output code reference from Appendix B.

Previous Reference: K56 Col 59

Column No: 81	Column Title: Output 8 Unit
Units: as applicable	Processing Rules: Input field
Definition:	

Enter the output units (from Appendix B) that correspond with the reference code in column 59.

Previous Reference: K56 Col 60

Column No: 82	Column Title: Output 8 Value	
Units: n/a	Processing Rules: Input field	
Definition:		

Enter the amount of the units specified in column 60, the project aims to achieve.

Previous Reference: K56 Col 61

Page 117 of 148 Date: Mar 2008



Section G

Column Title: Output 9		
Processing Rules: Input field		
Definition:		
Enter a relevant output code reference from Appendix B.		
1		

Previous Reference: K56 Col 62

Column No: 84	Column Title: Output 9 Unit	
Units: as applicable	Processing Rules: Input field	
Definition:		
Enter the output units (from Appendix B) that correspond with the reference code in column 62.		

Previous Reference: K56 Col 63

Column No: 85	Column Title: Output 9 Value
Units: n/a	Processing Rules: Input field
Definition:	
Enter the amount of the units specified in column 63, the project aims to achieve.	

Previous Reference: K56 Col 64

Column No: 86	Column Title: Output 10
Units: n/a	Processing Rules: Input field
Definition:	
Enter a relevant output code reference from Appendix B.	

Previous Reference: K56 Col 65

Page 118 of 148 Date: Mar 2008
Revision 11.0



Section G

Column No: 87	Column Title: Output 10 Unit		
Units: as applicable	Processing Rules: Input field		
Definition:			
Enter the output units (from App	endix B) that correspond with the reference code in column 65.		
Previous Reference: K56 Col 66	Previous Reference: K56 Col 66		

Column No: 88	Column Title: Output 10 Value
Units: n/a	Processing Rules: Input field
Definition:	
Enter the amount of the	units specified in column 66, the project aims to achieve.
Previous Reference: K5	6 Col 67

Page 119 of 148 Date: Mar 2008 Revision 11.0



SECTION G CHAPTERS G7

Q&S 2 OUTPUT DELIVER

Edition 6

Page 120 of 148 Date: Mar 2008
Revision 11.0



TABLE G7 DEFINITIONS

BLOCK 1: Progress with Q&S 2 Outputs

3	Number
(DW_FT)	

Definition: The number of properties receiving first time provision of

water under the Q&S 2 programme by the end of the

report year.

Processing rules: Input field

Previous references: New Line

G7.2	Removal of properties from the poor pressure	Number
	register (DW_P)	

Definition: The number of properties removed from the poor

pressure register under the Q&S 2 programme by the

end of the report year.

Processing rules: Input field

Previous references: New Line

G7.3	Drinking water drivers addressed (DW_WQ)	Number

Definition: The number of drinking water driver addressed under

the Q&S 2 programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

G7.4	Mains Rehabilitated (WM_R)	km

The length of mains rehabilitated under the Q&S 2 Definition:

programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

Page 121 of 148 Date: Mar 2008



Continuous discharges removed (WW C) Number

Definition: The number of continuous discharges removed under

the Q&S 2 programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

G7.6 Removal of properties from the "at risk" flooding Number register (WW_FR)

Definition: The number of properties removed from the "at risk"

flooding register under the Q&S 2 programme by the end

of the report year.

Processing rules: Input field

Previous references: New Line

Properties receiving first time provision of sewerage G7.7 Number (WW FT)

Definition: The number of properties that received first time

provision of sewerage under the Q&S 2 programme by

the end of the report year.

Processing rules: Input field

Previous references: New Line

Sewers rehabilitated (WW_R) G7.8 km

Definition: The length of sewers rehabilitated under the Q&S 2

programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

Page 122 of 148 Date: Mar 2008



UCSOs removed (WW UCSO) Number

Definition: The number of UCSOs removed under the Q&S 2

programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

BLOCK 2: WIC 16 Progress

G7.10 Number of projects in agreed WIC 16 programme Number

Definition: The number of projects from the agreed WIC 16

programme in existence at the end of the report year.

Processing rules: Input field

Previous references: New Line

Number of WIC 16 projects at beneficial use G7.11 Number milestone (S10)

Definition: The number of WIC 16 projects that had reached the

beneficial use milestone S10 at the end of the report

year.

Processing rules: Input field

Previous references: New Line

Forecast/Actual completion date for WIC 16 G7.12 **Date** programme

Definition: The date of forecasted or actual completion of the WIC

16 programme under the Q&S 2 programme by the end

of the report year.

Processing rules: Input field

Previous references: New Line

Page 123 of 148 Date: Mar 2008



BLOCK 3: Progress with Quality and Standards 2 sign off

G7.13 Total number of projects in the programme for sign Number off

Definition: The total number of Quality and Standards 2 (Q&S 2)

projects which have achieved or require regulatory sign

off at the end of the report year.

Processing rules: Input field

Previous references: New Line

G7.14 Total number of projects completed to beneficial use Number milestone

Definition: The total number of projects from the Quality and

> Standards 2 (Q&S 2) programme completed to the beneficial use milestone at the end of the report year.

Processing rules: Input field

Previous references: New Line

G7.15 Number of projects submitted by SW to DWQR/SEPA Number for sign off

Definition: The total number of Q&S 2 projects submitted by SW to

the Drinking Water Quality Regulator (DWQR) or the Scottish Environmental Protection Agency (SEPA) for

sign off at the end of the report year.

Processing rules: Input field

Previous references: New Line

G7.16 Number of projects signed off by DWQR/SEPA Number

Definition: The total number of Q&S 2 projects signed off by the

> Drinking Water Quality Regulator (DWQR) or the Scottish Environmental Protection Agency (SEPA) at the end of

Page 124 of 148 Date: Mar 2008

Section G



the report year. This should include all Q&S 2 projects signed off in previous years and the current year.

Processing rules: Input field

Previous references: New Line

G7.17 Percentage of the total number of projects in the programme signed off	%
--	---

The percentage of the total number of projects in the Definition:

Quality and Standards 2 (Q&S 2) programme signed-off

at the end of the report year.

Processing rules: Input field

Previous references: New Line

Page 125 of 148 Date: Mar 2008



SECTION G CHAPTERS G8

Q&S 3 OUTPUT DELIVERY

Edition 6

Page 126 of 148 Date: Mar 2008
Revision 11.0



TABLE G8 DEFINITIONS

BLOCK 1: Customer Service

G8.1 Number of works where odour problem is addressed Nr

With reference to the appropriate Quality and Standards Definition:

> 3 (Q&S 3) objective(s) & the agreed technical expression, the number of works where an odour problem has been addressed under the Q&S 3a

programme by the end of the report year.

Input field Processing rules:

Previous references: New Line

BLOCK 2: Water Quality

G8.2	Improve drinking water quality for 1.5m people	Pop

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the population for whom the quality of their drinking water has been improved under the Q&S 3a

programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

G8.3	Improve disinfection control for 4m people	Pop

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the population for whom disinfection control has improved under the Q&S 3a programme by the end

of the report year.

Input field Processing rules:

Previous references: New Line

Page 127 of 148 Date: Mar 2008



G8.4 Number of lead pipes removed as a result of customer Nr requests

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the number of lead pipes removed as a result of customer requests under the Q&S 3a

programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

G8.5 Number of water resource zones with reduced Nr abstraction

With reference to the appropriate Quality and Standards Definition:

> 3 (Q&S 3) objective(s) & the agreed technical expression, the number of water resource zones with reduced abstraction under the Q&S 3a programme by

the end of the report year.

Processing rules: Input field

Previous references: New Line

G8.6	Number of water sources provided with flow	Nr
	monitoring and recording	

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the number of water sources provided with flow monitoring and recording under the Q&S 3a

programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

G8.7	Number of flood studies undertaken	Nr

Definition: With reference to the appropriate Quality and Standards

3 (Q&S 3) objective(s) & the agreed technical

Page 128 of 148 Date: Mar 2008

Section G



expression, the number of relevant flood studies undertaken under the Q&S 3a programme by the end of

the report year.

Processing rules: Input field

Previous references: New Line

G8.8 Number of backflow preventions devices installed Nr

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the technical expression, the number of backflow prevention devices installed under the Q&S 3a programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

Number of cross-connections made redundant G8.9 Nr

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the number of cross-connections made redundant under the Q&S 3a programme by the end of

the report year.

Processing rules: Input field

Previous references: New Line

G8.10 Number of sites with increased security Nr

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the number of sites with increased security organised under the Q&S 3a programme by the end of

the report year.

Processing rules: Input field

Previous references: New Line

Page 129 of 148 Date: Mar 2008



G8.11 % of population covered with water safety plans %

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the percentage of the population covered with water safety plans under the Q&S 3a programme

by the end of the report year.

Processing rules: Input field

Previous references: New Line

BLOCK 3: Waste-water Quality

G8.12	Number of unsatisfactory intermittent discharges	Nr
	improved	

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the number of unsatisfactory intermittent discharges that have improved under the Q&S 3a

programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

G8.13 Number of waste water treatment works' discharges Nr improved to meet new consent requirements	G8.	_	Nr
--	-----	---	----

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the number of wastewater treatment works' discharges improved to meet new consent requirements under the Q&S 3a programme by the end of the report

year.

Processing rules: Input field

Previous references: New Line

Page 130 of 148 Date: Mar 2008



Number of First Time Provision projects to meet G8.14 Nr environmental objectives in the Directions (cumulative)

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the number of first time provision projects to meet environmental objectives in the Directions (cumulative), under the Q&S 3a programme by the end

of the report year.

Input field Processing rules:

Previous references: New Line

Number of wastewater treatment works upgraded to Nr meet existing consent requirements

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the number of wastewater treatment works upgraded to meet existing consent requirements, under the Q&S 3a programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

Number of management and monitoring systems at Nr works to meet IPPC Regulations

Definition: With reference to the appropriate Quality and Standards

3 (Q&S 3) objective(s) & the agreed technical expression, the number of management and monitoring systems at works to meet IPPC Regulations, under the

Q&S 3a programme by the end of the report year.

Input field Processing rules:

Previous references: New Line

Page 131 of 148 Date: Mar 2008



G8.17 Number of landfill sites contained, monitored and Nr decommissioned

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the number of landfill sites contained, monitored and decommissioned during under the Q&S

3a programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

BLOCK 4: Development Constraints

	Provide strategic capacity at wastewater treatment	p.e.
İ	works	

Definition: With reference to the appropriate Quality and Standards

3 (Q&S 3) objective(s) & the agreed technical expression, the population equivalent released by the provision of strategic capacity at wastewater treatment works under the Q&S 3a programme by the end of the

report year.

Processing rules: Input field

Previous references: New Line

G8.19	Provide strategic capacity at water treatment works	p.e.

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the population equivalent released by the provision of strategic capacity at water treatment works under the Q&S 3a programme by the end of the report

year.

Processing rules: Input field

Previous references: New Line

Page 132 of 148 Date: Mar 2008



G8.20 Total New Connections (including regeneration) Nr

Definition: With reference to the appropriate Quality and Standards

3 (Q&S 3) objective(s) & the agreed technical expression, the total number of new connections (including regeneration) made under the Q&S 3a

programme by the end of the report year.

Input field Processing rules:

Previous references: New Line

G8.21 Implied regeneration, growth/shrinkage in customer Nr

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the growth/shrinkage in the customer base due to implied regeneration, under the Q&S 3a

programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

G8.22 Net increase/(decrease) in billed properties Nr

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the net increase (or decrease) in the number of billed properties, under the Q&S 3a

programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

G8.23 Properties relieved from development constraint Nr

Definition: With reference to the appropriate Quality and Standards

3 (Q&S 3) objective(s) & the agreed technical expression, the number of properties relieved from

Page 133 of 148 Date: Mar 2008



development constraint under the Q&S 3a programme

by the end of the report year.

Processing rules: Input field

Previous references: New Line

BLOCK 5: Introduction of Competition

G8.24	Number of non-domestic meters installed	Nr

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the number of non-domestic meters installed under the Q&S 3a programme by the end of

the report year.

Processing rules: Input field

Previous references: New Line

BLOCK 6: Additional Capital Maintenance Allowance

			l
G8.25	SEPA priorities for capital maintenance expenditure	£m (3dp)	l
	(£20m)		l

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the expenditure on capital maintenance projects deemed priority by the Scottish Environmental Protection Agency (SEPA) incurred under the Q&S 3a

programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

G8.26	DWQR priorities for capital maintenance expenditure	£m (3dp)	į
	(£10m)		

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the expenditure on capital maintenance projects deemed priority by the Drinking Water Quality

Page 134 of 148 Date: Mar 2008





Regulator (DWQR) incurred under Q&S 3a the

programme by the end of the report year.

Processing rules: Input field

Previous references: New Line

BLOCK 7: Leakage

G8.27	First pass Economic level of leakage estimated and	Date
	presented to Commission	

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water's first pass Economic level of leakage is

estimated and presented to the Commission.

Processing rules: Input field

Previous references: New Line

G8.28	DMA coverage to include 96% of connected	Date
	properties in Scotland	

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water's DMA coverage will include 96% of all connected

properties in Scotland.

Processing rules: Input field

Previous references: New Line

G8.29	Revised ELL presented to the Commission	Date

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water's revised ELL is to be presented to the

Commission.

Processing rules: Input field

Page 135 of 148 Date: Mar 2008



Previous references: New Line

BLOCK 8: Water Resource Studies

G8.30 Initial Water Resource Plan submitted to SEPA **Date**

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water will submit its initial Water Resource Plan to

SEPA.

Processing rules: Input field

Previous references: New Line

G8.31 Technical studies complete for the 37 water resource **Date** zones subject to the Birds & Habitats Directive

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which technical studies on the 37 water resource zones subject to the

Birds and Habitats Directive will be completed.

Processing rules: Input field

Previous references: New Line

G8.32 Technical studies complete for the 41 water resource Date zones subject to the Water Framework Directive

Definition: With reference to the appropriate Quality and Standards

(Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which technical studies on the 41 water resource zones subject to the

Water Framework Directive will be completed.

Processing rules: Input field

Previous references: New Line

Page 136 of 148 Date: Mar 2008



G8.33 Detailed Plan available for the work required in each Date of the 37 zones (Birds and Habitats Directive)

With reference to the appropriate Quality and Standards Definition:

> 3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which detailed plans for the work required in each of the 37 zones (Bird and Habitats

Directive) will be available.

Processing rules: Input field

Previous references: New Line

Quantified costs and timescales for the 37 zones G8.34 Date where work is straightforward (Birds and Habitats Directive)

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & and the agreed technical expression, the target or actual date by which the costs and timescales for the 37 zones where work is straightforward (Bird and Habitats Directive) will be

quantified.

Processing rules: Input field

Previous references: New Line

G8.35 Agree with DWQR scope and timescales for changes Date to address drinking water quality issues in the 37 water resource zones subject to the Birds and **Habitats Directive**

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water will agree with the Drinking Water Quality Regulator (DWQR) the scope and timescale for changes to address drinking water quality issues in the 37 water resource zones subject to the Birds and Habitats

Directive.

Processing rules: Input field

Page 137 of 148 Date: Mar 2008



Previous references: New Line

G8.36 Flow gauging strategy agreed with SEPA and Date installation commenced

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the date by which Scottish Water should agree with the Scottish Environmental Protection Agency (SEPA) its flow gauging strategy and have

commenced installation.

Processing rules: Input field

Previous references: New Line

Quantified costs and timescales for the remaining G8.37 Date (complex) 37 zones (Birds and Habitats Directive)

Definition: With reference to the appropriate Quality and Standards

> (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water should have quantified the costs and timescales for the remaining (complex) 37 zones (Specifically the

Birds and Habitats Directive).

Processing rules: Input field

Previous references: New Line

G8.38 Competitive tenders sought for the zones where the Date work is straightforward (Water Framework Directive)

Definition: With reference to the appropriate Quality and Standards

3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water should start seeking competitive tenders for the zones where the work is straightforward (specifically the

Water Framework Directive).

Processing rules: Input field

Previous references: New Line

Page 138 of 148 Date: Mar 2008



Agree with DWQR scope and timescales for changes G8.39 **Date** to address drinking water quality issues in the 41 remaining zones

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water should agree with the Drinking Water Quality Regulator (DWQR) the timescale and changes for addressing the drinking water quality issues in the

remaining 41 zones.

Processing rules: Input field

Previous references: New Line

G8.40 Costs quantified for the remaining (complex) zones Date and presented to the Commission

Definition: With reference to the appropriate Quality and Standards

3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water will quantify the costs for the remaining (complex)

zones and present these to the Commission.

Processing rules: Input field

Previous references: New Line

BLOCK 9: UID Strategic Studies

G8.41	Technical Studies completed for Portobello and	Date
	Glasgow catchments	

Definition: With reference to the appropriate Quality and Standards

3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water will have completed technical studies on the

Portobello and Glasgow catchment areas.

Processing rules: Input field

Previous references: New Line

Page 139 of 148 Date: Mar 2008



G8.42 Technical Studies completed for Meadowhead and Date Stevenston catchments

Definition: With reference to the appropriate Quality and Standards

> (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water will have completed technical studies on the

Meadowhead and Stevenston catchment areas.

Processing rules: Input field

Previous references: New Line

G8.43 Identify and Agree with SEPA the optimum solutions Date for Portobello and Glasgow catchments

Definition: With reference to the appropriate Quality and Standards

> (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water will have agreed with the Scottish Environmental Protection Agency (SEPA), the optimum solutions for

the Portobello and Glasgow catchments areas.

Processing rules: Input field

Previous references: New Line

Complete detailed design and receive tenders for Date works required in Portobello and Glasgow catchments

Definition: With reference to the appropriate Quality and Standards

> (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water will have completed the detailed design of the projects and have received tenders for the works required in the Portobello and Glasgow catchment

areas.

Processing rules: Input field

Previous references: New Line

Page 140 of 148 Date: Mar 2008



G8.45 Identify and Agree with SEPA the optimum solutions Date for Meadowhead and Stevenston catchments

With reference to the appropriate Quality and Standards Definition:

> 3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water will have identified and agreed with SEPA the optimum solutions for the Meadowhead and Stevenston

catchment areas.

Input field Processing rules:

Previous references: New Line

G8.46 Complete detailed design and receive tenders for **Date** works required in Meadowhead and Stevenston catchments

With reference to the appropriate Quality and Standards Definition:

> 3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which Scottish Water will have completed the detailed design of the projects and have received tenders for the works required in the Meadowhead and Stevenston catchment

areas.

Processing rules: Input field

Previous references: New Line

G8.47 Construction complete at all UIDs in the Portobello Date catchment

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which construction will be complete at all UIDs in the

Portobello catchment area.

Processing rules: Input field

Previous references: New Line

Page 141 of 148 Date: Mar 2008



G8.48 Construction complete at all UIDs in the Glasgow Date catchment

Definition: With reference to the appropriate Quality and Standards

> (Q&S 3) objective(s) & the agreed technical expression, the date by which all construction will be complete at all UIDs in the Glasgow catchment area.

Processing rules: Input field

Previous references: New Line

G8.49 Construction complete at all UIDs in the **Date** Meadowhead and Stevenston catchments

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objective(s) & the agreed technical expression, the target or actual date by which all construction will be complete at all UIDs in the

Meadowhead and Stevenston catchment area.

Processing rules: Input field

Previous references: New Line

BLOCK 10: Progress with Quality and Standards 3 sign off

G8.50	Total number of projects in the programme for sign off	Date	
-------	--	------	--

Definition: With reference to the appropriate Quality and Standards

3 (Q&S 3) objectives & the agreed technical expression, the total number of projects in the Q&S 3 programme

requiring regulatory sign off.

Processing rules: Input field

Previous references: New Line

Page 142 of 148 Date: Mar 2008



Total number of projects completed to beneficial use Number G8.51 milestone

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objectives & the agreed technical expression, the total number of projects in the Q&S 3 programme requiring regulatory sign off that have been completed to

the beneficial use milestones.

Processing rules: Input field

Previous references: New Line

G8.52 Number of projects submitted by SW to DWQR/SEPA Number for sign off

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objectives & the agreed technical expression, the total number of projects submitted by Scottish Water to the DWQR and SEPA for sign-off, by the end of the

report year.

Processing rules: Input field

Previous references: New Line

G8.53 Number of projects signed off by DWQR/SEPA Number

Definition: With reference to the appropriate Quality and Standards

> 3 (Q&S 3) objectives & the agreed technical expression, the total number of Q&S 3 projects signed off as completed by the DWQR and SEPA by the end of the

report year.

Processing rules: Input field

Previous references: New Line

Page 143 of 148 Date: Mar 2008

Section G



Percentage of the total number of projects in the % programme signed off

With reference to the appropriate Quality and Standards Definition:

> 3 (Q&S 3) objectives, the percentage of the whole Q&S 3 programme that has been signed off by the end of the

report year.

Processing rules: Input field

Previous references: New Line

Page 144 of 148 Date: Mar 2008



SECTION G CHAPTERS G9

Q&S 3 Ministerial Objectives - Serviceability

Edition 6

Page 145 of 148 Date: Mar 2008
Revision 11.0



TABLE G9 DEFINITIONS

BLOCK 1: Water Serviceability Indicators (Annual Measure)

G	39.1	% of compliant zones for Iron	%

Definition: With reference to the required serviceability standard,

the total percentage of compliant zones for Iron in the

relevant time period.

Processing rules: Input field

Previous references: New Line

G9.2	% of compliant zones for manganese	%

Definition: With reference to the required serviceability standard,

the total percentage of compliant zones for Manganese

in the relevant time period.

Processing rules: Input field

Previous references: New Line

G9.3	Number of microbiological failures at water	Nr
	treatment works	

Definition: With reference to the required serviceability standard,

the total number of water treatment works for

microbiology failures in the relevant time period.

Processing rules: Input field

Previous references: New Line

G9.4 N	lumber of properties on the low pressure register	Nr

With reference to the required serviceability standard, Definition:

the total number of properties on the low pressure

register in the relevant time period.

Processing rules: Input field

Page 146 of 148 Date: Mar 2008





Previous references: New Line

G9.5 Number of properties with unplanned interruptions > Nr 12 hours

Definition: With reference to the required serviceability standard,

> The total number of properties with unplanned interruptions greater than 12 hours long, in the relevant

time period.

Processing rules: Input field

Previous references: New Line

G9.6 Number of bursts per 1,000km of mains Nr

Definition: With reference to the required serviceability standard,

The total number of bursts per 1,000km of mains for the

relevant time period.

Processing rules: Input field

Previous references: New Line

BLOCK 2: Wastewater Serviceability Indicators (Annual Measure)

G9.7	Number of properties at risk of internal flooding	Nr

Definition: With reference to the required serviceability standard,

the number of properties at risk of internal flooding.

Processing rules: Input field

Previous references: New Line

G9.8	Number of properties internally flooded due to other	Nr
	causes	

Definition: With reference to the required serviceability standard,

the number of properties internally flooded due to other

causes.

Processing rules: Input field

Page 147 of 148 Date: Mar 2008

Section G



Previous references: New Line

G9.9 Number of failing wastewater treatment works Nr

Definition: With reference to the required serviceability standard,

the number of failing wastewater treatment works during

the year.

Processing rules: Input field

Previous references: New Line

G9.10 Number of unsatisfactory intermittent discharges Nr

Definition: With reference to the required serviceability standard,

the number of failing wastewater treatment works during

the year.

Processing rules: Input field

Previous references: New Line

Number of pollution incidents G9.11 Nr

Definition: With reference to the required serviceability standard,

the number of failing wastewater treatment works during

the year.

Processing rules: Input field

Previous references: New Line

Page 148 of 148 Date: Mar 2008