

**Section P Revenue and Tariffs**

**Table 10 Water - wholesale - primary revenue: wholesale water charges (measured) to licensed providers through charges scheme in respect of supply points consuming up to and including 100MI/annum**

<b>P10.1</b>	<b>20mm</b>	<b>nr</b>	<b>0dp</b>
--------------	-------------	-----------	------------

**Data Definition:** Number of 20mm meters, at measured supply points consuming up to and including 100MI/annum, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P10.2</b>	<b>25mm</b>	<b>nr</b>	<b>0dp</b>
--------------	-------------	-----------	------------

**Data Definition:** Number of 25mm meters, at measured supply points consuming up to and including 100MI/annum, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P10.3</b>	<b>40mm</b>	<b>nr</b>	<b>0dp</b>
--------------	-------------	-----------	------------

**Data Definition:** Number of 40mm meters, at measured supply points consuming up to and including 100Ml/annum, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06  P4.3

<b>P10.4</b>	<b>50mm</b>	<b>nr</b>	<b>0dp</b>
--------------	-------------	-----------	------------

**Data Definition:** Number of 50mm meters, at measured supply points consuming up to and including 100Ml/annum, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06  P4.4

<b>P10.5</b>	<b>80mm</b>	<b>nr</b>	<b>0dp</b>
--------------	-------------	-----------	------------

**Data Definition:** Number of 80mm meters, at measured supply points consuming up to and including 100Ml/annum, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06  P4.5

<b>P10.6</b>	<b>100mm</b>	<b>nr</b>	<b>0dp</b>
--------------	--------------	-----------	------------

**Data Definition:** Number of 100mm meters, at measured supply points consuming up to and including 100MI/annum, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P10.7</b>	<b>150mm</b>	<b>nr</b>	<b>0dp</b>
--------------	--------------	-----------	------------

**Data Definition:** Number of 150mm meters, at measured supply points consuming up to and including 100MI/annum, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P10.8</b>	<b>200mm</b>	<b>nr</b>	<b>0dp</b>
--------------	--------------	-----------	------------

**Data Definition:** Number of 200mm meters, at measured supply points consuming up to and including 100MI/annum, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P10.9</b>	<b>250mm</b>	<b>nr</b>	<b>0dp</b>
--------------	--------------	-----------	------------

**Data Definition:** Number of 250mm meters, at measured supply points consuming up to and including 100Ml/annum, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06  P4.9

<b>P10.10</b>	<b>300mm</b>	<b>nr</b>	<b>0dp</b>
---------------	--------------	-----------	------------

**Data Definition:** Number of 300mm meters, at measured supply points consuming up to and including 100Ml/annum, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06  P4.10

<b>P10.11</b>	<b>Total</b>	<b>nr</b>	<b>0dp</b>
---------------	--------------	-----------	------------

**Data Definition:** Total number of meters at measured supply points consuming up to and including 100Ml/annum as at September of the reporting year.

**Processing Rules:** Calculated field: the sum of lines 1 to 10.

**Field Type:** Calculated field

**Previous References:** Ofwat 07  WICS 06

<b>P10.12</b>	<b>20mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	-------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 20mm meter.

This forms the tranche of water allocated to 20mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.13</b>	<b>25mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	-------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 25mm meter.

This forms the tranche of water allocated to 25mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.14</b>	<b>40mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	-------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 40mm meter.

This forms the tranche of water allocated to 40mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.15</b>	<b>50mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	-------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 50mm meter.

This forms the tranche of water allocated to 50mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.16</b>	<b>80mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	-------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 80mm meter.

This forms the tranche of water allocated to 80mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.17</b>	<b>100mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 100mm meter.

This forms the tranche of water allocated to 100mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.18</b>	<b>150mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 150mm meter.

This forms the tranche of water allocated to 150mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.19</b>	<b>200mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 200mm meter.

This forms the tranche of water allocated to 200mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06



<b>P10.20</b>	<b>250mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 250mm meter.

This forms the tranche of water allocated to 250mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.21</b>	<b>300mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 300mm meter.

This forms the tranche of water allocated to 300mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.22</b>	<b>Total</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum.

This forms the tranche of water allocated to all meters, which attracts no additional charge.

**Processing Rules:** Calculated field: the sum of lines 12 to 21.

**Field Type:** Calculated field

**Previous References:** Ofwat  07 WICS  06

<b>P10.23</b>	<b>20mm (non-former LUVA)</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	-------------------------------	----------------------	------------

**Data Definition:** Standard consumption of between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup> for 20mm meters, excluding 20mm meters at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through 20mm meters, which attracts an additional premium due to phasing changes.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.24</b>	<b>20mm (former LUVA)</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	---------------------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 20mm meter at supply points formerly in receipt of LUVA rates.  
This forms the capacity volume through 20mm meters, which attracts an additional charge but not a premium charge due to being at a supply point formerly in receipt of LUVA rates.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.25</b>	<b>25mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	-------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 500m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 25mm meter.  
This forms the capacity volume through 25mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.26</b>	<b>40mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	-------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 1,000m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 40mm meter.

This forms the capacity volume through 40mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.27</b>	<b>50mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	-------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 2,500m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 50mm meter.

This forms the capacity volume through 50mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.28</b>	<b>80mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	-------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 7,500m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 80mm meter.

This forms the capacity volume through 80mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.29</b>	<b>100mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 25,000m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 100mm meter.

This forms the capacity volume through 80mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.30</b>	<b>150mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 75,000m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 150mm meter.

This forms the capacity volume through 80mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.31</b>	<b>200mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 100,00m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 200mm meter.

This forms the capacity volume through 80mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.32</b>	<b>250mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 150,000m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 250mm meter.

This forms the capacity volume through 80mm meters, which attracts an additional charge.

This line should be completed only with consumption up to 100,000m<sup>3</sup>.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.33</b>	<b>300mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 300,000m<sup>3</sup> during report year at measured supply points consuming up to and including 100Ml/annum, with a 300mm meter.

This forms the capacity volume through 80mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.34</b>	<b>Total</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) the capacity volume threshold during report year at measured supply points consuming up to and including 100Ml/annum, for each assessed meter size.

**Processing Rules:** Calculated field: the sum of lines 23 to 33.

**Field Type:** Calculated field

**Previous References:** Ofwat  07 WICS  06

<b>P10.35</b>	<b>20mm meters (non-former LUVA): volume between 20m<sup>3</sup> and up to and including 100m<sup>3</sup></b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	---	----------------------	------------

**Data Definition:** Standard consumption of between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup> for 20mm meters, excluding 20mm meters at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through 20mm meters, which attracts an additional premium due to phasing changes.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06



<b>P10.36</b>	<b>20mm meters (non-former LUVA): volume greater than 100m<sup>3</sup></b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--	----------------------	------------

**Data Definition:** Standard consumption of greater than 100m<sup>3</sup> for 20mm meters, excluding supply points formerly in receipt of LUVA rates.

This forms the standard consumption through 20mm meters, which does not attract an additional premium due to phasing changes.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.37</b>	<b>&gt; 20mm meters (non-former LUVA): volume between 20m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup></b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--	----------------------	------------

**Data Definition:** Standard consumption of greater than 20m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup> for all meters of greater than 20mm, excluding supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm meters in the 20-250,000m<sup>3</sup> consumption band, excluding supply points formerly in receipt of LUVA rates.

This line should be completed only with consumption up to 100,000m<sup>3</sup>.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.38</b>	<b>&gt; 20mm meters (non-former LUVA): volume between 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup></b>	m <sup>3</sup>	0dp
---------------	---	----------------	-----

**Data Definition:** Standard consumption of greater than 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup> for all meters of greater than 20mm, excluding supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm meters in the 250,000-1,000,000m<sup>3</sup> consumption band, excluding supply points formerly in receipt of LUVA rates.

This line is not compatible with the consumption qualifier and so should be zero in this table.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.39</b>	<b>&gt; 20mm meters (non-former LUVA): volume greater than 1,000,000m<sup>3</sup></b>	m <sup>3</sup>	0dp
---------------	---	----------------	-----

**Data Definition:** Standard consumption of greater than 1,000,000m<sup>3</sup> for all meters of greater than 20mm, excluding supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm meters in the greater than 1,000,000m<sup>3</sup> consumption band, excluding supply points formerly in receipt of LUVA rates.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.40</b>	<b>20mm meters (former LUVA): volume between 20m<sup>3</sup> and up to and including 100m<sup>3</sup></b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	---	----------------------	------------

**Data Definition:** Standard consumption of between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup> for 20mm meters at supply points formerly in receipt of LUVA rates.

This forms the capacity volume through 20mm meters, which does not attract a premium charge due to being at a supply point formerly in receipt of LUVA rates.

This line is not compatible with the consumption qualifier and so should be zero in this table.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.41</b>	<b>20mm meters (former LUVA): volume greater than 100m<sup>3</sup></b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--	----------------------	------------

**Data Definition:** Standard consumption of greater than 100m<sup>3</sup> for 20mm meters at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through 20mm meters, which does not attract an additional premium due to phasing changes.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.42</b>	<b>&gt; 20mm meters (former LUVA): volume between 20m<sup>3</sup> and (up to and including) 100,000m<sup>3</sup></b>	m <sup>3</sup>	0dp
---------------	--	----------------	-----

**Data Definition:** Standard consumption of greater than 20m<sup>3</sup> and (up to and including) 100,000m<sup>3</sup> for all meters of greater than 20mm at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm in the 20-250,000m<sup>3</sup> consumption band, which does not attract a discount or premium, at supply points formerly in receipt of LUVA rates.

This line is not compatible with the consumption qualifier and so should be zero in this table.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P10.43</b>	<b>&gt; 20mm meters (former LUVA): volume between 100,000m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup></b>	m <sup>3</sup>	0dp
---------------	---	----------------	-----

**Data Definition:** Standard consumption of greater than 100,000m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup> for all meters of greater than 20mm at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm in the 20-250,000m<sup>3</sup> consumption band, which attracts a phasing discount, at supply points formerly in receipt of LUVA rates.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P10.44</b>	<b>&gt; 20mm meters (former LUVA): volume between 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup></b>	m <sup>3</sup>	0dp
---------------	---	----------------	-----

**Data Definition:** Standard consumption of greater than 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup> for all meters of greater than 20mm at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm in the 250,000-1,000,000m<sup>3</sup> consumption band, which attracts a phasing discount, at supply points formerly in receipt of LUVA rates.

This line is not compatible with the consumption qualifier and so should be zero in this table.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.45</b>	<b>&gt; 20mm meters (former LUVA): volume greater than 1,000,000m<sup>3</sup></b>	m <sup>3</sup>	0dp
---------------	---	----------------	-----

**Data Definition:** Standard consumption of greater than 1,000,000m<sup>3</sup> for all meters of greater than 20mm at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm in the 1,000,000m<sup>3</sup> consumption band, which attracts a phasing discount, at supply points formerly in receipt of LUVA rates.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.46</b>	<b>Total</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
---------------	--------------	----------------------	------------

**Data Definition:** Total standard consumption greater than 20m<sup>3</sup> in the report year for all meter sizes.

**Processing Rules:** Calculated field: the sum of lines 35 to 45.

**Field Type:** Calculated field

**Previous References:** Ofwat 07  WICS 06

<b>P10.47</b>	<b>20mm</b>	<b>£</b>	<b>2dp</b>
---------------	-------------	----------	------------

**Data Definition:** Meter based annual charge for 20mm meters in report year.

**Processing Rules:** Brought forward from Section 8, table 9, line 50.

**Field Type:** bf

**Previous References:** Ofwat 07  WICS 06  P4.29

<b>P10.48</b>	<b>25mm</b>	<b>£</b>	<b>2dp</b>
---------------	-------------	----------	------------

**Data Definition:** Meter based annual charge for 25mm meters in report year.

**Processing Rules:** Brought forward from Section 8, table 9, line 51.

**Field Type:** bf

**Previous References:** Ofwat 07  WICS 06  P4.30

<b>P10.49</b>	<b>40mm</b>	<b>£</b>	<b>2dp</b>
---------------	-------------	----------	------------

**Data Definition:** Meter based annual charge for 40mm meters in report year.

**Processing Rules:** Brought forward from Section 8, table 9, line 52.

**Field Type:** bf

**Previous References:** Ofwat 07  WICS 06

<b>P10.50</b>	<b>50mm</b>	<b>£</b>	<b>2dp</b>
---------------	-------------	----------	------------

**Data Definition:** Meter based annual charge for 50mm meters in report year.

**Processing Rules:** Brought forward from Section 8, table 9, line 53.

**Field Type:** bf

**Previous References:** Ofwat 07  WICS 06

<b>P10.51</b>	<b>80mm</b>	<b>£</b>	<b>2dp</b>
---------------	-------------	----------	------------

**Data Definition:** Meter based annual charge for 80mm meters in report year.

**Processing Rules:** Brought forward from Section 8, table 9, line 54.

**Field Type:** bf

**Previous References:** Ofwat 07  WICS 06

<b>P10.52</b>	<b>100mm</b>	<b>£</b>	<b>2dp</b>
---------------	--------------	----------	------------

**Data Definition:** Meter based annual charge for 100mm meters in report year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P10.53</b>	<b>150mm</b>	<b>£</b>	<b>2dp</b>
---------------	--------------	----------	------------

**Data Definition:** Meter based annual charge for 150mm meters in report year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P10.54</b>	<b>200mm</b>	<b>£</b>	<b>2dp</b>
---------------	--------------	----------	------------

**Data Definition:** Meter based annual charge for 200mm meters in report year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06



<b>P10.55</b>	<b>250mm</b>	<b>£</b>	<b>2dp</b>
---------------	--------------	----------	------------

**Data Definition:** Meter based annual charge for 250mm meters in report year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P10.56</b>	<b>300mm</b>	<b>£</b>	<b>2dp</b>
---------------	--------------	----------	------------

**Data Definition:** Meter based annual charge for 300mm meters in report year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P10.57</b>	<b>20mm (non-former LUVA) premium Capacity volume charge</b>	<b>£</b>	<b>6dp</b>
---------------	--	----------	------------

**Data Definition:** Capacity volume charge for 20mm meters for the report year.

The capacity volume charge for 20mm meters should include any premium associated with the phased changes of charges. This charge does not apply to supply points with 20mm meters formerly in receipt of LUVA rates.

**Processing Rules:** Brought forward from Section 8, table 9, line 55.

**Field Type:** bf

**Previous References:** Ofwat 07  WICS 06

<b>P10.58</b>	<b>Capacity Volume Charge</b>	£	6dp
---------------	-------------------------------	---	-----

**Data Definition:** Capacity volume charge for the report year.

This is the capacity volume charge for all meters other than 20mm meter (except where this is at a supply point formerly in receipt of LUVA rates) and should not attract a premium or discount in the year due to phasing.

**Processing Rules:** Brought forward from Section 8, table 9, line 56.

**Field Type:** bf

**Previous References:** Ofwat 07  WICS 06

<b>P10.59</b>	<b>20mm meters (non-former LUVA): volume between 20m<sup>3</sup> and up to and including 100m<sup>3</sup></b>	£	6dp
---------------	---	---	-----

**Data Definition:** Standard volume charge for consumption between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup> through 20mm meters for the report year.

The standard volume charge for 20mm meters should include any premium associated with the phased changes of charges for consumption between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup>. This charge does not apply to supply points with 20mm meters formerly in rece

**Processing Rules:** Brought forward from Section 8, table 9, line 57.

**Field Type:** bf

**Previous References:** Ofwat 07  WICS 06

<b>P10.60</b>	<b>20mm meters (non-former LUVA): volume greater than 100m<sup>3</sup></b>	£	6dp
---------------	--	---	-----

**Data Definition:** Standard volume charge for consumption of greater than 100m<sup>3</sup> through 20mm meters for the report year.

The standard volume charge for 20mm meters should not include any premium or discount associated with the phased changes of charges for consumption of greater than 100m<sup>3</sup>.

**Processing Rules:** Brought forward from Section 8, table 9, line 58.

**Field Type:** bf

**Previous References:** Ofwat 07  WICS 06

<b>P10.61</b>	<b>&gt; 20mm meters (non-former LUVA): volume between 20m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup></b>	£	6dp
---------------	--	---	-----

**Data Definition:** Standard volume charge for meters greater than 20mm for consumption between 20m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup> in the report year

This charge does not apply to supply points formerly in receipt of LUVA rates.

**Processing Rules:** Brought forward from Section 8, table 9, line 59.

**Field Type:** bf

**Previous References:** Ofwat 07  WICS 06

<b>P10.62</b>	<b>&gt; 20mm meters (non-former LUVA): volume between 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup></b>	£	6dp
---------------	---	---	-----

**Data Definition:** Standard volume charge for meters greater than 20mm for consumption between 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup> in the report year  
This charge does not apply to supply points formerly in receipt of LUVA rates.

**Processing Rules:** Brought forward from Section 8, table 9, line 60.

**Field Type:** bf

**Previous References:** Ofwat  07 WICS  06

<b>P10.63</b>	<b>&gt; 20mm meters (non-former LUVA): volume greater than 1,000,000m<sup>3</sup></b>	£	6dp
---------------	---	---	-----

**Data Definition:** Standard volume charge for meters greater than 20mm for consumption greater than 1,000,000m<sup>3</sup> in the report year  
This charge does not apply to supply points formerly in receipt of LUVA rates.

**Processing Rules:** Brought forward from Section 8, table 9, line 61.

**Field Type:** bf

**Previous References:** Ofwat  07 WICS  06

<b>P10.64</b>	<b>20mm meters (former LUVA): volume between 20m<sup>3</sup> and up to and including 100m<sup>3</sup></b>	£	6dp
---------------	---	---	-----

**Data Definition:** Standard volume charge for consumption between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup> through 20mm meters, at supply points formerly in receipt of LUVA rates, for the report year.

The standard volume charge for 20mm meters should not include any premium associated with the phased changes of charges for consumption between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup> as supply points with 20mm meters formerly in receipt of LUVA rates are e

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.65</b>	<b>20mm meters (former LUVA): volume greater than 100m<sup>3</sup></b>	£	6dp
---------------	--	---	-----

**Data Definition:** Standard volume charge for consumption of greater than 100m<sup>3</sup> through 20mm meters, at sites formerly in receipt of LUVA rates, for the report year.

The charge should include any discount or premium applied to the tariffs associated with phasing.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.66</b>	<b>&gt; 20mm meters (former LUVA): volume between 20m<sup>3</sup> and (up to and including) 100,000m<sup>3</sup></b>	£	6dp
---------------	--	---	-----

**Data Definition:** Standard volume charge for meters greater than 20mm, at sites formerly in receipt of LUVA rates, for consumption between 20m<sup>3</sup> and (up to and including) 100,000m<sup>3</sup> in the report year

The charge should include any discount or premium applied to the tariffs associated with phasing.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.67</b>	<b>&gt; 20mm meters (former LUVA): volume between 100,000m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup></b>	£	6dp
---------------	---	---	-----

**Data Definition:** Standard volume charge for meters greater than 20mm, at sites formerly in receipt of LUVA rates, for consumption between 100,000m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup> in the report year

The charge should include any discount or premium applied to the tariffs associated with phasing.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.68</b>	<b>&gt; 20mm meters (former LUVA): volume between 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup></b>	£	6dp
---------------	---	---	-----

**Data Definition:** Standard volume charge for meters greater than 20mm, at sites formerly in receipt of LUVA rates, for consumption between 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup> in the report year

The charge should include any discount or premium applied to the tariffs associated with phasing.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.69</b>	<b>&gt; 20mm meters (former LUVA): volume greater than 1,000,000m<sup>3</sup></b>	£	6dp
---------------	---	---	-----

**Data Definition:** Standard volume charge for meters greater than 20mm, at sites formerly in receipt of LUVA rates, for consumption greater than 1,000,000m<sup>3</sup> in the report year

The charge should include any discount or premium applied to the tariffs associated with phasing.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P10.70</b>	<b>Meter Based Annual Charges</b>	£	0dp
---------------	-----------------------------------	---	-----

**Data Definition:** Revenue from meter based annual charges in the report year

**Processing Rules:** Calculated field: the sumproduct of lines 1 to 10 and lines 47 to 56.

**Field Type:** Calculated field

**Previous References:** Ofwat  07 WICS  06

<b>P10.71</b>	<b>Capacity volume charges</b>	£	0dp
---------------	--------------------------------	---	-----

**Data Definition:** Revenue from meter capacity volume charges in the report year

**Processing Rules:** Calculated field: the product of line 23 and line 57, plus the product of line 24 and line 58, plus the product of line 58 and the sum of lines 25 to 33.

**Field Type:** Calculated field

**Previous References:** Ofwat  07 WICS  06

<b>P10.72</b>	<b>Standard volume charges</b>	£	0dp
---------------	--------------------------------	---	-----

**Data Definition:** Revenue from standard volume charges in the report year

**Processing Rules:** Calculated field: the sumproduct of lines 35 to 45 and lines 59 to 69.

**Field Type:** Calculated field

**Previous References:** Ofwat  07 WICS  06



P10.73	Total	£	0dp
--------	-------	---	-----

**Data Definition:** Total water revenue from licensed providers generated from formerly measured supply points consuming up to and including 100MI/annum

**Processing Rules:** Calculated field: the sum of lines 70, 71 and 72.

**Field Type:** Calculated field

**Previous References:** Ofwat  WICS   
07 06