

Section P Revenue and Tariffs

Table 12 Water - wholesale - primary revenue: wholesale water charges (measured) to licensed providers through charges scheme in respect of supply points consuming between 250MI/annum and up to and including 1,000MI/annum

P12.1	20mm	nr	Odp
--------------	-------------	-----------	------------

Data Definition: Number of 20mm meters, at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06 P4.1

P12.2	25mm	nr	Odp
--------------	-------------	-----------	------------

Data Definition: Number of 25mm meters, at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06 P4.2

P12.3	40mm	nr	0dp
--------------	-------------	-----------	------------

Data Definition: Number of 40mm meters, at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.4	50mm	nr	0dp
--------------	-------------	-----------	------------

Data Definition: Number of 50mm meters, at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.5	80mm	nr	0dp
--------------	-------------	-----------	------------

Data Definition: Number of 80mm meters, at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.6	100mm	nr	0dp
--------------	--------------	-----------	------------

Data Definition: Number of 100mm meters, at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06 P4.6

P12.7	150mm	nr	0dp
--------------	--------------	-----------	------------

Data Definition: Number of 150mm meters, at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06 P4.7

P12.8	200mm	nr	0dp
--------------	--------------	-----------	------------

Data Definition: Number of 200mm meters, at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06 P4.8

P12.9	250mm	nr	0dp
--------------	--------------	-----------	------------

Data Definition: Number of 250mm meters, at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06 P4.9

P12.10	300mm	nr	0dp
---------------	--------------	-----------	------------

Data Definition: Number of 300mm meters, at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06 P4.10

P12.11	Total	nr	0dp
---------------	--------------	-----------	------------

Data Definition: Total number of meters at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum as at September of the reporting year.

Processing Rules: Calculated field: the sum of lines 1 to 10.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P12.12	20mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Consumption between 0 and (up to and including) 20m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 20mm meter.

This forms the tranche of water allocated to 20mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.13	25mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Consumption between 0 and (up to and including) 20m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 25mm meter.

This forms the tranche of water allocated to 25mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.14	40mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Consumption between 0 and (up to and including) 20m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 40mm meter.

This forms the tranche of water allocated to 40mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.15	50mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Consumption between 0 and (up to and including) 20m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 50mm meter.

This forms the tranche of water allocated to 50mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.16	80mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Consumption between 0 and (up to and including) 20m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 80mm meter.

This forms the tranche of water allocated to 80mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.17	100mm	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Consumption between 0 and (up to and including) 20m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 100mm meter.

This forms the tranche of water allocated to 100mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.18	150mm	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Consumption between 0 and (up to and including) 20m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 150mm meter.

This forms the tranche of water allocated to 150mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.19	200mm	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Consumption between 0 and (up to and including) 20m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 200mm meter.

This forms the tranche of water allocated to 200mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.20	250mm	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Consumption between 0 and (up to and including) 20m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 250mm meter.

This forms the tranche of water allocated to 250mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.21	300mm	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Consumption between 0 and (up to and including) 20m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 300mm meter.

This forms the tranche of water allocated to 300mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.22	Total	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Consumption between 0 and (up to and including) 20m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum.

This forms the tranche of water allocated to all meters, which attracts no additional charge.

Processing Rules: Calculated field: the sum of lines 12 to 21.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P12.23	20mm (non-former LUVA)	m³	0dp
---------------	-------------------------------	----------------------	------------

Data Definition: Standard consumption of between 20m³ and (up to and including) 100m³ for 20mm meters, excluding 20mm meters at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through 20mm meters, which attracts an additional premium due to phasing changes.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.24	20mm (former LUVA)	m³	0dp
---------------	---------------------------	----------------------	------------

Data Definition: Consumption between 20m³ and (up to and including) 100m³ during report year at measured supply points consuming between 250Ml/annum and up to and including 1,000Ml/annum, with a 20mm meter at supply points formerly in receipt of LUVA rates.

This forms the capacity volume through 20mm meters, which attracts an additional charge but not a premium charge due to being at a supply point formerly in receipt of LUVA rates.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.25	25mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Consumption between 20m³ and (up to and including) 500m³ during report year at measured supply points consuming between 250Ml/annum and up to and including 1,000Ml/annum, with a 25mm meter.

This forms the capacity volume through 25mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.26	40mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Consumption between 20m³ and (up to and including) 1,000m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 40mm meter.

This forms the capacity volume through 40mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.27	50mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Consumption between 20m³ and (up to and including) 2,500m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 50mm meter.

This forms the capacity volume through 50mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.28	80mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Consumption between 20m³ and (up to and including) 7,500m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 80mm meter.

This forms the capacity volume through 80mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.29	100mm	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Consumption between 20m³ and (up to and including) 25,000m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 100mm meter.

This forms the capacity volume through 80mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.30	150mm	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Consumption between 20m³ and (up to and including) 75,000m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 150mm meter.

This forms the capacity volume through 80mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.31	200mm	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Consumption between 20m³ and (up to and including) 100,00m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 200mm meter.

This forms the capacity volume through 80mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.32	250mm	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Consumption between 20m³ and (up to and including) 150,000m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 250mm meter.
This forms the capacity volume through 80mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.33	300mm	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Consumption between 20m³ and (up to and including) 300,000m³ during report year at measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum, with a 300mm meter.
This forms the capacity volume through 80mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.34	Total	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Consumption between 20m³ and (up to and including) the capacity volume threshold during report year at measured supply points consuming between 250Ml/annum and up to and including 1,000Ml/annum, for each assessed meter size.

Processing Rules: Calculated field: the sum of lines 23 to 33.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P12.35	20mm meters (non-former LUVA): volume between 20m³ and up to and including 100m³	m³	0dp
---------------	---	----------------------	------------

Data Definition: Standard consumption of between 20m³ and (up to and including) 100m³ for 20mm meters, excluding 20mm meters at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through 20mm meters, which attracts an additional premium due to phasing changes.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.36	20mm meters (non-former LUVA): volume greater than 100m³	m³	0dp
---------------	--	----------------------	------------

Data Definition: Standard consumption of greater than 100m³ for 20mm meters, excluding supply points formerly in receipt of LUVA rates.

This forms the standard consumption through 20mm meters, which does not attract an additional premium due to phasing changes.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.37	> 20mm meters (non-former LUVA): volume between 20m³ and (up to and including) 250,000m³	m³	0dp
---------------	--	----------------------	------------

Data Definition: Standard consumption of greater than 20m³ and (up to and including) 250,000m³ for all meters of greater than 20mm, excluding supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm meters in the 20-250,000m³ consumption band, excluding supply points formerly in receipt of LUVA rates.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.38	> 20mm meters (non-former LUVA): volume between 250,000m³ and (up to and including) 1,000,000m³	m ³	0dp
---------------	---	----------------	-----

Data Definition: Standard consumption of greater than 250,000m³ and (up to and including) 1,000,000m³ for all meters of greater than 20mm, excluding supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm meters in the 250,000-1,000,000m³ consumption band, excluding supply points formerly in receipt of LUVA rates.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.39	> 20mm meters (non-former LUVA): volume greater than 1,000,000m³	m ³	0dp
---------------	---	----------------	-----

Data Definition: Standard consumption of greater than 1,000,000m³ for all meters of greater than 20mm, excluding supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm meters in the greater than 1,000,000m³ consumption band, excluding supply points formerly in receipt of LUVA rates.

This line is not compatible with the consumption qualifier and so should be zero in this table.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.40	20mm meters (former LUVA): volume between 20m³ and up to and including 100m³	m ³	0dp
---------------	---	----------------	-----

Data Definition: Standard consumption of between 20m³ and (up to and including) 100m³ for 20mm meters at supply points formerly in receipt of LUVA rates.

This forms the capacity volume through 20mm meters, which does not attract a premium charge due to being at a supply point formerly in receipt of LUVA rates.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.41	20mm meters (former LUVA): volume greater than 100m³	m ³	0dp
---------------	--	----------------	-----

Data Definition: Standard consumption of greater than 100m³ for 20mm meters at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through 20mm meters, which does not attract an additional premium due to phasing changes.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.42	> 20mm meters (former LUVA): volume between 20m³ and (up to and including) 100,000m³	m³	0dp
---------------	--	----------------------	------------

Data Definition: Standard consumption of greater than 20m³ and (up to and including) 100,000m³ for all meters of greater than 20mm at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm in the 20-250,000m³ consumption band, which does not attract a discount or premium, at supply points formerly in receipt of LUVA rates.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.43	> 20mm meters (former LUVA): volume between 100,000m³ and (up to and including) 250,000m³	m³	0dp
---------------	---	----------------------	------------

Data Definition: Standard consumption of greater than 100,000m³ and (up to and including) 250,000m³ for all meters of greater than 20mm at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm in the 20-250,000m³ consumption band, which attracts a phasing discount, at supply points formerly in receipt of LUVA rates.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.44	> 20mm meters (former LUVA): volume between 250,000m³ and (up to and including) 1,000,000m³	m³	0dp
---------------	---	----------------------	------------

Data Definition: Standard consumption of greater than 250,000m³ and (up to and including) 1,000,000m³ for all meters of greater than 20mm at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm in the 250,000-1,000,000m³ consumption band, which attracts a phasing discount, at supply points formerly in receipt of LUVA rates.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.45	> 20mm meters (former LUVA): volume greater than 1,000,000m³	m³	0dp
---------------	---	----------------------	------------

Data Definition: Standard consumption of greater than 1,000,000m³ for all meters of greater than 20mm at supply points formerly in receipt of LUVA rates.

This forms the standard consumption through meters greater than 20mm in the 1,000,000m³ consumption band, which attracts a phasing discount, at supply points formerly in receipt of LUVA rates.

This line is not compatible with the consumption qualifier and so should be zero in this table.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P12.46	Total	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Total standard consumption greater than 20m³ in the report year for all meter sizes.

Processing Rules: Calculated field: the sum of lines 35 to 45.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P12.47	20mm	£	2dp
---------------	-------------	----------	------------

Data Definition: Meter based annual charge for 20mm meters in report year.

Processing Rules: Brought forward from Section 8, table 11, line 47.

Field Type: bf

Previous References: Ofwat 07 WICS 06 P4.29

P12.48	25mm	£	2dp
---------------	-------------	----------	------------

Data Definition: Meter based annual charge for 25mm meters in report year.

Processing Rules: Brought forward from Section 8, table 11, line 48.

Field Type: bf

Previous References: Ofwat 07 WICS 06 P4.30

P12.49	40mm	£	2dp
---------------	-------------	----------	------------

Data Definition: Meter based annual charge for 40mm meters in report year.

Processing Rules: Brought forward from Section 8, table 11, line 49.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.50	50mm	£	2dp
---------------	-------------	----------	------------

Data Definition: Meter based annual charge for 50mm meters in report year.

Processing Rules: Brought forward from Section 8, table 11, line 50.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.51	80mm	£	2dp
---------------	-------------	----------	------------

Data Definition: Meter based annual charge for 80mm meters in report year.

Processing Rules: Brought forward from Section 8, table 11, line 51.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.52	100mm	£	2dp
---------------	--------------	----------	------------

Data Definition: Meter based annual charge for 100mm meters in report year.

Processing Rules: Brought forward from Section 8, table 11, line 52.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.53	150mm	£	2dp
---------------	--------------	----------	------------

Data Definition: Meter based annual charge for 150mm meters in report year.

Processing Rules: Brought forward from Section 8, table 11, line 53.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.54	200mm	£	2dp
---------------	--------------	----------	------------

Data Definition: Meter based annual charge for 200mm meters in report year.

Processing Rules: Brought forward from Section 8, table 11, line 54.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.55	250mm	£	2dp
---------------	--------------	----------	------------

Data Definition: Meter based annual charge for 250mm meters in report year.

Processing Rules: Brought forward from Section 8, table 11, line 55.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.56	300mm	£	2dp
---------------	--------------	----------	------------

Data Definition: Meter based annual charge for 300mm meters in report year.

Processing Rules: Brought forward from Section 8, table 11, line 56.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.57	20mm (non-former LUVA) premium Capacity volume charge	£	6dp
---------------	--	----------	------------

Data Definition: Capacity volume charge for 20mm meters for the report year.

The capacity volume charge for 20mm meters should include any premium associated with the phased changes of charges. This charge does not apply to supply points with 20mm meters formerly in receipt of LUVA rates.

Processing Rules: Brought forward from Section 8, table 11, line 57.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.58	Capacity Volume Charge	£	6dp
---------------	-------------------------------	---	-----

Data Definition: Capacity volume charge for the report year.

This is the capacity volume charge for all meters other than 20mm meter (except where this is at a supply point formerly in receipt of LUVA rates) and should not attract a premium or discount in the year due to phasing.

Processing Rules: Brought forward from Section 8, table 11, line 58.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.59	20mm meters (non-former LUVA): volume between 20m³ and up to and including 100m³	£	6dp
---------------	---	---	-----

Data Definition: Standard volume charge for consumption between 20m³ and (up to and including) 100m³ through 20mm meters for the report year.

The standard volume charge for 20mm meters should include any premium associated with the phased changes of charges for consumption between 20m³ and (up to and including) 100m³. This charge does not apply to supply points with 20mm meters formerly in rece

Processing Rules: Brought forward from Section 8, table 11, line 59.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.60	20mm meters (non-former LUVA): volume greater than 100m³	£	6dp
---------------	--	---	-----

Data Definition: Standard volume charge for consumption of greater than 100m³ through 20mm meters for the report year.

The standard volume charge for 20mm meters should not include any premium or discount associated with the phased changes of charges for consumption of greater than 100m³.

Processing Rules: Brought forward from Section 8, table 11, line 60.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.61	> 20mm meters (non-former LUVA): volume between 20m³ and (up to and including) 250,000m³	£	6dp
---------------	--	---	-----

Data Definition: Standard volume charge for meters greater than 20mm for consumption between 20m³ and (up to and including) 250,000m³ in the report year

This charge does not apply to supply points formerly in receipt of LUVA rates.

Processing Rules: Brought forward from Section 8, table 11, line 61.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.62	> 20mm meters (non-former LUVA): volume between 250,000m³ and (up to and including) 1,000,000m³	£	6dp
---------------	---	---	-----

Data Definition: Standard volume charge for meters greater than 20mm for consumption between 250,000m³ and (up to and including) 1,000,000m³ in the report year
This charge does not apply to supply points formerly in receipt of LUVA rates.

Processing Rules: Brought forward from Section 8, table 11, line 62.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.63	> 20mm meters (non-former LUVA): volume greater than 1,000,000m³	£	6dp
---------------	---	---	-----

Data Definition: Standard volume charge for meters greater than 20mm for consumption greater than 1,000,000m³ in the report year
This charge does not apply to supply points formerly in receipt of LUVA rates.
This line is not compatible with the consumption qualifier and so should be zero in this table.

Processing Rules: Brought forward from Section 8, table 11, line 63.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.64	20mm meters (former LUVA): volume between 20m³ and up to and including 100m³	£	6dp
---------------	---	---	-----

Data Definition: Standard volume charge for consumption between 20m³ and (up to and including) 100m³ through 20mm meters, at supply points formerly in receipt of LUVA rates, for the report year.

The standard volume charge for 20mm meters should not include any premium associated with the phased changes of charges for consumption between 20m³ and (up to and including) 100m³ as supply points with 20mm meters formerly in receipt of LUVA rates are e

Processing Rules: Brought forward from Section 8, table 11, line 64.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.65	20mm meters (former LUVA): volume greater than 100m³	£	6dp
---------------	--	---	-----

Data Definition: Standard volume charge for consumption of greater than 100m³ through 20mm meters, at sites formerly in receipt of LUVA rates, for the report year.

The charge should include any discount or premium applied to the tariffs associated with phasing.

Processing Rules: Brought forward from Section 8, table 11, line 65.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.66	> 20mm meters (former LUVA): volume between 20m³ and (up to and including) 100,000m³	£	6dp
---------------	--	---	-----

Data Definition: Standard volume charge for meters greater than 20mm, at sites formerly in receipt of LUVA rates, for consumption between 20m³ and (up to and including) 100,000m³ in the report year

The charge should include any discount or premium applied to the tariffs associated with phasing.

Processing Rules: Brought forward from Section 8, table 11, line 66.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.67	> 20mm meters (former LUVA): volume between 100,000m³ and (up to and including) 250,000m³	£	6dp
---------------	---	---	-----

Data Definition: Standard volume charge for meters greater than 20mm, at sites formerly in receipt of LUVA rates, for consumption between 100,000m³ and (up to and including) 250,000m³ in the report year

The charge should include any discount or premium applied to the tariffs associated with phasing.

Processing Rules: Brought forward from Section 8, table 11, line 67.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.68	> 20mm meters (former LUVA): volume between 250,000m³ and (up to and including) 1,000,000m³	£	6dp
---------------	---	---	-----

Data Definition: Standard volume charge for meters greater than 20mm, at sites formerly in receipt of LUVA rates, for consumption between 250,000m³ and (up to and including) 1,000,000m³ in the report year

The charge should include any discount or premium applied to the tariffs associated with phasing.

Processing Rules: Brought forward from Section 8, table 11, line 68.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.69	> 20mm meters (former LUVA): volume greater than 1,000,000m³	£	6dp
---------------	---	---	-----

Data Definition: Standard volume charge for meters greater than 20mm, at sites formerly in receipt of LUVA rates, for consumption greater than 1,000,000m³ in the report year

The charge should include any discount or premium applied to the tariffs associated with phasing.

This line is not compatible with the consumption qualifier and so should be zero in this table.

Processing Rules: Brought forward from Section 8, table 11, line 69.

Field Type: bf

Previous References: Ofwat 07 WICS 06

P12.70	Meter Based Annual Charges	£	0dp
---------------	-----------------------------------	---	-----

Data Definition: Revenue from meter based annual charges in the report year

Processing Rules: Calculated field: the sumproduct of lines 1 to 10 and lines 47 to 56.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P12.71	Capacity volume charges	£	0dp
---------------	--------------------------------	---	-----

Data Definition: Revenue from meter capacity volume charges in the report year

Processing Rules: Calculated field: the product of line 23 and line 57, plus the product of line 24 and line 58, plus the product of line 58 and the sum of lines 25 to 33.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P12.72	Standard volume charges	£	0dp
---------------	--------------------------------	---	-----

Data Definition: Revenue from standard volume charges in the report year

Processing Rules: Calculated field: the sumproduct of lines 35 to 45 and lines 59 to 69.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P12.73	Total	£	0dp
--------	-------	---	-----

Data Definition: Total water revenue from licensed providers generated from formerly measured supply points consuming between 250MI/annum and up to and including 1,000MI/annum

Processing Rules: Calculated field: the sum of lines 70, 71 and 72.

Field Type: Calculated field

Previous References: Ofwat WICS
07 06