

Section P Revenue and Tariffs
Table 14 Wastewater - wholesale - primary revenue: foul sewerage charges (assessed) to licensed providers through charges scheme

P14.1	20mm	nr	0dp
--------------	-------------	-----------	------------

Data Definition: Number of meters, at formerly unmeasured supply points, assessed (using RV-conversion formula) to be 20mm, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.2	25mm	nr	0dp
--------------	-------------	-----------	------------

Data Definition: Number of meters, at formerly unmeasured supply points, assessed (using RV-conversion formula) to be 25mm, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.3	40mm	nr	0dp
--------------	-------------	-----------	------------

Data Definition: Number of meters, at formerly unmeasured supply points, assessed (using RV-conversion formula) to be 40mm, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.4	50mm	nr	0dp
--------------	-------------	-----------	------------

Data Definition: Number of meters, at formerly unmeasured supply points, assessed (using RV-conversion formula) to be 50mm, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.5	80mm	nr	0dp
--------------	-------------	-----------	------------

Data Definition: Number of meters, at formerly unmeasured supply points, assessed (using RV-conversion formula) to be 80mm, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.6	Total	nr	0dp
--------------	--------------	-----------	------------

Data Definition: Total number of assessed meters at formerly unmeasured supply points as at September of the report year

Processing Rules: Calculated field: the sum of lines 1 to 5.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P14.7	20mm	m³	0dp
--------------	-------------	----------------------	------------

Data Definition: Assessed discharge (using RV-conversion formula) between 0 and (up to and including) 20m³ during report year at formerly unmeasured supply points, assessed to have a 20mm meter.

This forms the assessed tranche of foul sewage allocated to assessed 20mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.8	25mm	m³	0dp
--------------	-------------	----------------------	------------

Data Definition: Assessed discharge (using RV-conversion formula) between 0 and (up to and including) 20m³ during report year at formerly unmeasured supply points, assessed to have a 25mm meter.

This forms the assessed tranche of foul sewage allocated to assessed 25mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.9	40mm	m³	0dp
--------------	-------------	----------------------	------------

Data Definition: Assessed discharge (using RV-conversion formula) between 0 and (up to and including) 20m³ during report year at formerly unmeasured supply points, assessed to have a 40mm meter.

This forms the assessed tranche of foul sewage allocated to assessed 40mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.10	50mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Assessed discharge (using RV-conversion formula) between 0 and (up to and including) 20m³ during report year at formerly unmeasured supply points, assessed to have a 50mm meter.

This forms the assessed tranche of foul sewage allocated to assessed 50mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.11	80mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Assessed discharge (using RV-conversion formula) between 0 and (up to and including) 20m³ during report year at formerly unmeasured supply points, assessed to have a 80mm meter.

This forms the assessed tranche of foul sewage allocated to assessed 80mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.12	Total	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Total assessed discharge (using RV-conversion formula) between 0 and (up to and including) 20m³ at formerly unmeasured supply points for all meter sizes during report year.

This forms the assessed tranche of foul sewage allocated to all assessed meters, which attracts no additional charge.

Processing Rules: Calculated field: the sum of lines 7 to 11.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P14.13	20mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Assessed discharge (using RV-conversion formula) between 20m³ and (up to and including) 50m³ during report year at formerly unmeasured supply points, assessed to have a 20mm meter.

This forms the assessed capacity volume at assessed 20mm meters, which attracts an additional premium charge due to phasing changes.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.14	25mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Assessed discharge (using RV-conversion formula) between 20m³ and (up to and including) 250m³ during report year at formerly unmeasured supply points, assessed to have a 25mm meter.

This forms the assessed capacity volume at assessed 25mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.15	40mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Assessed discharge (using RV-conversion formula) between 20m³ and (up to and including) 500m³ during report year at formerly unmeasured supply points, assessed to have a 40mm meter.

This forms the assessed capacity volume at assessed 40mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.16	50mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Assessed discharge (using RV-conversion formula) between 20m³ and (up to and including) 1,500m³ during report year at formerly unmeasured supply points, assessed to have a 50mm meter.

This forms the assessed capacity volume at assessed 50mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.17	80mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Assessed discharge (using RV-conversion formula) between 20m³ and (up to and including) 3,000m³ during report year at formerly unmeasured supply points, assessed to have a 80mm meter.

This forms the assessed capacity volume at assessed 80mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.18	Total	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Assessed discharge (using RV-conversion formula) between 20m³ and (up to and including) the capacity volume threshold during report year at formerly unmeasured supply points, for each assessed meter size.

Processing Rules: Calculated field: the sum of lines 13 to 17.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P14.19	All discharges greater than 20m³	m³	0dp
---------------	--	----------------------	------------

Data Definition: Sum of all assessed discharges (using RV-conversion formula) of greater than 20m³ at all formerly unmeasured supply points.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.20	20mm	nr	0dp
---------------	-------------	-----------	------------

Data Definition: Number of 20mm meters, at formerly unmeasured supply points, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.21	25mm	nr	0dp
---------------	-------------	-----------	------------

Data Definition: Number of 25mm meters, at formerly unmeasured supply points, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.22	40mm	nr	0dp
---------------	-------------	-----------	------------

Data Definition: Number of 40mm meters, at formerly unmeasured supply points, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.23	50mm	nr	0dp
---------------	-------------	-----------	------------

Data Definition: Number of 50mm meters, at formerly unmeasured supply points, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.24	80mm	nr	0dp
---------------	-------------	-----------	------------

Data Definition: Number of 80mm meters, at formerly unmeasured supply points, as at September of the reporting year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.25	Total	nr	0dp
---------------	--------------	-----------	------------

Data Definition: Total number of meters at formerly unmeasured supply points as at September of the report year

Processing Rules: Calculated field: the sum of lines 20 to 24.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P14.26	20mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Discharge between 0 and (up to and including) 20m³ during report year at formerly unmeasured supply points, with a 20mm meter.
This forms the tranche of foul sewage allocated to 20mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.27	25mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Discharge between 0 and (up to and including) 20m³ during report year at formerly unmeasured supply points, with a 25mm meter.

This forms the tranche of foul sewage allocated to 25mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.28	40mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Discharge between 0 and (up to and including) 20m³ during report year at formerly unmeasured supply points, with a 40mm meter.

This forms the tranche of foul sewage allocated to 40mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.29	50mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Discharge between 0 and (up to and including) 20m³ during report year at formerly unmeasured supply points, with a 50mm meter.

This forms the tranche of foul sewage allocated to 50mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.30	80mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Discharge between 0 and (up to and including) 20m³ during report year at formerly unmeasured supply points, with a 80mm meter.

This forms the tranche of foul sewage allocated to 80mm meters, which attracts no additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.31	Total	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Discharge between 0 and (up to and including) 20m³ during report year at formerly unmeasured supply points.
This forms the tranche of foul sewage allocated to all meters, which attracts no additional charge.

Processing Rules: Calculated field: the sum of lines 26 to 30.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P14.32	20mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Discharge between 20m³ and (up to and including) 50m³ during report year at formerly unmeasured supply points, with a 20mm meter.
This forms the capacity volume in respect of 20mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.33	25mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Discharge between 20m³ and (up to and including) 250m³ during report year at formerly unmeasured supply points, with a 25mm meter.

This forms the capacity volume in respect of 25mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.34	40mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Discharge between 20m³ and (up to and including) 500m³ during report year at formerly unmeasured supply points, with a 40mm meter.

This forms the capacity volume in respect of 40mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.35	50mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Discharge between 20m³ and (up to and including) 1,500m³ during report year at formerly unmeasured supply points, with a 50mm meter.
This forms the capacity volume in respect of 50mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.36	80mm	m³	0dp
---------------	-------------	----------------------	------------

Data Definition: Discharge between 20m³ and (up to and including) 3,000m³ during report year at formerly unmeasured supply points, with a 80mm meter.
This forms the capacity volume in respect of 80mm meters, which attracts an additional charge.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.37	Total	m³	0dp
---------------	--------------	----------------------	------------

Data Definition: Discharge between 20m³ and (up to and including) the capacity volume threshold during report year at formerly unmeasured supply points, for each meter size.

Processing Rules: Calculated field: the sum of lines 32 to 36.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P14.38	All discharges greater than 20m³	m³	0dp
---------------	--	----------------------	------------

Data Definition: Sum of all discharges of greater than 20m³ at all formerly unmeasured supply points.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.39	The number of exempt supply points	nr	0dp
---------------	---	-----------	------------

Data Definition: The total number of premises attracting a negative wholesale charge due to their exempt status.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.40	20mm	£	6dp
---------------	-------------	----------	------------

Data Definition: Meter based annual charge for 20mm meters in report year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.41	25mm	£	6dp
---------------	-------------	----------	------------

Data Definition: Meter based annual charge for 25mm meters in report year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.42	40mm	£	6dp
---------------	-------------	----------	------------

Data Definition: Meter based annual charge for 40mm meters in report year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.43	50mm	£	6dp
---------------	-------------	----------	------------

Data Definition: Meter based annual charge for 50mm meters in report year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.44	80mm	£	6dp
---------------	-------------	----------	------------

Data Definition: Meter based annual charge for 80mm meters in report year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.45	Capacity volume charge	£	6dp
---------------	-------------------------------	----------	------------

Data Definition: Foul sewerage capacity volume charge for the report year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.46	Standard volume charge	£	6dp
---------------	-------------------------------	---	-----

Data Definition: Foul sewerage standard volume charge for the report year.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.47	The number of exempt supply points	Nr	
---------------	---	----	--

Data Definition: The negative wholesale charge for supply points with exemption status.
Enter as a negative value.

Processing Rules: Input

Field Type: Input

Previous References: Ofwat 07 WICS 06

P14.48	Assessed meter based annual charges	£	0dp
---------------	--	---	-----

Data Definition: Revenue from assessed meter based annual charges in the report year

The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

Processing Rules: Calculated field: the sumproduct of lines 1 to 5 and lines 39 to 43, multiplied by the appropriate phasing percentage for the year.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P14.49	Assessed capacity volume charges	£	0dp
---------------	---	---	-----

Data Definition: Revenue from assessed meter capacity volume charges in the report year

The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

Processing Rules: Calculated field: the product of lines 18 and 44, multiplied by the appropriate phasing percentage for the year.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P14.50	Assessed standard volume charges	£	0dp
---------------	---	---	-----

Data Definition: Revenue from assessed standard volume charges in the report year

The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

Processing Rules: Calculated field: the product of lines 19 and 45, multiplied by the appropriate phasing percentage for the year.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P14.51	Actual meter based annual charges	£	Odp
---------------	--	---	-----

Data Definition: Revenue from actual meter based annual charges in the report year

The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

Processing Rules: Calculated field: the sumproduct of lines 20 to 24 and lines 39 to 43, multiplied by the appropriate phasing percentage for the year.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P14.52	Actual capacity volume charges	£	Odp
---------------	---------------------------------------	---	-----

Data Definition: Revenue from actual meter capacity volume charges in the report year

The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

Processing Rules: Calculated field: the product of lines 37 and 44, multiplied by the appropriate phasing percentage for the year.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P14.53	Actual standard volume charges	£	0dp
---------------	---------------------------------------	---	-----

Data Definition: Revenue from actual standard volume charges in the report year

The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

Processing Rules: Calculated field: the product of lines 38 and 45, multiplied by the appropriate phasing percentage for the year.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P14.54	Negative revenue in respect of supply points with negative wholesale charges	£	0dp
---------------	---	---	-----

Data Definition: Negative revenue in respect of supply points with negative wholesale charges

Processing Rules: Calculated field: the product of lines 39 and 47.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06

P14.55	Total	£	0dp
---------------	--------------	---	-----

Data Definition: Total foul sewage revenue from licensed providers generated from formerly unmeasured supply points

The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

Processing Rules: Calculated field: the sum of lines 46 to 51.

Field Type: Calculated field

Previous References: Ofwat 07 WICS 06